

400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS

40X40cm
PARKING
Vitrified Body




400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



PLAIN PUNCH




7056




PLAIN FINISH

400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS




P2 PUNCH



7101




7102



PUNCH FINISH


400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P2 PUNCH




7103



PUNCH FINISH


400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P2 PUNCH




7118



PUNCH FINISH


400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P2 PUNCH




7121



PUNCH FINISH


400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P2 PUNCH




7129



PUNCH FINISH

400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P4 PUNCH




7178



PUNCH FINISH


400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P5 PUNCH




7201



PUNCH FINISH


400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P5 PUNCH




7202



PUNCH FINISH


400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P5 PUNCH




7205



PUNCH FINISH


400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P5 PUNCH




7207



PUNCH FINISH


400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P5 PUNCH




7210



PUNCH FINISH


400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P11 PUNCH




7351



PUNCH FINISH


400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P11 PUNCH




7353



PUNCH FINISH

400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P12 PUNCH




7378



PUNCH FINISH


400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P15 PUNCH




7451



PUNCH FINISH

400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P15 PUNCH




7455



PUNCH FINISH

400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P15 PUNCH




7456



PUNCH FINISH

400X400MM | HEAVY DUTY VITRIFIED FLOOR TILES | **12**MM
THICKNESS



P15 PUNCH



7457



PUNCH FINISH

400X400_{MM} | HEAVY DUTY VITRIFIED PARKING TILES | 12_{MM}
THICKNESS

400X400_{MM} | HEAVY DUTY VITRIFIED FLOOR TILES | 12_{MM} THICKNESS

Technical Specification

S.No.	Property	Group Bla-ISO 13006 Annx.G.	Our Value	Test According to
1	Deviation in length	+ 0.6%	± 0.1 %	ISO-10545-2
2	Deviation in thickness	± 5%	± 4 %	ISO-10545-2
3	Straightness of sides	± 0.5%	± 0.1 %	ISO-10545-2
4	Rectangularity	± 0.6%	± 0.1 %	ISO-10545-2
5	Surface Flatness	± 0.5%	± 0.15%	ISO-10545-2
6	Surface quality (%)	A minimum of 95% of the tiles shall be would impair the appearance of a major area of tile.	98% free from visible defects	ISO-10545-2
7	Modulus of repture	>35 N/mm ³	>40 N/mm ³	ISO-10545-4
8	Breaking strength	>1300 N	>2000 N	ISO-10545-4
9	Water absorption	< 0.5%	< 0.08%	ISO-10545-3
10	Stain resistance	Stain Proof	Stain Proof	ISO-10545-14
11	Chemical resistance	No damage	No damage	ISO-10545-13
12	Thermal expansion	< 9x10 ⁻⁶	< 6x10 ⁻⁶	ISO-10545-8
13	Moisture expansion	Nil	Nil	ISO-10545-10
14	Thermal shock resistance	No damage	No damage	ISO-10545-9
15	Resistance to surface abrasion	manufacturer to state abrasion class	PEI class 3-5	ISO-10545-7

Packing Details

Size	Thickness (Approx)	No. of Tiles Per Box	Area (Approx)	Weight (Approx)
400x400mm	12mm	5 Pcs.	0.8 Sq.m/Box	20.0 Kg

