

800X1600MM

POLISHED

Random Phase  04

BEISER BEIGE





800X1600MM
POLISHED

Random Phase  03

MOORISH SKY





800X1600MM
POLISHED

Random Phase  03

CAMBRIDGE BRECCIA



800X1600MM
GLAMOUR

Random Phase  04

FORMA NERO



800X1600MM
INFINIA FUSION



NUMB GREY GLIT

Random Phase  03



800X1600MM
FUSION

Random Phase



ZETCH WHITE GLIT



TECHNICAL SPECIFICATIONS

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP B1a	italica VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-2	±0.6%	±0.2%
Deviation In Thickness	ISO-10545-2	±5%	±4%
Straightness of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	<0.5%	<0.2%
Mohs Hardness	EN-101	Min.3	Min.3
Flexural Strength	ISO-10545-4	>35 N/mm2	>40N/mm2
Skid Resistance (Friction Coefficient)	ISO-10545-17	-	<0.2 (R9)
Breaking Strength	ISO-10545-11	>1113 N	>1800N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
		-	PEI III & IV
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

PACKING DETAILS :

Tiles Size (mm)	Thickness	Pcs. / Box	Sq Mtr / Box	Box weight (approx.)
800x1600 mm	9.0 mm	2	2.56	50 Kgs.

DISCLAIMER : Italica Tiles reserves the right to delete and amend either totally or partially, any of the colors, shapes, sizes, reference and other technical specifications contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process, please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors.