



A Bright Idea.

continuously looking forward
to offer you best LEDs

A Bright Idea.

continuously looking forward
to offer you best LEDs

Multtifab Lights are a smart innovation of Mali Product India. We provide a simple and lasting lighting solution to the end of our customers. Its advanced technology, energy efficiency and its durability takes it light years ahead, giving it a clear edge in today's market.

Since its inception in 2008, Multtifab brand built a strong positioned leading in the lighting market.

We provide BIS Certified products to all our esteemed customers. Our Leading area in the Retail, Commercial Residential Industrial Lighting Fixture.



5-9	LED Mini Spotlights Dot, Crystal, Karizma, Jelly Acrylic, Craxa, M-One, Ferxo,
10-16	LED Cob Downlights Ertiga, Moon, ERA, Crystal, Verve, Circle, I -Power, I Ball, Jet-I
17	LED SMD Downlights Rangoli, Colours, Nexa,
19-23	LED Panel Lights Super Saver, Prime, Max Bright, Air, Satrangi,
25-29	LED Surface Panel Lights Satrangi, Super Saver, Max Bright, Ultramax, Alexa,
30	LED Surface COB Lights Ocular, Coin,
31	LED Linear Light Ultra Slim
33-34	LED COB Wall & Track Light Pro , Zoom
36-37	LED Street Lights Stellar Bright , Solar X
39-42	LED Flood Light Xuv, Neo, Netvue, Multistar
44-45	LED Bulkhead Plano, Creta






46	LED Picture Lights Milan, Unicorn, Curve
48	LED Garden Light Aqua
49-54	LED Wall Light Xylo, Camry, S-Cross, Elantra, Dzire, Ciaz, Eeco, Starz, Alto, Breeza, Fiesta, Atmos, Step
56-57	LED Filament Bulb's Click, Crom, Glow, Spark, Gola, Linear
58	LED Strip Light Twinkle Star
60	LED Highbay Light
62	LED SMPS/ LED Driver Power Booster
64	Isolator Magic line
64	RCCB Protech
65	Bell Switch Aqua
65	3 Pin Adaptor Point
66	GI Sheet Metal Box Plano, Creta



DOT
MINI SPOT LIGHT



Mini Crystal



Mini Crystal

86% SAVINGS

EXCELLENT CRI

100 LUMENS PER WATT

LONG LIFE

ANTI GLARE DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
DOT MINI SPOTLIGHT									
MP-1W-DOT	1W	3000K	>0.5	38x23	31	80	38		200
MP-1W-DOT	1W	4000K	>0.5	38x23	31	80	38		200
MP-1W-DOT	1W	6500K	>0.5	38x23	31	80	38		200
MP-1W-DOT	1W		>0.5	38x23	31	80	38		200




CRYSTAL MINI SPOTLIGHT- DRIVER BASED									
MP-1W-CRY	1W	3000K	>0.9	33x23	25	80	38		100
MP-1W-CRY	1W	4000K	>0.9	33x23	25	80	38		100
MP-1W-CRY	1W	6500K	>0.9	33x23	25	80	38		100
MP-1W-CRY	1W		>0.9	33x23	25	80	38		100



CRYSTAL MINI SPOTLIGHT-DRIVER BASED									
MP-3W-CRY	3W	3000K	>0.9	45x28	35	80	38		100
MP-3W-CRY	3W	4000K	>0.9	45x28	35	80	38		100
MP-3W-CRY	3W	6500K	>0.9	45x28	35	80	38		100
MP-3W-CRY	3W		>0.9	45x28	35	80	38		100



CRYSTAL MINI SPOTLIGHT(ADJUSTABLE)-DRIVER BASED									
MP-1W-CRY	1W	3000K	>0.9	45x28	35	80	38		100
MP-1W-CRY	1W	4000K	>0.9	45x28	35	80	38		100
MP-1W-CRY	1W	6500K	>0.9	45x28	35	80	38		100
MP-1W-CRY	1W		>0.9	45x28	35	80	38		100





KARIZMA
MINI SOPTLIGHT



JellyAcrylic
MINI SOPTLIGHT



JellyAcrylic
MINI SOPTLIGHT

86%
SAVINGS

✓
EXCELLENT
CRI

100
LUMENS
PER WATT

⌚
LONG
LIFE

👁️
ANTI GLARE
DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP.	PKG.
KARIZMA MINI SPOTLIGHT-DRIVER BASED									
MP-3W-KAR	3W	3000K	>0.9	45x28	35	80	38		100
MP-3W-KAR	3W	4000K	>0.9	45x28	35	80	38		100
MP-3W-KAR	3W	6500K	>0.9	45x28	35	80	38		100
MP-3W-KAR	3W	RGB	>0.9	45x28	35	80	38		100



KARIZMA MINI SPOTLIGHT-DRIVER BASED									
MP-3W-KAR	3W	3000K	>0.9	45x28	35	80	38		100
MP-3W-KAR	3W	4000K	>0.9	45x28	35	80	38		100
MP-3W-KAR	3W	6500K	>0.9	45x28	35	80	38		100
MP-3W-KAR	3W	RGB	>0.9	45x28	35	80	38		100



JELLY ACRYLIC MINI SPOTLIGHT-DRIVER BASED									
MP-3W-J.ACR	3W	RGB	>0.9	45x28	35	80	38		100



JELLY ACRYLIC MINI SPOTLIGHT-DRIVER BASED									
MP-3W-J.ACR	3W	RGB	>0.9	45X28	35	80	38		100



KARIZMA
MINI SOPTLIGHT

86%
SAVINGS

✓
EXCELLENT
CRI

100
LUMENS
PER WATT

⌚
LONG
LIFE

👁️
ANTI GLARE
DIFFUSER*

ANTIQUE
DESIGN.



CRAXA DOB
LED SPOT LIGHT

86%
SAVINGS

✓
EXCELLENT
CRI

100
LUMENS
PER WATT

⌚
LONG
LIFE

👁️
ANTI GLARE
DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
CRAXA MINI SPOTLIGHT (DOB)									
MP-1W-CRAXA	1W	3000K	>0.9	33x23	25	80	38		100
MP-1W-CRAXA	1W	4000K	>0.9	33x23	25	80	38		100
MP-1W-CRAXA	1W	6500K	>0.9	33x23	25	80	38		100
MP-1W-CRAXA	1W	RGB	>0.9	33x23	25	80	38		100



CRAXA MINI SPOTLIGHT (DOB)									
MP-3W-CRAXA	3W	3000K	>0.9	45x28	35	80	38		100
MP-3W-CRAXA	3W	4000K	>0.9	45x28	35	80	38		100
MP-3W-CRAXA	3W	6500K	>0.9	45x28	35	80	38		100
MP-3W-CRAXA	3W	RGB	>0.9	45x28	35	80	38		100



ERTIGA MINI SPOTLIGHT- DRIVER BASED									
MP-1W-ERTIGA	1W	3000K	>0.9	67x45	45	80	38		100
MP-1W-ERTIGA	1W	4000K	>0.9	67x45	45	80	38		100
MP-1W-ERTIGA	1W	6500K	>0.9	67x45	45	80	38		100
MP-1W-ERTIGA	1W	RGB	>0.9	67x45	45	80	38		100





ERTIGA
LED SPOT LIGHT

86%
SAVINGS


✓
EXCELLENT
CRI

100
LUMENS
PER WATT

⌚
LONG
LIFE

👁️
ANTI GLARE
DIFFUSER*

ANTIQUE
DESIGN.



M-ONE
LED SPOT LIGHT

86%
SAVINGS

✓
EXCELLENT
CRI

100
LUMENS
PER WATT


⌚
LONG
LIFE

👁️
ANTI GLARE
DIFFUSER*


ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
M-ONE MINI SPOTLIGHT-DRIVER BASED									
MP-1W-M-ONE	1W	3000K	>0.9	30x30	28	80	38		100
MP-1W-M-ONE	1W	4000K	>0.9	30x30	28	80	38		100
MP-1W-M-ONE	1W	6500K	>0.9	30x30	28	80	38		100



M-ONE MINI SPOTLIGHT-DRIVER BASED									
MP-3W-M-ONE	3W	3000K	>0.9	38x30	28	80	38		100
MP-3W-M-ONE	3W	4000K	>0.9	38x30	28	80	38		100
MP-3W-M-ONE	3W	6500K	>0.9	38x30	28	80	38		100



ANTIQUE
DESIGN.



Ferxo DOB
LED SPOT LIGHT

86%
SAVINGS

✓
EXCELLENT
CRI

100
LUMENS
PER WATT


⌚
LONG
LIFE

👁️
ANTI GLARE
DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
FERXO MINI SPOTLIGHT(DOB)									
MP-1W-FERXO	1W	3000K	>0.9	30x30	28	80	38		100
MP-1W-FERXO	1W	4000K	>0.9	30x30	28	80	38		100
MP-1W-FERXO	1W	6500K	>0.9	30x30	28	80	38		100



FERXO MINI SPOTLIGHT(DOB)									
MP-3W-FERXO	3W	3000K	>0.9	38x30	28	80	38		100
MP-3W-FERXO	3W	4000K	>0.9	38x30	28	80	38		100
MP-3W-FERXO	3W	6500K	>0.9	38x30	28	80	38		100



Twist in
twist out



MOON
LED DOWN LIGHT

86%
SAVINGS

✓
EXCELLENT
CRI

100
LUMENS
PER WATT

⌚
LONG
LIFE

👁️
ANTI GLARE
DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
MOON MINI SPOTLIGHT -INBUILT DRIVER									
MP-3W-MOON	3W	3000K	>0.9	70x45	52	80	120		100
MP-3W-MOON	3W	4000K	>0.9	70x45	52	80	120		100
MP-3W-MOON	3W	6500K	>0.9	70x45	52	80	120		100
MP-3W-MOON	3W	●●●●	>0.9	70x45	52	80	120		100



MOON MINI SPOTLIGHT -INBUILT DRIVER									
MP-7W-MOON	7W	3000K	>0.9	110x60	70	80	120		100
MP-7W-MOON	7W	4000K	>0.9	110x60	70	80	120		100
MP-7W-MOON	7W	6500K	>0.9	110x60	70	80	120		100
MP-7W-MOON	7W	●●●●	>0.9	110x60	70	80	120		100



MOON MINI SPOTLIGHT -INBUILT DRIVER-3in1									
MP-3W-MOON	3W	○●●	>0.9	70x45	28	80	120		100
MP-3W-MOON	3W	●●●	>0.9	70x45	28	80	120		100




MOON MINI SPOTLIGHT -INBUILT DRIVER-3in1									
MP-7W-MOON	7W	○●●	>0.9	110x60	70	80	120		100
MP-7W-MOON	7W	●●●	>0.9	110x60	70	80	120		100



3W

Suitable For 2 Inch
Junction Box



7W

Suitable For 4 Inch
Junction Box



ERA

86%
SAVINGS

✓
EXCELLENT
CRI

100
LUMENS
PER WATT

⌚
LONG
LIFE

👁️
ANTI GLARE
DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
ERA SMD SPOTLIGHT -INBUILT DRIVER									
MP-3W-ERA	3W	3000K	>0.9	75x35	55	80	120		100
MP-3W-ERA	3W	4000K	>0.9	75x35	55	80	120		100
MP-3W-ERA	3W	6500K	>0.9	75x35	55	80	120		100
MP-3W-ERA	3W	●●●●	>0.9	75x35	55	80	120		100



ERA SMD SPOTLIGHT -INBUILT DRIVER									
MP-6W-ERA	6W	3000K	>0.9	90x45	75	80	120		100
MP-6W-ERA	6W	4000K	>0.9	90x45	75	80	120		100
MP-6W-ERA	6W	6500K	>0.9	90x45	75	80	120		100
MP-6W-ERA	6W	●●●●	>0.9	90x45	75	80	120		100



ERA SMD SPOTLIGHT -INBUILT DRIVER-3in1									
MP-3W-ERA	3W	●●●	>0.9	75x35	55	80	120		100
MP-3W-ERA	3W	●●●	>0.9	75x35	55	80	120		100




ERA SMD SPOTLIGHT -INBUILT DRIVER-3in1									
MP-6W-ERA	6W	●●●	>0.9	90x45	75	80	120		100
MP-6W-ERA	6W	●●●	>0.9	90x45	75	80	120		100



3W

Suitable For 2 Inch
Junction Box



7W

Suitable For 4 Inch
Junction Box



All dimensions in mm



50%
Energy saving
over CFLs



Zero
Maintenance



4 times
more life
over CFLs



Zero
Mercury



Crystal



86% SAVINGS | EXCELLENT CRI | 100 LUMENS PER WATT | LONG LIFE | ANTI GLARE DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
CRYSTAL COB SPOTLIGHT - DRIVER BASED									
MP-3W-CRYSTAL	3W	3000K	>0.9	70x50	55	80	38		100
MP-3W-CRYSTAL	3W	4000K	>0.9	70x50	55	80	38		100
MP-3W-CRYSTAL	3W	6500K	>0.9	70x50	55	80	38		100
MP-3W-CRYSTAL	3W	●●●●	>0.9	70x50	55	80	38		100



CRYSTAL COB SPOTLIGHT - DRIVER BASED									
MP-6W-CRYSTAL	6W	3000K	>0.9	85x56	75	80	38		50
MP-6W-CRYSTAL	6W	4000K	>0.9	85x56	75	80	38		50
MP-6W-CRYSTAL	6W	6500K	>0.9	85x56	75	80	38		50



CRYSTAL COB SPOTLIGHT - DRIVER BASED									
MP-9W-CRYSTAL	9W	3000K	>0.9	85x66	75	80	38		50
MP-9W-CRYSTAL	9W	4000K	>0.9	85x66	75	80	38		50
MP-9W-CRYSTAL	9W	6500K	>0.9	85x66	75	80	38		50



CRYSTAL COB SPOTLIGHT - DRIVER BASED									
MP-16W-CRYSTAL	16W	3000K	>0.9	110x75	100	80	38		10
MP-16W-CRYSTAL	16W	4000K	>0.9	110x75	100	80	38		10
MP-16W-CRYSTAL	16W	6500K	>0.9	110x75	100	80	38		10




CRYSTAL COB SPOTLIGHT - DRIVER BASED									
MP-24W-CRYSTAL	24W	3000K	>0.9	140x90	130	80	38		10
MP-24W-CRYSTAL	24W	4000K	>0.9	140x90	130	80	38		10
MP-24W-CRYSTAL	24W	6500K	>0.9	140x90	130	80	38		10



CRYSTAL COB SPOTLIGHT - DRIVER BASED									
MP-30W-CRYSTAL	30W	3000K	>0.9	160x110	150	80	38		50
MP-30W-CRYSTAL	30W	4000K	>0.9	160x110	150	80	38		50
MP-30W-CRYSTAL	30W	6500K	>0.9	160x110	150	80	38		50




All dimensions in mm



VERVE

COPPER GOLD SERIES



CIRCLE

LED SPOTLIGHT

86%
SAVINGS

EXCELLENT
CRI

100
LUMENS
PER WATT

LONG
LIFE

ANTI GLARE
DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
VERVE COB SPOTLIGHT - DRIVER BASED									
MP-7W-VERVE	7W	3000K	>0.9	68x56	63	80	38		50
MP-7W-VERVE	7W	4000K	>0.9	68x56	63	80	38		50
MP-7W-VERVE	7W	6500K	>0.9	68x56	63	80	38		50



VERVE COB SPOTLIGHT - DRIVER BASED									
MP-12W-VERVE	12W	3000K	>0.9	85x80	75	80	38		40
MP-12W-VERVE	12W	4000K	>0.9	85x80	75	80	38		40
MP-12W-VERVE	12W	6500K	>0.9	85x80	75	80	38		40



VERVE COB SPOTLIGHT - DRIVER BASED									
MP-18W-VERVE	18W	3000K	>0.9	100x105	90	80	38		20
MP-18W-VERVE	18W	4000K	>0.9	100x105	90	80	38		20
MP-18W-VERVE	18W	6500K	>0.9	100x105	90	80	38		20



CIRCLE COB SPOTLIGHT - DRIVER BASED									
MP-7W-CIRCLE	7W	3000K	>0.9	65x53	58	80	38		50
MP-7W-CIRCLE	7W	4000K	>0.9	65x53	58	80	38		50
MP-7W-CIRCLE	7W	6500K	>0.9	65x53	58	80	38		50



CIRCLE COB SPOTLIGHT - DRIVER BASED									
MP-12W-CIRCLE	12W	3000K	>0.9	80x75	75	80	38		40
MP-12W-CIRCLE	12W	4000K	>0.9	80x75	75	80	38		40
MP-12W-CIRCLE	12W	6500K	>0.9	80x75	75	80	38		40



CIRCLE COB SPOTLIGHT - DRIVER BASED									
MP-18W-CIRCLE	18W	3000K	>0.9	95x95	85	80	38		20
MP-18W-CIRCLE	18W	4000K	>0.9	95x95	85	80	38		20
MP-18W-CIRCLE	18W	6500K	>0.9	95x95	85	80	38		20



White & Black Color Fixture Available In **CIRCLE** Series*.

All dimensions in mm



50%
Energy saving
over CFLs



Zero
Maintenance



4 times
more life
over CFLs



Zero
Mercury





power

86% SAVINGS | EXCELLENT CRI | 100 LUMENS PER WATT | LONG LIFE | ANTI GLARE DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
I POWER COB SPOTLIGHT - DRIVER BASED									
MP-3W-I POWER	3W	3000K	>0.6	65x50	55	80	38		100
MP-3W-I POWER	3W	4000K	>0.6	65x50	55	80	38		100
MP-3W-I POWER	3W	6500K	>0.6	65x50	55	80	38		100
MP-3W-I POWER	3W	●●●●●	>0.6	65x50	55	80	38		100



I POWER COB SPOTLIGHT - DRIVER BASED									
MP-6W-I POWER	6W	3000K	>0.6	80x55	70	80	38		50
MP-6W-I POWER	6W	4000K	>0.6	80x55	70	80	38		50
MP-6W-I POWER	6W	6500K	>0.6	80x55	70	80	38		50
MP-6W-I POWER	6W	●●●●●	>0.6	80x55	70	80	38		50



I POWER COB SPOTLIGHT - DRIVER BASED									
MP-9W-I POWER	9W	3000K	>0.9	100x55	85	80	38		50
MP-9W-I POWER	9W	4000K	>0.9	100x55	85	80	38		50
MP-9W-I POWER	9W	6500K	>0.9	100x55	85	80	38		50




I POWER COB SPOTLIGHT - DRIVER BASED									
MP-16W-I POWER	16W	3000K	>0.9	130x65	115	80	38		50
MP-16W-I POWER	16W	4000K	>0.9	130x65	115	80	38		50
MP-16W-I POWER	16W	6500K	>0.9	130x65	115	80	38		50



3W

Suitable For 2 Inch Mini Junction Box



9W

Suitable For 4 Inch Spot Junction Box



All dimensions in mm

CFL 50% Energy saving over CFLs | Zero Maintenance | 4 times more life over CFLs | Zero Mercury

CE | RoHS | IP20

NEXA



86%
SAVINGS

EXCELLENT
CRI

100
LUMENS
PER WATT

LONG
LIFE

ANTI GLARE
DIFFUSER*




ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
NEXA DOB SPOTLIGHT									
NEXA	MP-3W-NEXA	3W	3000K	>0.9	70x35	52	80	38	200
	MP-3W-NEXA	3W	4000K	>0.9	70x35	52	80	38	200
	MP-3W-NEXA	3W	6500K	>0.9	70x35	52	80	38	200
	MP-3W-NEXA	3W		>0.9	70x35	52	80	38	200



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
I BALL COB SPOTLIGHT									
I BALL	MP-3W-I BALL	3W	3000K	>0.9	67x35	45	80	38	100
	MP-3W-I BALL	3W	4000K	>0.9	67x35	45	80	38	100
	MP-3W-I BALL	3W	6500K	>0.9	67x35	45	80	38	100
	MP-3W-I BALL	3W		>0.9	67x35	45	80	38	100

3W
Suitable For 2 Inch
Mini Junction Box



All dimensions in mm

CFL >50%
50%
Energy saving
over CFLs


Zero
Maintenance

4 times
more life
over CFLs

Zero
Mercury

CE

RoHS



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	DIA.	CRI	ANGLE	MRP. ₹	PKG.
JET-I COB SURFACE SPOTLIGHT - DRIVER BASED									
MP-5W-JET.I	5W	3000K	>0.6	55x75	55	80	120		50
MP-5W-JET.I	5W	4000K	>0.6	55x75	55	80	120		50
MP-5W-JET.I	5W	6500K	>0.6	55x75	55	80	120		50



*Also Available In White& Black Fixture Housing.

JET-I COB SURFACE SPOTLIGHT - DRIVER BASED									
MP-12W-JET.I	12W	3000K	>0.6	73x90	73	80	120		40
MP-12W-JET.I	12W	4000K	>0.6	73x90	73	80	120		40
MP-12W-JET.I	12W	6500K	>0.6	73x90	73	80	120		40



*Also Available In White& Black Fixture Housing.

JET-I COB SURFACE SPOTLIGHT - DRIVER BASED									
MP-20W-JET.I	20W	3000K	>0.6	95x110	95	80	120		20
MP-20W-JET.I	20W	4000K	>0.6	95x110	95	80	120		20
MP-20W-JET.I	20W	6500K	>0.6	95x110	95	80	120		20



*Also Available In White& Black Fixture Housing.



Rangoli

COLOURS

86% SAVINGS

EXCELLENT CRI

100 LUMENS PER WATT

LONG LIFE

ANTI GLARE DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
RANGOLI SMD SPOTLIGHT									
MP-3W-RANGOLI	3W	3000K	>0.9	75x35	52	80	38		100
MP-3W-RANGOLI	3W	4000K	>0.9	75x35	52	80	38		100
MP-3W-RANGOLI	3W	6500K	>0.9	75x35	52	80	38		100
MP-3W-RANGOLI	3W		>0.9	75x35	52	80	38		100



RANGOLI SMD SPOTLIGHT-3in1									
MP-3W-RANGOLI	3W		>0.9	75x35	52	80	38		100
MP-3W-RANGOLI	3W		>0.9	75x35	52	80	38		100
MP-3W-RANGOLI	3W		>0.9	75x35	52	80	38		100



COLOURS SMD SPOTLIGHT									
MP-7W-COLOURS	7W	3000K	>0.9	110x45	75	80	38		100
MP-7W-COLOURS	7W	4000K	>0.9	110x45	75	80	38		100
MP-7W-COLOURS	7W	6500K	>0.9	110x45	75	80	38		100
MP-7W-COLOURS	7W		>0.9	110x45	75	80	38		100



COLOURS SMD SPOTLIGHT-3in1									
MP-7W-COLOURS	7W		>0.9	110x45	75	80	38		100
MP-7W-COLOURS	7W		>0.9	110x45	75	80	38		100



3W

Suitable For 2 Inch Mini Junction Box

7W

Suitable For 4 Inch Spot Junction Box



A Better Way To *Light* Up Ur Life

Introducing The Best Technology Of Led.Multifab Premium Panel Light Series
With Elegant Design And Quality Uniform & Anti Glare Technology ,
Multifab Panel Lights Are Truly A Class Apart



SUPER
SAVE

86% SAVINGS

EXCELLENT CRI

80 LUMENS PER WATT

LONG LIFE

ANTI GLARE DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
SUPER SAVER LED PANEL									
MP-4W-SSPL	4W	3000K	>0.9	85x20	75	80	120		100
MP-4W-SSPL	4W	4000K	>0.9	85x20	75	80	120		100
MP-4W-SSPL	4W	6500K	>0.9	85x20	75	80	120		100
MP-4W-SSPL	4W		>0.9	85x20	75	80	120		100
SUPER SAVER LED PANE									
MP-8W-SSPL	8W	3000K	>0.9	120x20	100	80	120		50
MP-8W-SSPL	8W	4000K	>0.9	120x20	100	80	120		50
MP-8W-SSPL	8W	6500K	>0.9	120x20	100	80	120		50
MP-8W-SSPL	8W		>0.9	120x20	100	80	120		50
SUPER SAVER LED PANE									
MP-15W-SSPL	15W	3000K	>0.9	174x20	150	80	120		40
MP-15W-SSPL	15W	4000K	>0.9	174x20	150	80	120		40
MP-15W-SSPL	15W	6500K	>0.9	174x20	150	80	120		40
MP15W-SSPL	15W		>0.9	174x20	150	80	120		40
SUPER SAVER LED PANEL									
MP-22W-SSPL	22W	3000K	>0.9	225x20	200	80	120		30
MP-22W-SSPL	22W	4000K	>0.9	225x20	200	80	120		30
MP-22W-SSPL	22W	6500K	>0.9	225x20	200	80	120		30
MP-22W-SSPL	22W		>0.9	225x20	200	80	120		30
SUPER SAVER LED PANEL									
MP-30W-SSPL	30W	3000K	>0.9	300x20	270	80	120		10
MP-30W-SSPL	30W	4000K	>0.9	300x20	270	80	120		10
MP-30W-SSPL	30W	6500K	>0.9	300x20	270	80	120		10
MP30W-SSPL	30W		>0.9	300x20	270	80	120		10



Prime Series

86%
SAVINGS

EXCELLENT
CRI

80
LUMENS
PER WATT

LONG
LIFE

ANTI GLARE
DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
PRIME SERIES	PRIME SERIES LED PANEL								
	MP-4W-SSPL	4W	3000K	>0.9	85x20	75	80	120	50
	MP-4W-SSPL	4W	4000K	>0.9	85x20	75	80	120	50
	MP-4W-SSPL	4W	6500K	>0.9	85x20	75	80	120	50
	MP-4W-SSPL	4W		>0.9	85x20	75	80	120	50
PRIME SERIES	PRIME SERIES LED PANEL								
	MP-8W-SSPL	8W	3000K	>0.9	120x20	100	80	120	50
	MP-8W-SSPL	8W	4000K	>0.9	120x20	100	80	120	50
	MP-8W-SSPL	8W	6500K	>0.9	120x20	100	80	120	50
	MP-8W-SSPL	8W		>0.9	120x20	100	80	120	50
PRIME SERIES	PRIME SERIES LED PANEL								
	MP-15W-SSPL	15W	3000K	>0.9	174x20	150	80	120	40
	MP-15W-SSPL	15W	4000K	>0.9	174x20	150	80	120	40
	MP-15W-SSPL	15W	6500K	>0.9	174x20	150	80	120	40
	MP15W-SSPL	15W		>0.9	174x20	150	80	120	40
PRIME SERIES	PRIME SERIES LED PANEL								
	MP-22W-SSPL	22W	3000K	>0.9	225x20	200	80	120	30
	MP-22W-SSPL	22W	4000K	>0.9	225x20	200	80	120	30
	MP-22W-SSPL	22W	6500K	>0.9	225x20	200	80	120	30
	MP-22W-SSPL	22W		>0.9	225x20	200	80	120	30
PRIME SERIES	PRIME SERIES LED PANEL								
	MP-30W-SSPL	30W	3000K	>0.9	300x20	270	80	120	10
	MP-30W-SSPL	30W	4000K	>0.9	300x20	270	80	120	10
	MP-30W-SSPL	30W	6500K	>0.9	300x20	270	80	120	10
	MP30W-SSPL	30W		>0.9	300x20	270	80	120	10





MAXbrite
LED LIGHTING TECHNOLOGY

86%
SAVINGS

EXCELLENT
CRI

100
LUMENS
PER WATT

LONG
LIFE

ANTI GLARE
DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
MAX BRIGHT LED PANEL									
MP-8W-MAX BRIGHT	8W	3000K	>0.9	90x10	75	80	120		50
MP-8W-MAX BRIGHT	8W	4000K	>0.9	90x10	75	80	120		50
MP-8W-MAX BRIGHT	8W	6500K	>0.9	90x10	75	80	120		50



MAX BRIGHT LED PANE									
MP-15W-MAX BRIGHT	15W	3000K	>0.9	145x10	125	80	120		20
MP-15W-MAX BRIGHT	15W	4000K	>0.9	145x10	125	80	120		20
MP-15W-MAX BRIGHT	15W	6500K	>0.9	145x10	125	80	120		20



MAX BRIGHT LED PANE									
MP-22W-MAX BRIGHT	22W	3000K	>0.9	170x10	155	80	120		20
MP-22W-MAX BRIGHT	22W	4000K	>0.9	170x10	155	80	120		20
MP-22W-MAX BRIGHT	22W	6500K	>0.9	170x10	155	80	120		20





Air

86%
SAVINGS

EXCELLENT
CRI

100
LUMENS
PER WATT

LONG
LIFE

ANTI GLARE
DIFFUSER*

	ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP.	PKG.
AIR	AIR LED PANEL									
	MP-8W-AIR	8W	3000K	>0.9	115x35	100	80	120		50
	MP-8W-AIR	8W	4000K	>0.9	115x35	100	80	120		50
	MP-8W-AIR	8W	6500K	>0.9	115x35	100	80	120		50
	MP-8W-AIR	8W		>0.9	115x35	100	80	120		50
AIR	AIR LED PANEL									
	MP-15W-AIR	15W	3000K	>0.9	165x35	150	80	120		40
	MP-15W-AIR	15W	4000K	>0.9	165x35	150	80	120		40
	MP-15W-AIR	15W	6500K	>0.9	165x35	150	80	120		40
	MP-15W-AIR	15W		>0.9	165x35	150	80	120		40
AIR	AIR LED PANEL									
	MP-22W-AIR	22W	3000K	>0.9	220x35	205	80	120		30
	MP-22W-AIR	22W	4000K	>0.9	220x35	205	80	120		30
	MP-22W-AIR	22W	6500K	>0.9	220x35	205	80	120		30
	MP-22W-AIR	22W		>0.9	220x35	205	80	120		30





SATRANGI
JELLY SERIES

86%
SAVINGS

EXCELLENT
CRI

100
LUMENS
PER WATT

LONG
LIFE

ANTI GLARE
DIFFUSER*


ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
SATRANGI JELLY LED PANEL									
MP-3W-SATRANGI	3+3W	Yellow	>0.9	105x10	75	80	120		100
MP-3W-SATRANGI	3+3W	Blue	>0.9	105x10	75	80	120		100
MP-3W-SATRANGI	3+3W	Green	>0.9	105x10	75	80	120		100
MP-3W-SATRANGI	3+3W	Pink	>0.9	105x10	75	80	120		100
MP-3W-SATRANGI	3+3W	Purple	>0.9	105x10	75	80	120		100
SATRANGI JELLY LED PANEL									
MP-6W-SATRANGI	6+6W	Yellow	>0.9	140x10	110	80	120		40
MP-6W-SATRANGI	6+6W	Blue	>0.9	140x10	110	80	120		40
MP-6W-SATRANGI	6+6W	Green	>0.9	140x10	110	80	120		40
MP-6W-SATRANGI	6+6W	Pink	>0.9	140x10	110	80	120		40
MP-6W-SATRANGI	6+6W	Purple	>0.9	140x10	110	80	120		40
SATRANGI JELLY LED PANEL									
MP-12W-SATRANGI	12+6W	Yellow	>0.9	190x10	155	80	120		40
MP-12W-SATRANGI	12+6W	Blue	>0.9	190x10	155	80	120		40
MP-12W-SATRANGI	12+6W	Green	>0.9	190x10	155	80	120		40
MP-12W-SATRANGI	12+6W	Pink	>0.9	190x10	155	80	120		40
MP-12W-SATRANGI	12+6W	Purple	>0.9	190x10	155	80	120		40



LEDs *Lighting*

Intelligent way of
brightening up lives

Multifab LED Lights offer you a wide range of LED Surface Panel Lights. they are easy to use, highly energy saver and eco friendly.





SATRANGI
JELLY SERIES

86%
SAVINGS

EXCELLENT
CRI

100
LUMENS
PER WATT

LONG
LIFE

ANTI GLARE
DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	MOUNT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
SATRANGI JELLY LED SURFACE PANEL									
SATRANGI JELLY	MP-3W-SATRANGI	3+3W		>0.9	105x32	105	80	120	100
	MP-3W-SATRANGI	3+3W		>0.9	105x32	105	80	120	100
	MP-3W-SATRANGI	3+3W		>0.9	105x32	105	80	120	100
	MP-3W-SATRANGI	3+3W		>0.9	105x32	105	80	120	100
	MP-3W-SATRANGI	3+3W		>0.9	105x32	105	80	120	100
SATRANGI JELLY LED SURFACE PANEL									
SATRANGI JELLY	MP-6W-SATRANGI	6+6W		>0.9	140x32	140	80	120	40
	MP-6W-SATRANGI	6+6W		>0.9	140x32	140	80	120	40
	MP-6W-SATRANGI	6+6W		>0.9	140x32	140	80	120	40
	MP-6W-SATRANGI	6+6W		>0.9	140x32	140	80	120	40
	MP-6W-SATRANGI	6+6W		>0.9	140x32	140	80	120	40
SATRANGI JELLY LED SURFACE PANEL									
SATRANGI JELLY	MP-12W-SATRANGI	12+6W		>0.9	190x32	190	80	120	30
	MP-12W-SATRANGI	12+6W		>0.9	190x32	190	80	120	30
	MP-12W-SATRANGI	12+6W		>0.9	190x32	190	80	120	30
	MP-12W-SATRANGI	12+6W		>0.9	190x32	190	80	120	30
	MP-12W-SATRANGI	12+6W		>0.9	190x32	190	80	120	30





**SUPER ₹
SAVE**

86%
SAVINGS


EXCELLENT
CRI

80
LUMENS
PER WATT


LONG
LIFE


ANTI GLARE
DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	MOUNT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
SUPER SAVER LED PANEL									
MP-8W-SSPL	8W	3000K	>0.9	120x32	120	80	120		50
MP-8W-SSPL	8W	4000K	>0.9	120x32	120	80	120		50
MP-8W-SSPL	8W	6500K	>0.9	120x32	120	80	120		50
MP-8W-SSPL	8W		>0.9	120x32	120	80	120		50



SUPER SAVER LED PANEL									
MP-15W-SSPL	15W	3000K	>0.9	170x32	170	80	120		40
MP-15W-SSPL	15W	4000K	>0.9	170x32	170	80	120		40
MP-15W-SSPL	15W	6500K	>0.9	170x32	170	80	120		40
MP-15W-SSPL	15W		>0.9	170x32	170	80	120		40



SUPER SAVER LED PANEL									
MP-22W-SSPL	22W	3000K	>0.9	210x32	210	80	120		30
MP-22W-SSPL	22W	4000K	>0.9	210x32	210	80	120		30
MP-22W-SSPL	22W	6500K	>0.9	210x32	210	80	120		30
MP-22W-SSPL	22W		>0.9	210x32	210	80	120		30



 CFL

50%

Energy saving
over CFLs



Zero

Maintenance



4 times

more life
over CFLs



Zero

Mercury



MAXbrite
LED LIGHTING TECHNOLOGY

86%
SAVINGS

EXCELLENT
CRI

100
LUMENS
PER WATT

LONG
LIFE

ANTI GLARE
DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	MOUNT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
MAX BRIGHT LED SURFACE PANEL									
MP-8W-MAX BRIGHT	8W	3000K	>0.9	90x28	90	80	120		50
MP-8W-MAX BRIGHT	8W	4000K	>0.9	90x28	90	80	120		50
MP-8W-MAX BRIGHT	8W	6500K	>0.9	90x28	90	80	120		50



MAX BRIGHT LED SURFACE PANEL									
MP-15W-MAX BRIGHT	15W	3000K	>0.9	145x28	145	80	120		20
MP-15W-MAX BRIGHT	15W	4000K	>0.9	145x28	145	80	120		20
MP-15W-MAX BRIGHT	15W	6500K	>0.9	145x28	145	80	120		20



MAX BRIGHT LED SURFACE PANEL									
MP-22W-MAX BRIGHT	22W	3000K	>0.9	170x28	170	80	120		20
MP-22W-MAX BRIGHT	22W	4000K	>0.9	170x28	170	80	120		20
MP-22W-MAX BRIGHT	22W	6500K	>0.9	170x28	170	80	120		20



CFL

50%
Energy saving
over CFLs

Zero
Maintenance

4 times
more life
over CFLs

Zero
Mercury

CE

RoHS

IP20

All dimensions in mm





**ANTI GLARE
DIFFUSER***




ALEXA
STRIKER CABINET

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
ALEXA LED MINI SURFACE LIGHT									
MP-ALEXA-5W	5W	3000K	>0.9	64x18	64	80	120		100
MP-ALEXA-5W	5W	4000K	>0.9	64x18	64	80	120		100
MP-ALEXA-5W	5W	6500K	>0.9	64x18	64	80	120		100
MP-ALEXA-5W	5W		>0.9	64x18	64	80	120		100
ULTRAMAX LED MINI SURFACE LIGHT-3in1									
MP-ALEXA-5W	5W		>0.9	64x18	64	80	120		100
MP-ALEXA-5W	5W		>0.9	64x18	64	80	120		100
MP-ALEXA-5W	5W		>0.9	64x18	64	80	120		100



3W
Suitable For 2 Inch
Mini Junction Box
(Surface Mounting)



All dimensions in mm



ocular
LED MINI SURFACE LIGHT

86% SAVINGS
EXCELLENT CRI
100 LUMENS PER WATT
LONG LIFE
ANTI GLARE DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	MOUNT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
OCULAR LED MINI SURFACE LIGHT (Indoor Use)									
MP-OCULAR-3W	3W	3000K	>0.9	60x10	60	80	120		100
MP-OCULAR-3W	3W	4000K	>0.9	60x10	60	80	120		100
MP-OCULAR-3W	3W	6500K	>0.9	60x10	60	80	120		100

*Also Available In Black Fixture Housing.



OCULAR	OCULAR LED MINI SURFACE LIGHT (Indoor Use)								
	MP-OCULAR-5W	5W	3000K	>0.9	60x10	60	80	120	100
	MP-OCULAR-5W	5W	4000K	>0.9	60x10	60	80	120	100
	MP-OCULAR-5W	5W	6500K	>0.9	60x10	60	80	120	100

*Also Available In Black Fixture Housing.



COIN	COIN LED MINI SURFACE LIGHT (Outdoor Use)								
	MP-COIN-3W	3W	3000K	>0.9	60x10	60	80	120	100
	MP-COIN-3W	3W	4000K	>0.9	60x10	60	80	120	100
	MP-COIN-3W	3W	6500K	>0.9	60x10	60	80	120	100



3W
Weather Proof
Outdoor Fixture.

COIN
LED MINI SURFACE LIGHT



All dimensions in mm



ULTRA SLIM	ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
	ULTRAMAX LED LINEAR SURFACE LIGHT								
	MP-USL-1FT	4W	3000K/4000K/6500K	>0.9	1 Feet	80	120		100
	MP-USL-2FT	8W	3000K/4000K/6500K	>0.9	2 Feet	80	120		100
	MP-USL-3FT	12W	3000K/4000K/6500K	>0.9	3 Feet	80	120		60
	MP-USL-4FT	18W	3000K/4000K/6500K	>0.9	4 Feet	80	120		40

ULTRA
SLIM
LINE

86%
SAVINGS

EXCELLENT
CRI

100
LUMENS
PER WATT

LONG
LIFE

ANTI GLARE
DIFFUSER*



50%
Energy saving
over CFLs



Zero
Maintenance



4 times
more life
over CFLs



Zero
Mercury

All dimensions in mm

CE | RoHS | IP20

LEDs *Lighting*



Walk towards a *Bright* future
Morden Space Lighting System

PRO SERIES

86% SAVINGS
EXCELLENT CRI
100 LUMENS PER WATT
LONG LIFE
ANTI GLARE DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	MOUNT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
PRO SERIES LED COB TRACK LIGHT									
MP-PRO-10W	10W	3000K	>0.9	118x144x64	-	80	24		40
MP-PRO-10W	10W	4000K	>0.9	118x144x64	-	80	24		40
MP-PRO-10W	10W	6500K	>0.9	118x144x64	-	80	24		40

*Also Available In Track & Surface Fixture.

PRO SERIES	PRO SERIES LED COB TRACK LIGHT								
	MP-PRO-20W	20W	3000K	>0.9	138x162x79	-	80	24	30
	MP-PRO-20W	20W	4000K	>0.9	138x162x79	-	80	24	30
	MP-PRO-20W	20W	6500K	>0.9	138x162x79	-	80	24	30

*Also Available In Track & Surface Fixture.

PRO SERIES	PRO SERIES LED COB TRACK LIGHT								
	MP-PRO-30W	30W	3000K	>0.9	158x172x88	-	80	24	20
	MP-PRO-30W	30W	4000K	>0.9	158x172x88	-	80	24	20
	MP-PRO-30W	30W	6500K	>0.9	158x172x88	-	80	24	20

*Also Available In Track & Surface Fixture.

PRO SERIES
LED WAL SPOT
Suitable For
Surface Mounting



Zoom⁺

86% SAVINGS | EXCELLENT CRI | 100 LUMENS PER WATT | LONG LIFE | ANTI GLARE DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	MOUNT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
ZOOM LED COB TRACK LIGHT									
MP-ZOOM-3W	3W	3000K	>0.9	71.5x105	-	80	24		50
MP-ZOOM-3W	3W	4000K	>0.9	71.5x105	-	80	24		50
MP-ZOOM-3W	3W	6500K	>0.9	71.5x105	-	80	24		50



*Also Available In Track & Surface Fixture.

ZOOM LED COB TRACK LIGHT									
MP-ZOOM-6W	6W	3000K	>0.9	94x115	-	80	24		50
MP-ZOOM-6W	6W	4000K	>0.9	94x115	-	80	24		50
MP-ZOOM-6W	6W	6500K	>0.9	94x115	-	80	24		50



*Also Available In Track & Surface Fixture.

ZOOM LED COB TRACK LIGHT									
MP-ZOOM-9W	9W	3000K	>0.9	101x128	-	80	24		50
MP-ZOOM-9W	9W	4000K	>0.9	101x128	-	80	24		50
MP-ZOOM-9W	9W	6500K	>0.9	101x128	-	80	24		50



*Also Available In Track & Surface Fixture.

ZOOM LED COB TRACK LIGHT									
MP-ZOOM-16W	16W	3000K	>0.9	115x138	-	80	24		50
MP-ZOOM-16W	16W	4000K	>0.9	115x138	-	80	24		50
MP-ZOOM-16W	16W	6500K	>0.9	115x138	-	80	24		50



*Also Available In Track & Surface Fixture.

ZOOM LED COB TRACK LIGHT									
MP-ZOOM-24W	24W	3000K	>0.9	115x138		80	24		10
MP-ZOOM-24W	24W	4000K	>0.9	115x138		80	24		10
MP-ZOOM-24W	24W	6500K	>0.9	115x138		80	24		10



*Also Available In Track & Surface Fixture.

ZOOM LED COB TRACK LIGHT									
MP-ZOOM-30W	30W	3000K	>0.9	125x148	-	80	24		10
MP-ZOOM-30W	30W	4000K	>0.9	125x148	-	80	24		10
MP-ZOOM-30W	30W	6500K	>0.9	125x148	-	80	24		10



*Also Available In Track & Surface Fixture.

LEDs Lighting

Smart lighting
ideas

With The Eco-Friendly Lighting Solution





86% SAVINGS

EXCELLENT CRI

100 LUMENS PER WATT

LONG LIFE

ANTI GLARE DIFFUSER*

SOLARX

LED SOLAR STREET LIGHT

ITEM CODE	POWER	COL.TEMP	LED QTY.	DIMENSION	BATTERY	PANEL WATT	MRP. ₹	PKG.
SOLARX LED STREET LIGHT								
MP-SOLARX-60W	60W	3000K	180	433x265x65	6000mAh	4.5V 8W		10
MP-SOLARX-60W	60W	6500K	180	433x265x65	6000mAh	4.5V 8W		10



SOLARX LED STREET LIGHT								
MP-SOLARX-90W	90W	3000K	270	512x275x65	10000mAh	4.5V 10W		5
MP-SOLARX-90W	90W	6500K	270	512x275x65	10000mAh	4.5V 10W		5



SOLARX LED STREET LIGHT								
MP-SOLARX-120W	120W	3000K	360	620x305x65	15000mAh	4.5V 15W		5
MP-SOLARX-120W	120W	6500K	360	620x305x65	15000mAh	4.5V 15W		5





Stellar bright

86%
SAVINGS

EXCELLENT
CRI

100
LUMENS
PER WATT

LONG
LIFE

ANTI GLARE
DIFFUSER*

	ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
STELLER BRIGHT	STELLER BRIGHT LED STREET LIGHT								
	MP-STELLER-24W	24W	3000K	>0.9	310x105x55	80	120		20
	MP-STELLER-24W	24W	6500K	>0.9	400x175x70	80	120		20
STELLER BRIGHT	STELLER BRIGHT LED STREET LIGHT								
	MP-STELLER-36W	36W	3000K	>0.9	355x125x55	80	120		20
	MP-STELLER-36W	36W	6500K	>0.9	335x135x70	80	120		20
STELLER BRIGHT	STELLER BRIGHT LED STREET LIGHT								
	MP-STELLER-50W	50W	3000K	>0.9	405x165x55	80	120		10
	MP-STELLER-50W	50W	6500K	>0.9	295x120x70	80	120		10
STELLER BRIGHT	STELLER BRIGHT LED STREET LIGHT								
	MP-STELLER-100W	100W	3000K	>0.9	620x220x75	80	120		5
	MP-STELLER-100W	100W	6500K	>0.9	295x120x70	80	120		5
STELLER BRIGHT	STELLER BRIGHT LED STREET LIGHT								
	MP-STELLER-150W	150W	3000K	>0.9	690x250x75	80	120		5
	MP-STELLER-150W	150W	6500K	>0.9	295x120x70	80	120		5
STELLER BRIGHT	STELLER BRIGHT LED STREET LIGHT								
	MP-STELLER-150W	150W	3000K	>0.9	740x275x85	80	120		5
	MP-STELLER-150W	150W	6500K	>0.9	740x275x85	80	120		5



All dimensions in mm



50%
Energy saving
over CFLs



Zero
Maintenance



4 times
more life
over CFLs




Zero
Mercury



LEDs *Lighting*



Feel it
Play with it



XUV sets the standard in high quality Flood lights, With an IP 66 rating, XUV is not only dust and water resistant but can also withstand extreme weather conditions, Manufactured using die cast metal, XUV features star crystal diodes that offer super bright illumination, The high quality finish coupled with high quality light makes it an ideal choice for outdoor use, Equipped with a functional swivel stand, XUV Flood Light is an easy-to-use, durable and pocket-friendly device that requires low maintenance,

86%
SAVINGS

EXCELLENT
CRI

100
LUMENS
PER WATT

LONG
LIFE

ANTI GLARE
DIFFUSER*

XUV

	ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
XUV	XUV LED FLOOD LIGHT								
	MP-XUV-30W	30W	3000K	>0.95	200x135	80	120		20
	MP-XUV-30W	30W	6500K	>0.95	200x135	80	120		20
XUV	XUV LED FLOOD LIGHT								
	MP-XUV-50W	50W	3000K	>0.95	240x160	80	120		20
	MP-XUV-50W	50W	6500K	>0.95	240x160	80	120		20
XUV	XUV LED FLOOD LIGHT								
	MP-XUV-100W	100W	3000K	>0.95	300x200	80	120		10
	MP-XUV-100W	100W	6500K	>0.95	300x200	80	120		10



CFL

50%
Energy saving
over CFLs

Zero
Maintenance

4 times
more life
over CFLs

Zero
Mercury

CE

RoHS

IP20

All dimensions in mm



86% SAVINGS

EXCELLENT CRI

100 LUMENS PER WATT

LONG LIFE

ANTI GLARE DIFFUSER*

neo
Power Series

	ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
NEO	NEO LED FLOOD LIGHT								
	MP-NEO-30W	30W	3000K	>0.95	220x120	80	120		20
	MP-NEO-30W	30W	6500K	>0.95	220x120	80	120		20
NEO	NEO LED FLOOD LIGHT								
	MP-NEO-50W	50W	3000K	>0.95	267 x178	80	120		15
	MP-NEO-50W	50W	6500K	>0.95	267 x178	80	120		15
NEO	NEO LED FLOOD LIGHT								
	MP-NEO-100W	100W	3000K	>0.95	310x220	80	120		10
	MP-NEO-100W	100W	6500K	>0.95	310x220	80	120		10



CFL >50% 50% Energy saving over CFLs

Zero Maintenance

4 times more life over CFLs

Zero Mercury


All dimensions in mm

CE | RoHS | IP20



	ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
NETVUE	NETVUE LED FLOOD LIGHT								
	MP-NETVUE-30W	30W	3000K	>0.95	152x178x55	80	120		20
	MP-NETVUE-30W	30W	6500K	>0.95	152x178x55	80	120		20
	MP-NETVUE-30W	30W		>0.95	152x178x55	80	120		20
NETVUE	NETVUE LED FLOOD LIGH								
	MP-NETVUE-50W	50W	3000K	>0.95	226x216x55	80	120		20
	MP-NETVUE-50W	50W	6500K	>0.95	226x216x55	80	120		20
	MP-NETVUE-50W	50W		>0.95	226x216x55	80	120		20
NETVUE	NETVUE LED FLOOD LIGH								
	MP-NETVUE-100W	100W	3000K	>0.95	282x247x65	80	120		10
	MP-NETVUE-100W	100W	6500K	>0.95	282x247x65	80	120		10
	MP-NETVUE-100W	100W		>0.95	282x247x65	80	120		10
NETVUE	NETVUE LED FLOOD LIGH								
	MP-NETVUE-150W	150W	3000K	>0.95	277x298x70	80	120		5
	MP-NETVUE-150W	150W	6500K	>0.95	277x298x70	80	120		5
	MP-NETVUE-150W	150W		>0.95	277x298x70	80	120		5
NETVUE	NETVUE LED FLOOD LIGH								
	MP-NETVUE-200W	200W	3000K	>0.95	277x298x70	80	120		5
	MP-NETVUE-200W	200W	6500K	>0.95	277x298x70	80	120		5
	MP-NETVUE-200W	200W		>0.95	277x298x70	80	120		5





	ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
MULTISTAR	MULTISTAR LED FLOOD LIGHT								
	MP-MULTISTAR-30W	30W	6500K	>0.95	185x235x65	80	120		10
MULTISTAR	MULTISTAR LED FLOOD LIGH								
	MP-MULTISTAR-50W	50W	6500K	>0.95	235x285x70	80	120		10



86% SAVINGS

EXCELLENT CRI

100 LUMENS PER WATT

LONG LIFE

ANTI GLARE DIFFUSER*



50% Energy saving over CFLs

Zero Maintenance

4 times more life over CFLs

Zero Mercury

All dimensions in mm

CE RoHS IP20

LEDs *Lighting*

Putting the best
lighting forward





Plano LED
LED BULKHEAD

86%
SAVINGS

EXCELLENT
CRI

100
LUMENS
PER WATT

LONG
LIFE

ANTI GLARE
DIFFUSER*

	ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
PLANO	PLANO LED BULKHEAD LIGHT								
	MP-PLANO-10W	10W	3000K	>0.95	168x70x46	80	120		50
	MP-PLANO-10W	10W	6500K	>0.95	168x70x46	80	120		50
	MP-PLANO-10W	10W		>0.95	168x70x46	80	120		50
PLANO	PLANO LED BULKHEAD LIGHT-3in1								
	MP-PLANO-15W	15W		>0.95	208x100x52	80	120		40
	MP-PLANO-15W	15W		>0.95	208x100x52	80	120		40
	MP-PLANO-15W	15W		>0.95	208x100x52	80	120		40



SENSOR
BASED LIGHT



CRETA+

86%
SAVINGS

EXCELLENT
CRI

100
LUMENS
PER WATT

LONG
LIFE

ANTI GLARE
DIFFUSER*

	ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
CRETA	CRETA LED BULKHEAD LIGHT								
	MP-CRETA-12W	12W	3000K	>0.95	160x160x62	80	120		40
	MP-CRETA-12W	12W	6500K	>0.95	160x160x62	80	120		40
	MP-CRETA-12W	12W		>0.95	160x160x62	80	120		40
CRETA	CRETA LED BULKHEAD LIGHT-3in1								
	MP-CRETA-12W	12W		>0.95	160x160x62	80	120		40
	MP-CRETA-12W	12W		>0.95	160x160x62	80	120		40
	MP-CRETA-12W	12W		>0.95	160x160x62	80	120		40
CRETA	CRETA LED BULKHEAD LIGHT- SENSOR								
	MP-CRETA-12W	12W	3000K	>0.95	160x160x62	80	120		40
	MP-CRETA-12W	12W	6500K	>0.95	160x160x62	80	120		40
CRETA	CRETA LED BULKHEAD LIGHT								
	MP-CRETA-18W	18W	3000K	>0.95	190x190x62	80	120		40
	MP-CRETA-18W	18W	6500K	>0.95	190x190x62	80	120		40
	MP-CRETA-18W	18W		>0.95	190x190x62	80	120		40
CRETA	CRETA LED BULKHEAD LIGHT-3in1								
	MP-CRETA-18W	18W		>0.95	190x190x62	80	120		40
	MP-CRETA-18W	18W		>0.95	190x190x62	80	120		40
	MP-CRETA-18W	18W		>0.95	190x190x62	80	120		40
CRETA	CRETA LED BULKHEAD LIGHT- SENSOR								
	MP-CRETA-18W	18W	3000K	>0.95	190x190x62	80	120		40
	MP-CRETA-18W	18W	6500K	>0.95	190x190x62	80	120		40





86%
SAVINGS

EXCELLENT
CRI

100
LUMENS
PER WATT

LONG
LIFE

ANTI GLARE
DIFFUSER*

Create Natural Makeup..
90% Similarity to daylight

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
MILAN LED MIRROR LIGHT MILAN								
MP-MILAN-6W	6W	3000K	>0.95	335x30x75	80	120		20
MP-MILAN-6W	6W	6500K	>0.95	335x30x75	80	120		20
MP-MILAN-6W	6W		>0.95	335x30x75	80	120		20




UNICORN LED MIRROR LIGHT UNICORN								
MP-UNICORN-6W	6W	3000K	>0.95	325x185	80	120		20
MP-UNICORN-6W	6W	6500K	>0.95	325x185	80	120		20
MP-UNICORN-6W	6W		>0.95	325x185	80	120		20



CURVE LED MIRROR LIGHT								
MP-CURVE-12W	12W		>0.95	311x172	80	120		20



CURVE
LED MIRROR LIGHT



50%
Energy saving
over CFLs



Zero
Maintenance



4 times
more life
over CFLs



Zero
Mercury



All dimensions in mm

LEDs *Lighting*

lighting done right
with our LED *lights.*





ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
AQUA LED SPIKE LIGHT								
MP-AQUA-5W	5W	3000K	>0.95	72x74x260	80	60		50
MP-AQUA-5W	5W	4000K	>0.95	72x74x260	80	60		50
MP-AQUA-5W	5W	6500K	>0.95	72x74x260	80	60		50
MP-AQUA-5W	5W	RGB	>0.95	72x74x260	80	60		50
MP-AQUA-5W	5W	RGB	>0.95	72x74x260	80	60		50



AQUA LED SPIKE LIGHT								
MP-AQUA-9W	9W	3000K	>0.95	82x135x260	80	60		20
MP-AQUA-9W	9W	4000K	>0.95	82x135x260	80	60		20
MP-AQUA-9W	9W	6500K	>0.95	82x135x260	80	60		20
MP-AQUA-9W	9W	RGB	>0.95	82x135x260	80	60		20




AQUA LED SPIKE LIGHT								
MP-AQUA-12W	12W	RGB	>0.95	82x135x260	80	60		20





XYLO
Beauty for your wall..




86% SAVINGS | EXCELLENT CRI | 100 LUMENS PER WATT | LONG LIFE | ANTI GLARE DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
XYLO LED WAL LIGHT								
XYLO	MP-XYLO-6W	6W	3000K	>0.95	70x80x40	80	120	50
	MP-XYLO-6W	6W	5000K	>0.95	70x80x40	80	120	50
	MP-XYLO-6W	6W	6500K	>0.95	70x80x40	80	120	50
XYLO LED WAL LIGHT								
XYLO	MP-XYLO-12W	12W	3000K	>0.95	120x85x40	80	120	50
	MP-XYLO-12W	12W	5000K	>0.95	120x85x40	80	120	50
	MP-XYLO-12W	12W	6500K	>0.95	120x85x40	80	120	50
XYLO LED WAL LIGHT								
XYLO	MP-XYLO-18W	18W	3000K	>0.95	170x80x40	80	120	30
	MP-XYLO-18W	18W	5000K	>0.95	170x80x40	80	120	30
	MP-XYLO-18W	18W	6500K	>0.95	170x80x40	80	120	30



XYLO
Beauty for your wall..




All dimensions in mm



CAMRY
Beauty for your wall..




S-CROSS
Beauty for your wall..




ELANTRA
Beauty for your wall..

86% SAVINGS | EXCELLENT CRI | 100 LUMENS PER WATT | LONG LIFE | ANTI GLARE DIFFUSER*

	ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
CAMRY	CAMRY LED WAL LIGHT								
	MP-CAMRY-2W	2W	3000K	>0.95	90x60x35	80	120		50
	MP-CAMRY-2W	2W	RGB	>0.95	90x60x35	80	120		50
	MP-CAMRY-2W	2W	RGB	>0.95	90x60x35	80	120		50
S-CROSS	SCROSS LED WAL LIGHT								
	MP-S-CROSS-4W	4W	3000K	>0.95	80x80x35	80	120		50
	MP-S-CROSS-4W	4W	RGB	>0.95	80x80x35	80	120		50
	MP-S-CROSS-4W	4W	RGB	>0.95	80x80x35	80	120		50
ELANTRA	ELANTRA LED WAL LIGHT								
	MP-ELANTRA-6W	6W	3000K	>0.95	100x100x100	80	120		50



LED WAL LIGHT



All dimensions in mm

50% Energy saving over CFLs | Zero Maintenance | 4 times more life over CFLs | Zero Mercury

CE | RoHS | IP20



DZIRE
Beauty for your wall..

Ciaz
Beauty for your wall..



EECO
Beauty for your wall..

86% SAVINGS | EXCELLENT CRI | 100 LUMENS PER WATT | LONG LIFE | ANTI GLARE DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
DZIRE LED WAL LIGHT								
MP-DZIRE-4W	4W	3000K	>0.95	70	80	120		50
MP-DZIRE-4W	4W		>0.95	70	80	120		50
MP-DZIRE-4W	4W		>0.95	70	80	120		50



CIAZ LED WAL LIGHT								
MP-CIAZ-12W	12W	3000K	>0.95	95	80	120		30
MP-CIAZ-12W	12W		>0.95	95	80	120		30
MP-CIAZ-12W	12W		>0.95	95	80	120		30




ECO LED WAL LIGHT								
MP-ECO-6W	6W	3000K	>0.95	95	80	120		30



STARZ LED WAL LIGHT								
MP-STARZ-15W	15W	3000K	>0.95	95	80	120		30
MP-STARZ-15W	15W		>0.95	95	80	120		30




STARZ
Beauty for your wall..





ALTO
Beauty for your wall..




IGNIS
Beauty for your wall..



BREEZA
Beauty for your wall..

86% SAVINGS | EXCELLENT CRI | 100 LUMENS PER WATT | LONG LIFE | ANTI GLARE DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
ALTO LED WAL LIGHT								
MP-ALTO-5W	5W	3000K	>0.95	233x168x30	80	120		20
MP-ALTO-5W	5W		>0.95	233x168x30	80	120		20
MP-ALTO-5W	5W		>0.95	233x168x30	80	120		20




IGNIS LED WAL LIGHT								
MP-IGNIS-12W	12W	3000K	>0.95	155x155x30	80	120		20
MP-IGNIS-12W	12W		>0.95	155x155x30	80	120		20
MP-IGNIS-12W	12W		>0.95	155x155x30	80	120		20



BREEZA LED WAL LIGHT								
MP-BREEZA-9W	9W	3000K	>0.95	170x150x45	80	120		20
MP-BREEZA-9W	9W		>0.95	170x150x45	80	120		20
MP-BREEZA-9W	9W		>0.95	170x150x45	80	120		20



LED WAL LIGHT





86% SAVINGS

EXCELLENT CRI

100 LUMENS PER WATT

LONG LIFE

ANTI GLARE DIFFUSER*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
STEP LED WAL LIGHT								
MP-STEP-3W	3W	3000K	>0.95	58x58	80	120		50

*Also Available In Black & White Fixture.



STEP	STEP LED WAL LIGHT							
	MP-STEP-3W	3W	3000K	>0.95	58x58	80	120	50

*Also Available In Black & White Fixture.



STEP	STEP LED WAL LIGHT							
	MP-STEP-6W	6W	3000K	>0.95	125x85x41	80	120	20

*Also Available In Black & White Fixture.



All dimensions in mm



Fiesta



Fiesta



Atmos

	ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
FIESTA	FIESTA LED WAL LIGHT								
	MP-FISTA-5W	5W	3000K	>0.95	75x85x40	80	120		50
FIESTA	FIESTA LED WAL LIGHT								
	MP-FIESTA-10W	10W	3000K	>0.95	160x85x40	80	120		30
ATMOS	ATMOS LED WAL LIGHT								
	MP-ATMOS-5W	5W	3000K	>0.95	58x119x83	80	120		50
	MP-ATMOS-10W	10W	3000K	>0.95	165x75x90	80	120		20





Click




SPARK




Glow



CROM



CROM



CROM

Multifab LED Filament Bulbs are cool-looking bulbs are not only wonderful to look they are also long lasting, energy saving, Multifab LEDs not only lower energy consumption by up to 90%, they are also mercury-free and thus eco -friendly.



CLICK

ITEM CODE	POWER	COL.TEMP	PF	HOLDER	CRI	ANGLE	MRP. ₹	PKG.
CLICK LED FILAMENT BULB								
MP-CLICK-12W	12W	3000K	>0.95	E14	80	120		100
MP-CLICK-12W	12W	6500K	>0.95	E14	80	120		100
MP-CLICK-12W	12W		>0.95	E14	80	120		100
MP-CLICK-12W	12W		>0.95	E14	80	120		100



CLICK

CLICK LED FILAMENT BULB								
MP-CLICK-12W	12W	3000K	>0.95	E27	80	120		50
MP-CLICK-12W	12W	6500K	>0.95	E27	80	120		50
MP-CLICK-12W	12W		>0.95	E27	80	120		50
MP-CLICK-12W	12W		>0.95	E27	80	120		50



CLICK

CLICK LED FILAMENT BULB								
MP-CLICK-12W	12W	3000K	>0.95	B22	80	120		50
MP-CLICK-12W	12W	6500K	>0.95	B22	80	120		50
MP-CLICK-12W	12W		>0.95	B22	80	120		50
MP-CLICK-12W	12W		>0.95	B22	80	120		50



CROM

CROM LED FILAMENT BULB-C35								
MP-CROM-4W	4W	3000K	>0.95	E14	80	120		100



CROM

CROM LED FILAMENT BULB-C35								
MP-CROM-4W	4W	3000K	>0.95	E27	80	120		100



CROM

CROM LED FILAMENT BULB-C35								
MP-CROM-4W	4W	3000K	>0.95	B22	80	120		100



GLOW

ITEM CODE	POWER	COL.TEMP	PF	HOLDER	CRI	ANGLE	MRP. ₹	PKG.
GLOW LED FILAMENT BULB								
MP-GLOW-5W	5W	3000K	>0.95	E14	80	120		100
MP-GLOW-5W	5W	6500K	>0.95	E14	80	120		100



GLOW

GLOW LED FILAMENT BULB								
MP-GLOW-5W	5W	3000K	>0.95	E27	80	120		100
MP-GLOW-5W	5W	6500K	>0.95	E27	80	120		100



GLOW

GLOW LED FILAMENT BULB								
MP-GLOW-5W	5W	3000K	>0.95	B22	80	120		100
MP-GLOW-5W	5W	6500K	>0.95	B22	80	120		100



SPARK

SPARK LED FILAMENT BULB-ST64								
MP-SPARK-4W	4W	3000K	>0.95	E27	80	120		50
MP-SPARK-40W	4W	3000K	>0.95	E27	80	120		50



SPARK

SPARK LED FILAMENT BULB-ST64								
MP-SPARK-4W	4W	3000K	>0.95	B22	80	120		50
MP-SPARK-40W	40W	3000K	>0.95	B22	80	120		50



86%
SAVINGS

EXCELLENT
CRI

100
LUMENS
PER WATT


LONG
LIFE

ANTI GLARE
DIFFUSER*

Extra
Ordinary Bulb's.

	ITEM CODE	POWER	COL.TEMP	PF	HOLDER	CRI	ANGLE	MRP. ₹	PKG.
GOLA	GOLA LED FILAMENT BULB								
	MP-GOLA-4W-G45	4W	3000K	>0.95	E27	80	120		100
	MP-GOLA-4W-G45	4W	3000K	>0.95	B22	80	120		100
GOLA	GOLA LED FILAMENT BULB								
	MP-GOLA-4W-G80	4W	3000K	>0.95	B22	80	120		50
	MP-GOLA-4W-G95	4W	3000K	>0.95	B22	80	120		50
	MP-GOLA-40W-G80	40W	3000K	>0.95	B22	80	120		50
	MP-GOLA-40W-G95	40W	3000K	>0.95	B22	80	120		50
LINEAR	LINEAR LED FILAMENT BULB								
	MP-LINEAR-6WT185	6W	3000K	>0.95	E27	80	120		100
	MP-LINEAR-6WT185	6W	3000K	>0.95	E27	80	120		100
LINEAR	LINEAR LED FILAMENT BULB								
	MP-LINEAR-8WT300	8W	3000K	>0.95	E27	80	120		100
	MP-LINEAR-8WT300	8W	3000K	>0.95	E27	80	120		100





ITEM CODE	POWER	COL.TEMP	PF	HOLDER	CRI	ANGLE	MRP. ₹	PKG.
TWINKLE STAR LED STRIP LIGHT								
MP-2835-120	12W	3000K	5MTR	120	20			500
MP-2835-120	12W	4000K	5MTR	120	20			500
MP-2835-120	12W	6500K	5MTR	120	20			500
MP-2835-120	12W	BLUE	5MTR	120	20			500
MP-2835-120	12W	GREEN	5MTR	120	20			500
MP-2835-120	12W	PINK	5MTR	120	20			500
MP-2835-120	12W	AMBER	5MTR	120	20			500
MP-2835-120	12W	PURPLE	5MTR	120	20			500
MP-2835-120	12W	ICE BLUE	5MTR	120	20			500



TWINKLE STAR	TWINKLE STAR LED STRIP LIGHT							
	MP-2835-240	24W	3000K	5MTR	240	20		500
	MP-2835-240	24W	4000K	5MTR	240	20		500
	MP-2835-240	24W	6500K	5MTR	240	20		500
	MP-2835-240	24W	BLUE	5MTR	240	20		500



LEDs *Lighting*

long-lasting
lights to make your
future bright

Sleek, elegant
long-lasting
highbay light



	ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	MRP. ₹	PKG.
HIGHBAY	HIGHBAY LED LIGHT								
	MP-HIGHBAY-100	100W	3000K	>0.95	270x120	80	120		5
	MP-HIGHBAY-100	100W	6500K	>0.95	270x120	80	120		5
HIGHBAY	HIGHBAY LED LIGHT								
	MP-HIGHBAY-150	150W	3000K	>0.95	325x145	80	120		5
	MP-HIGHBAY-150	150W	6500K	>0.95	325x145	80	120		5
HIGHBAY	HIGHBAY LED LIGHT								
	MP-HIGHBAY-200	200W	3000K	>0.95	375x150	80	120		5
	MP-HIGHBAY-200	200W	6500K	>0.95	375x150	80	120		5
HIGHBAY	HIGHBAY LED LIGHT								
	MP-HIGHBAY-300	300W	3000K	>0.95	470x120	80	120		1
	MP-HIGHBAY-300	300W	6500K	>0.95	470x120	80	120		1



CERTIFIED PRODUCT

The Safety and quality of our High Bay is proudly backed by DULC, FCC, RoHS, and UL certifiests

5000A
1-10V
6 year warranty

May with LED speaker during an industry meeting tomorrow in all the products.

CE FCC RoHS

16R 160°
16R 160°
16R 160°
16R 160°
16R 160°

200 Watts
30000
Lumens
Output

Light decay < 5%
Pure aluminum, the best heat dissipation material

6 Years warranty
Adopt the most durable driver
5000A driver provide at least 50000 hours life time

Power Compensation
Control Chip
Electrolytic Capacitor

LEDs *Lighting*

Diversify energy to the
Canefree Lighting



POWER
BOOSTER
SERIES



ITEM CODE	POWER	COL.TEMP	LENGTH(MTR)	LED'S PER MTR	LUMEN	MRP. ₹	PKG.
POWER BOOSTER	POWER BOOSTER SMPS						
	12V 5A	60W	—	—	—	—	100
	12V 8.33A	100W	—	—	—	—	80
	12V 12.5A	150W	—	—	—	—	80
	12V 16.5A	200W	—	—	—	—	50
	12V 25A	300W	—	—	—	—	50
	12V 33.33A	400W	—	—	—	—	50
POWER BOOSTER	POWER BOOSTER PENCIL SMPS						
	12V 2A	24W	—	—	—	—	100
	12V 5A	60W	—	—	—	—	100
LED DRIVER	LED DRIVER						
	1-3W	300mA	—	—	—	—	100
	4-7W	300mA	—	—	—	—	100
	8-12W	300mA	—	—	—	—	100
	12-18W	300mA	—	—	—	—	100
	18-24W	300mA	—	—	—	—	100
	24-30W	300mA	—	—	—	—	100
	36-48W	300mA/600mA	—	—	—	—	100



Innovating
DESiGNS




Electrical Solution For Commercial
Residential Industrial Space.


TAKE
THE
EXTRA
STEP
TO
SAFETY




DOUBLE POLE
ISOLATOR



FOUR POLE
ISOLATOR



DOUBLE POLE
RCB



FOUR POLE
RCB

MAGIC LINE

ITEM CODE	AMPR	POLE	MRP. ₹	PKG.
MAGIC LINE ISOLATOR				
MP-ML-ISOLATOR	40A	2		120
MP-ML-ISOLATOR	63A	2		120

ITEM CODE	AMPR	POLE	MRP. ₹	PKG.
MAGIC LINE ISOLATOR				
MP-ML-ISOLATOR	40A	4		60
MP-ML-ISOLATOR	63A	4		60

PROTECH

ITEM CODE	AMPR/mA	POLE	MRP. ₹	PKG.
PROTECH RCCB				
MP-PRO-RCCB	40A / 30mA	2		120
MP-PRO-RCCB	63A / 30mA	2		120

ITEM CODE	AMPR/mA	POLE	MRP. ₹	PKG.
PROTECH RCCB				
MP-PRO-RCCB	40A / 30mA	4		60
MP-PRO-RCCB	63A / 30mA	4		60
MP-PRO-RCCB	40A / 100mA	4		60
MP-PRO-RCCB	63A / 100mA	4		60
MP-PRO-RCCB	40A / 300mA	4		60
MP-PRO-RCCB	63A / 300mA	4		60



3 PIN TRAVEL
MULTI ADAPTOR

ITEM CODE	AMPR	MODULE	MRP. ₹	PKG.
AQUA BELL SWITCH				
MP-AQUA SWITCH	16A	1		100



WEATHER PROOF



EASY TO INSTALL



SHOCK PROOF

ITEM CODE	AMPR	PIN	MRP. ₹	PKG.
POINT MULTI ADAPTOR				
MP-POINT-3PIN	6A	Indian Pin		240



Unique Sleek Design



High Class Copper Parts



Fire Proof Housing



With Safety Surge Fuse

GI SHEET
METAL BOX



GI SHEET METAL BOX	MODEL	1/2	3	4	6	8m(H)	12	16	18
	CODE NO.	101	103	104	105	106	108	109	110
	MRP	59/-	69/-	88/-	120/-	142/-	180/-	200/-	225/-
	INNER	20 Pcs	20 Pcs	20 Pcs	10 Pcs	10 Pcs	10 Pcs	05 Pcs	05 Pcs
	OUTER	240Pcs	240Pcs	200Pcs	120Pcs	120Pcs	80Pcs	80Pcs	60Pcs

NOTES

Handwriting practice lines consisting of 20 horizontal dashed lines.



LEDs *Lighting*



Multifab LED Lighting Solutions all right reserved. Multifab reserves the right to make changes in specification and or discontinue any product at any time without notice or obligation and will not be liable for any consequences form the use of the obligation.