

SAMSUNG **IREX**
QUALITY HAS A NAME



FURNITURE FITTINGS & HARDWARE



ENGINEERED IN KOREA DESIGNED FOR INDIA



— |

| —

— |

| —

COLLECTION 2022
FURNITURE HARDWARE

SAMSUNG IREX




As a much more reliable business partner for you

We, SAMSUNG Precision Ind. corp., are one of the leading manufacturers of functional furniture hardware.

Our main items cover all hardware parts for kitchen and furniture, such as door hinge, door damper, drawer damper drawer runner & slide, soft-closing system, system furniture, roller system for window and so on.

We provides fine products that are engineered and manufactured with the high quality standards and will give years of satisfying service, certified with ISO 9001, FIRA, LGA, KSA, United States Testing Company, etc. It means that you are assured of consistent quality in every IREX products.





For the last over 35 years, SAMSUNG PRECISION has accumulated a massive technical and manufacture know-how, allowed to develop new solutions to fulfill the requirements of market place with its patented irex system.

We, over 400 employees in Samsung Precision Ind. have come together in mind and body to put forth all efforts into making Samsung irex brand. as the better hardware company, And we are even now striving for achieving the more reliable business partner for you.

Please be kindly aware that our goal is not the best company but to be the much more reliable business partner for you.

We expect that the information here gives you a better idea of the scope and scale of your business operations.

And we thank you for your reliable partnership and your sincere support.

QUALITY GUARANTEE

We provide fine products that are engineered and manufactured with the high quality standards and will give years of satisfying service. SAMSUNG PRECISION stands behinds its products and warrants them to be free from Defects in material and workmanship.

We, therefore, guarantees the replacement of any defective product Subject to this warranty.

COMPANY OVERVIEW

We are dedicated to ourselves to make human-friendly and environment-friendly products, integrating digital technology on traditional furniture hardware.

Company	Samsung Precision Ind. Co., Ltd
Head Office / Plant	178-47 Gajwa-dong Seo-gu Incheon Korea

HISTORY

1970~1980	02.1979	Established Samsung Precision Ind.
	12.1986	Moving the head office to Incheon
	07.1987	Selected as "The prospected small and medium enterprises"
	04.1988	Switchover the incorporation to Samsung Precision Ind. Co., Ltd
1990	11.1991	Exporting HINGE PLANT to Hebeisheng in China
	05.1992	Exporting DRAWER RUNNER PLANT to Shanghai in China
	11.1993	Awarded a commendation by the minister of trade and industry
	02.1994	On a TV program "A small enterprise, big economy" on KBS
	11.1994	Certified by FILA in U.K and ANSI/BHMA in U.S.A
	01.1995	Launched a brand name "IREX"
	03.1998	Selected as "The coming Venture Business"
	03.1999	Awarded a presidential commendation (Export part)
	08.1999	Assignment as a federal supporting enterprise (Export part)
	12.1999	Certified by Korean Standards Association (KSA/ISO 9001)
12.1999	Authorizing an institute of Samsung Precision Ind. Co., Ltd	
2000	09.2000	An increase in the capital
	11.2000	Certified by KSA (KS-Cup hinge part)
	06.2001	Certified by KSA (KS-Sash roller part)
	06.2002	Certified by KSA (The Best Product-Hinge part)
	07.2003	Certified by KSA (The Best Product-Wardrobe part)
	08.2003	An overseas investment : Tianjin irex Samsung Precision Ind. Co., Ltd in China
	03.2004	Patent for eccentric screw of kitchen furniture's hinge (Patent No. 426408) (Holding 36 of national and international patents)
	06.2004	Moving the head office to Gajwa-dong, Incheon
	11.2004	Tianjin irex certified by KSA (Hinge and Sash roller part)
	02.2005	Selected as "The INNO-BIZ (Innovation Business)" by the Small and Medium Business Administration
	12.2005	Overseas Investment : Tianjin, China factory(2nd amount invested: USD 2,000,000)
	02.2006	Official Commendation from small & medium business special committee directly responsible to the President
	12.2008	Winning a prize for exporting USD 3,000,000
	08.2009	ISO 14001 Certificate acquired
	11.2010	Winning a prize for exporting USD 5,000,000

THE WINNING HONOR

GERMANY, UK, KOREA, INDIA



U.S.A industrial standard
ANSI/BIFMA



UK industrial standard
FIRA



Korean industrial standard
KS



Korean industrial standard
KS



Research institute



INNO-BIZ



ISO 9001



LGA Report
(Door Damper)



COMPANY OUTLINE



“

VISION

**To become India's
most valued &
profitable sales
channel & help our
partners build their
business.**

”

*we are
not*

stuck in the ruts of
destiny, we have the
power to break free .
Clear our vision and see a
new life for ourselves.



“

MISSION

**By providing
an outstanding
selection of
premium products
and adding value to
our partners.**

”

*what
you get*

by achieving your goals is
not as important as what
you become by achieving
your goals.

ATTITUDE

Some people want it to happen, some wish it would happen, others make it happen.

LOYALTY

Look out for people, who look out for you. Loyalty is everything.

TEAM WORK

Great things in business are never done by one person.

OUTPUT

Your input determines your outlook, your outlook determines your output and your output determines your future.

OUR CORE VALUES

SAMSUNG **IREX**
QUALITY HAS A NAME

ATTITUDE

LOYALTY

**TEAM
WORK**

OUTPUT

COMPANY OUTLINE

PARTNERSHIP & SYSTEMS

FURNITURE HARDWARE

FURNITURE HARDWARE



IREX

I
R
E
X

Innovation

IREX as a brand expresses the company's will to make people & lives easier and more unique, based on innovative technology.

Relationship

The bold italic type face expresses rich and differentiated experience. Know-how, advanced technology development.

Excellence

The Red color expresses passionate corporate image and willingness to grow into a global comprehensive hardware solution organisation.

COMPANY OUTLINE

CONTENT



FURNITURE HARDWARE

16-23
HINGES

24-35
HINGES SOFT
CLOSE

36-43
BALL BEARING
SLIDE

44-49
UNDER RAIL

50-63
DRAWER SYSTEM


64-69
INTERNAL
ACCESSORIES

70-73
PVC CUTLERY

74-79
GAS SHOCK
ABSORBER

80-83
LIFT UP





KITCHEN ACCESSORIES

86-113
BASKET

114-121
KUM SERIES

122-137
BAEKUM SERIES

138-141
BUTT HINGES

142-143
BED FITTING

144
LOCKS

145
MAGNETIC CATCHER

146-149
ROLLING SHUTTER



OSJANG

152-153
JEWELLERY BOX

154-155
TROUSER RACK

156-157
RATTAN
STORAGE BASKET

158-159
SHOE RACKS

160-161
WARDROBE LIFT

162-163
TUBE

164-165
REVOLVING
SHOE RACK

166-167
DIGITAL LOCKER




SAMSUNG IREX

15

HINGES

Concealed hinges also known as Cabinet Hinges or Cupboard Hinges are used in every kitchen cupboard and also elsewhere around the house, but most people dont know that there is a huge choice of types and sizes that have a variety of different uses, before replacing a hinge in your kitchen or home youll need to identify the specific hinge that youll need.





HINGES

550 SERIES



1010550 | Full Overlay - 0 Crank



1010560 | Half Overlay - 9 Crank



1010568 | Inset - 18 Crank

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1010550	Full Overlay - 0 Crank	1	Pair	50
1010560	Half Overlay - 9 Crank	1	Pair	50
1010568	Inset - 18 Crank	1	Pair	50

SLIDE ON HINGE OPENING ANGLE 95°



Metal hinge
Nickel plated
Opening angle 95°
Self-closing with spring
Spring type : strong spring (N & W-type)

CUP DIMENSION	45 / 9.5	48 / 6	52 / 5.5
CUP SPACING	45 / 9.5	48 / 6	52 / 5.5
	Item No 550SBN	Item No 550SCN	Item No 550SHN
Full Overlay Cranking 0mm			
	Item No 560SBN	Item No 560SCN	Item No 560SHN
Half Overlay Cranking 9mm			
	Item No 568SBN	Item No 568SCN	Item No 568SHN
Inset Cranking 18mm			

HINGES

570 SERIES



1010570 | Full Overlay - 0 Crank



1010580 | Half Overlay - 9 Crank



1010588 | Inset - 18 Crank

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1010570	Full Overlay - 0 Crank	1	Pair	50
1010580	Half Overlay - 9 Crank	1	Pair	50
1010588	Inset - 18 Crank	1	Pair	50

CLIP ON HINGE OPENING ANGLE 110°



Metal : Steel
 Nickel plated
 Opening angle 110°
 Self-closing with spring (Standard type)
 3-Dimensional adjustment
 (with relevant mounting plate)

CUP DIMENSION	45 / 9.5	48 / 6	52 / 5.5
CUP SPACING	45 / 9.5	48 / 6	52 / 5.5
	Item No 570SB	Item No 570SC	Item No 570SH
Full Overlay Cranking 0mm			
	Item No 580SB	Item No 580SC	Item No 580SH
Half Overlay Cranking 9mm			
	Item No 588SB	Item No 588SC	Item No 588SH
Inset Cranking 18mm			

HINGES

135 SERIES




1010135 | Pie Cut

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1010135	Pie Cut	1	Pair	50



135° PIE CUT HINGE


135° Hinge for folding door

Products overview		Technical Specification																	
		<ul style="list-style-type: none"> - hinge for corner door - For blind corner door thickness of 14-22mm - Cup diameter : 35mm - Cup depth : 11.5mm - Closing degree : 135° - Hinge arm material : steel / zinc alloy , nickel plated - Hinge cup material : steel , nickel plated 																	
 <p>- Full overlay</p> <table border="1"> <thead> <tr> <th>Arm installation/Adjustment</th> <th>Item No.</th> </tr> </thead> <tbody> <tr> <td>Slide on</td> <td>135°</td> </tr> <tr> <td>Clip on with cam adjust</td> <td>135°</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Additional Function</th> <th>Item No.</th> </tr> </thead> <tbody> <tr> <td>No damper</td> <td>NO</td> </tr> </tbody> </table>		Arm installation/Adjustment	Item No.	Slide on	135°	Clip on with cam adjust	135°	Additional Function	Item No.	No damper	NO	<p>Application</p>  <p>Use for folding door. use with W series 155 degree or 165 degree</p>							
Arm installation/Adjustment	Item No.																		
Slide on	135°																		
Clip on with cam adjust	135°																		
Additional Function	Item No.																		
No damper	NO																		
 <table border="1"> <thead> <tr> <th>Standard package (PCS/CTN)</th> <th>Item No.</th> <th>Price</th> <th>Notes</th> </tr> </thead> <tbody> <tr> <td>Hinge body with plate</td> <td>100</td> <td>100</td> <td rowspan="2">Customize package available</td> </tr> <tr> <td>Hinge body without plate</td> <td>200</td> <td>200</td> </tr> </tbody> </table>		Standard package (PCS/CTN)	Item No.	Price	Notes	Hinge body with plate	100	100	Customize package available	Hinge body without plate	200	200							
Standard package (PCS/CTN)	Item No.	Price	Notes																
Hinge body with plate	100	100	Customize package available																
Hinge body without plate	200	200																	
<p>Drilling for Cup</p> <table border="1"> <thead> <tr> <th>Option</th> <th>Door Thickness (K)</th> <th>Drilling Diameter (ø)</th> <th>Drilling Depth</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>12</td> <td>35</td> <td>9.5</td> </tr> <tr> <td>C</td> <td>12</td> <td>35</td> <td>6</td> </tr> <tr> <td>H</td> <td>12</td> <td>35</td> <td>5.5</td> </tr> </tbody> </table>				Option	Door Thickness (K)	Drilling Diameter (ø)	Drilling Depth	B	12	35	9.5	C	12	35	6	H	12	35	5.5
Option	Door Thickness (K)	Drilling Diameter (ø)	Drilling Depth																
B	12	35	9.5																
C	12	35	6																
H	12	35	5.5																
<p>Cup Installation</p> <table border="1"> <thead> <tr> <th>Method</th> <th>Required Hardware</th> </tr> </thead> <tbody> <tr> <td>Screw on</td> <td>Wood screws Euro screws</td> </tr> <tr> <td>Expanding</td> <td>ø8mm expansive dowel ø10mm expansive dowel</td> </tr> <tr> <td>Press in</td> <td>ø8mm dowel ø10mm dowel</td> </tr> </tbody> </table>				Method	Required Hardware	Screw on	Wood screws Euro screws	Expanding	ø8mm expansive dowel ø10mm expansive dowel	Press in	ø8mm dowel ø10mm dowel								
Method	Required Hardware																		
Screw on	Wood screws Euro screws																		
Expanding	ø8mm expansive dowel ø10mm expansive dowel																		
Press in	ø8mm dowel ø10mm dowel																		

HINGES

HINGES SOFT CLOSE

Soft closing function integrated on concealed hydraulic cabinet hinge plays an important role in closing process of cupboard door, to help it close gently and avoids making sound.



HINGES

575 SERIES



1011575 | Full Overlay - 0 Crank




1011576 | Half Overlay - 9 Crank






1011577 | Inset - 18 Crank

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1011575	Full Overlay - 0 Crank	1	Pair	50
1011576	Half Overlay - 9 Crank	1	Pair	50
1011577	Inset - 18 Crank	1	Pair	50

SOFT-CLOSING HINGE (CLIP ON) OPENING ANGLE 110°



Metal hinge
Nickel plated
Opening angle 110°
Self-closing with spring (Standard type)
3-Dimensional adjustment
(with relevant mounting plate)
Dampner integrated in the hinges body

CUP DIMENSION	45 / 9.5	48 / 6	52 / 5.5
			
CUP SPACING	45 / 9.5	48 / 6	52 / 5.5
	Item No 575DSB	Item No 575DSC	Item No 575DSH
Full Overlay Cranking 0mm			
	Item No 576DSB	Item No 576DSC	Item No 576DSH
Half Overlay Cranking 9mm			
	Item No 577DSB	Item No 577DSC	Item No 577DSH
Inset Cranking 18mm			

HINGES

775 SERIES



1010775 | Full Overlay - 0 Crank




1010776 | Half Overlay - 9 Crank



1010777 | Inset - 18 Crank

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1010775	Full Overlay - 0 Crank	1	Pair	50
1010776	Half Overlay - 9 Crank	1	Pair	50
1010777	Inset - 18 Crank	1	Pair	50

SOFT-CLOSING HINGE (CLIP ON) OPENING ANGLE 110°



Opening angle 110°
Self-closing with spring (Standard type)
3-Dimensional adjustment
(with relevant mounting plate)
Suitable for cam mounting plates
Dampner integrated in the hinges body

CUP DIMENSION	45 / 9.5	48 / 6	52 / 5.5
CUP SPACING	45 / 9.5	48 / 6	52 / 5.5
	Item No 775DSB	Item No 775DSC	Item No 775DSH
Full Overlay Cranking 0mm			
	Item No 776DSB	Item No 776DSC	Item No 776DSH
Half Overlay Cranking 9mm			
	Item No 777DSB	Item No 777DSC	Item No 777DSH
Inset Cranking 18mm			

HINGES

THICK DOOR HINGE (40 mm) SOFT CLOSE



1011775 | Full Overlay - 0 Crank



1011776 | Half Overlay - 9 Crank



1011777 | Inset - 18 Crank

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1011775	Full Overlay - 0 Crank	1	Pair	50
1011776	Half Overlay - 9 Crank	1	Pair	50
1011777	Inset - 18 Crank	1	Pair	50

855 SERIES




1010855 | Full Overlay - 0 Crank

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1010855	Full Overlay - 0 Crank	1	Pair	50



WIDE ANGLE SOFT-CLOSING HINGE (CLIP ON) OPENING ANGLE 165°




Metal hinge
 Nickel plated
 Opening angle 165°
 Self-closing with spring (Standard type)
 3-Dimensional adjustment
 (with relevant mounting plate)
 Dampner integrated in the hinges body

CUP DIMENSION	45 / 9.5	48 / 6	52 / 5.5
CUP SPACING	45 / 9.5	48 / 6	52 / 5.5
	Item No 855DSB	Item No 855DSC	Item No 855DSH
Full Overlay Cranking 0mm			

HINGES

INSTALLATION DIMENSIONS

Hinge dimensions and gap calculation based on factory setting (mounting plate spacing = 0-9mm) Hinge and door protrusion of full opening angle.



minimum gap requirement in mm


drilling dist. : from 3mm to 5mm	0.8	1.4	1.8	2.2	3.1	4.5	A trial application is recommended
Door thickness in mm	16	18	19	20	22	24	
	26	28	29	30	31	32	

The above figures are based on doors with radiused edges (R=1mm)


Full Overlay										Half Overlay										Inset				
A										A										A				
11	12	13	14	15	16	17	18	19	H	1.5	2.5	3.5	4.5	5.5	6.5	7.5	8.5	9.5	H	-2.5	-1.5	-0.5	0.5	H
					3	4	5	6	0						3	4	5	6	0					
B										B										B				
			3	4	5	6	3						3	4	5	6	3							
			3	4	5	6	5						3	4	5	6	5							

A : Door overlay
B : Drilling distance
H : mounting plate height

Installation



HINGE APPLICATION TABLE



HINGES

BALL BEARING SLIDE

Ball bearing slides move on a set of stainless steel ball bearings to provide smooth, quiet operation. Ball bearing slides can be purchased with a number of advanced features such as soft-close, push-to-open/close, self-close, and more.



BBS



BALL BEARING SLIDE

ZINC FINISH



ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1020250	Ball Bearing Slide 250mm (N) 45 Kg	1	Set	10
1020300	Ball Bearing Slide 300mm (N) 45 Kg	1	Set	10
1020350	Ball Bearing Slide 350mm (N) 45 Kg	1	Set	10
1020400	Ball Bearing Slide 400mm (N) 45 Kg	1	Set	10
1020450	Ball Bearing Slide 450mm (N) 45 Kg	1	Set	10
1020500	Ball Bearing Slide 500mm (N) 45 Kg	1	Set	10
1020550	Ball Bearing Slide 550mm (N) 45 Kg	1	Set	10
1020600	Ball Bearing Slide 600mm (N) 45 Kg	1	Set	10
1020650	Ball Bearing Slide 650mm (N) 45 Kg	1	Set	10
1020700	Ball Bearing Slide 700mm (N) 45 Kg	1	Set	10
1020750	Ball Bearing Slide 750mm (N) 45 Kg	1	Set	10

INSTALLATION

Size : 250mm~500mm(250mm~550mm)

Side panel cabinet assemble Drawer drawer assemble

Length	Travel	A	B	C	D	E	F	REMARKS
250 mm	255	247.5	160	-	-	160	-	
300 mm	291	297.5	224	-	-	96	128	
350 mm	341	347.5	-	-	224	128	128	
400 mm	391	397.5	224	-	302	128	160	
450 mm	441	447.5	224	352	-	160	192	
500 mm	491	497.5	224	352	-	192	192	
550 mm	541	547.5	224	352	416	224	224	

BBS

A close-up photograph of a metal oven wire. The wire is made of a grid of metal rods. At the bottom of the wire, there is a ball bearing slide mechanism. The wire is black in color. The background is dark and out of focus.

BALL BEARING SLIDE

BLACK FINISH

SAMSUNG
INEX



ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1021250	Ball Bearing Slide 250mm (N) 45 Kg	1	Pair	10
1021300	Ball Bearing Slide 300mm (N) 45 Kg	1	Pair	10
1021350	Ball Bearing Slide 350mm (N) 45 Kg	1	Pair	10
1021400	Ball Bearing Slide 400mm (N) 45 Kg	1	Pair	10
1021450	Ball Bearing Slide 450mm (N) 45 Kg	1	Pair	10
1021500	Ball Bearing Slide 500mm (N) 45 Kg	1	Pair	10
1021550	Ball Bearing Slide 550mm (N) 45 Kg	1	Pair	10
1021600	Ball Bearing Slide 600mm (N) 45 Kg	1	Pair	10
1021650	Ball Bearing Slide 650mm (N) 45 Kg	1	Pair	10
1021700	Ball Bearing Slide 700mm (N) 45 Kg	1	Pair	10
1021750	Ball Bearing Slide 750mm (N) 45 Kg	1	Pair	10

INSTALLATION

Size : 250mm~500mm(250mm~550mm)


Side panel cabinet assemble Drawer drawer assemble

Length	Travel	A	B	C	D	E	F	REMARKS
250 mm	255	247.5	160	-	-	160	-	
300 mm	291	297.5	224	-	-	96	128	
350 mm	341	347.5	-	-	224	128	128	
400 mm	391	397.5	224	-	302	128	160	
450 mm	441	447.5	224	352	-	160	192	
500 mm	491	497.5	224	352	-	192	192	
550 mm	541	547.5	224	352	418	224	224	

BBS

DAMPING
BALL BEARING
SLIDE

SAMSUNG
IREX





ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1022300	Damping Ball Bearing Slide 300mm (S/C) 40 Kg	1	Set	10
1022350	Damping Ball Bearing Slide 350mm (S/C) 40 Kg	1	Set	10
1022400	Damping Ball Bearing Slide 400mm (S/C) 40 Kg	1	Set	10
1022450	Damping Ball Bearing Slide 450mm (S/C) 40 Kg	1	Set	10
1022500	Damping Ball Bearing Slide 500mm (S/C) 40 Kg	1	Set	10
1022550	Damping Ball Bearing Slide 550mm (S/C) 40 Kg	1	Set	10

INSTALLATION


Size : 300mm~600mm(damping 300mm~600mm) - NEW TYPE
 ※ Caution - carefully fixing the bolt as of dwg.

Length	A	Travel	B	C	E	F	REMARKS
300 mm	300	300	-	-	96	96	
350 mm	350	350	160	-	96	96	
400 mm	400	400	224	-	160	128	
450 mm	450	450	224	-	160	160	
500 mm	500	500	224	320	224	160	
550 mm	550	550	224	352	224	192	
600 mm	600	600	224	384	224	224	

DAMPING BBS

UNDER RAIL

An Under Rail drawer slide, is typically mounted in a horizontal position underneath the chassis of your drawer. They are ideally designed for the area where aesthetics and space issues are paramount. Under rail comes with self cleaning mechanism.



UNDER RAIL


UNDER RAIL PART EXTENSION

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1024300	Damping Under Rail 300mm (Part Extn.With S/C) 25 Kg	1	Set	8
1024350	Damping Under Rail 350mm (Part Extn.With S/C) 25 Kg	1	Set	8
1024400	Damping Under Rail 400mm (Part Extn.With S/C) 25 Kg	1	Set	8
1024450	Damping Under Rail 450mm (Part Extn.With S/C) 25 Kg	1	Set	8
1024500	Damping Under Rail 500mm (Part Extn.With S/C) 25 Kg	1	Set	8
1024550	Damping Under Rail 550mm (Part Extn.With S/C) 25 Kg	1	Set	8





UNDER RAIL FULL EXTENSION

UNDER RAIL

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1023250	Damping Under Rail 250mm (Full Extn.With S/C) 30 Kg	1	Set	8
1023300	Damping Under Rail 300mm (Full Extn.With S/C) 30 Kg	1	Set	8
1023350	Damping Under Rail 350mm (Full Extn.With S/C) 40 Kg	1	Set	8
1023400	Damping Under Rail 400mm (Full Extn.With S/C) 40 Kg	1	Set	8
1023450	Damping Under Rail 450mm (Full Extn.With S/C) 40 Kg	1	Set	8
1023500	Damping Under Rail 500mm (Full Extn.With S/C) 40 Kg	1	Set	8




Drawer Size = Rail Size - 2mm
 L1 = Cabinet Size
 L1 = Drawer Size + over 20mm




UNDER RAIL

※ Easy assemble and disassemble
 Fix the bolt in catcher bottom hole part



IREX BOX

Drawer system having a soft close integrated mechanism which helps the drawer to close in a soft manner ensuring soundless operations. The mechanism is based upon rack and pinion along with ball bearing mechanism, which ensures smooth opening and closing of drawer. Irex box comes with the option of extending the height of drawer by adding gallery. The product offers ranges of irex box as without gallery, single gallery and double gallery with the weight capacity of 40kg and available in depth sizes of 350mm, 400mm, 450mm, 500mm and 550mm.




DRAWER SYSTEM



IREX BOX W/O GALLERY

SAMSUNG
IREX




DRAWER SYSTEM

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1030350	Irex Box 350 mm 40 Kg	1	Set	4
1030400	Irex Box 400 mm 40 Kg	1	Set	4
1030450	Irex Box 450 mm 40 Kg	1	Set	4
1030500	Irex Box 500 mm 40 Kg	1	Set	4
1030550	Irex Box 550 mm 40 Kg	1	Set	4

IREX BOX

SINGLE GALLERY





DRAWER SYSTEM


ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1031350	Irex Box With Gallery 350mm 40 Kg	1	Set	4
1031400	Irex Box With Gallery 400mm 40 Kg	1	Set	4
1031450	Irex Box With Gallery 450mm 40 Kg	1	Set	4
1031500	Irex Box With Gallery 500mm 40 Kg	1	Set	4
1031550	Irex Box With Gallery 550mm 40 Kg	1	Set	4

IREX BOX

DOUBLE GALLERY

SAMSUNG
IREX






DRAWER SYSTEM


ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1032500	Irex Box With Double Gallery 500mm 40 Kg	1	Set	4
1032550	Irex Box With Double Gallery 550mm 40 Kg	1	Set	4

Cutting




Item name	Cutting Dimension (basis 500mm, outer dimension)	
	600mm	1000mm
Base plate (15 T standard)	495(W) x 492(D)	895(W) x 492(D)
Back plate (15 T standard)	Drawer	483(W) x 70(D)
	Gallery	483(W) x 120(D)


** Install the drawer on the rail from 1mm higher position.




Drawer's diagram




Location of side plate mounting (In box)




Drawer's diagram




Location of side plate mounting (Drawer)





Drawer's diagram





Location of side plate mounting (Gallery)





**FRONT PANEL BRACKET
INSTALLATION**





**FRONT PANEL ASSEMBLE AND DISASSEMBLE
INSTALLATION**



FRONT PANEL ADJUSTMENT
UP/DOWN +/- 2MM, L/R +/- 2MM



FRONT PANEL ADJUSTMENT
UP/DOWN +/- 2MM, L/R +/- 2MM



DRAWER SYSTEM

HANA BOX

Drawer system comes with slim side profile in multiple extended heights of 90mm, 120mm and 185mm with soft closing mechanism. Having a slim side profile makes the kitchen cabinet drawer more sleek, steady with underrail mechanism and thus enhance the aesthetic of the complete kitchen cabinet. Hana box comes in two colour options of white and grey slim side profiles, which in result offers option to the end customer for selection..

Hana box offers 40kg weight carrying capacity with depth of 500mm, which ensures the maximum storage and at the same time offers more ease in closing and opening of the drawer.





DRAWER SYSTEM

HANA BOX

SAMSUNG
X AND
DINISWYS





DRAWER SYSTEM

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
--------------	-------------	------	------	----


1033000	Hana Box J Height- 90mm (Grey) 40 Kg	1	Set	4
1033001	Hana Box H Height- 120mm (Grey) 40 Kg	1	Set	4
1033002	Hana Box D Height- 185mm (Grey) 40 Kg	1	Set	4

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
--------------	-------------	------	------	----

1033003	Hana Box J Height- 90mm (White) 40 Kg	1	Set	4
1033004	Hana Box H Height- 120mm (White) 40 Kg	1	Set	4
1033005	Hana Box D Height- 185mm (White) 40 Kg	1	Set	4


INTERNAL ACCESSORIES

Internal accessories are more rewarding in completing a kitchen and realizing that all your kitchen items have a place to dwell. By incorporating internal accessories with in a drawer or cabinet ensures optimum utilization of space in an organized manner.



SAMSUNG
SAFE

INTERNAL ACCESSORIES



1034000 | 500 mm Stabiliser



1036000 | Single Cross Rail Connection



1036001 | Divider Rail Connection



1036002 | Horizontal Rail



1036003 | Vertical Rail



1037000 | Glass Side Front Connector Clip



1037001 | Glass Side Adapter
Front- Gallery



1037002 | Glass Side Adapter
Back- Gallery



1037003 | Glass Side Adapter
Front-Double
Gallery



1037004 | Glass Side Adapter
Back-Double Gallery

INTERNAL ACCESSORIES




1037005 | Front Glass Bracket




1038000 | Aluminium Front
Handle Profile-
1100 mm




1038001 | Square Rod Front Handle -1100 mm



1038002 | Front Bracket Normal Drawer



1038003 | Front Bracket Single Gallery Drawer



1038004 | Front Bracket Double Gallery Drawer


ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1034000	500 mm Stabiliser	1	Pc	1
1036000	Single Cross Rail Connection	1	Pc	1
1036001	Divider Rail Connection	1	Pc	1
1036002	Horizontal Rail	1	Pc	1
1036003	Vertical Rail	1	Pc	1
1037000	Glass Side Front Connector Clip	1	Set	1
1037001	Glass Side Adapter Front- Gallery	1	Set	1
1037002	Glass Side Adapter Back- Gallery	1	Set	1
1037003	Glass Side Adapter Front- Double Gallery	1	Set	1
1037004	Glass Side Adapter Back- Double Gallery	1	Set	1
1037005	Front Glass Bracket	1	Set	1
1038000	Aluminium Front Handle Profile- 1100 mm	1	Pc	1
1038001	Square Rod Front Handle -1100 mm	1	Pc	1
1038002	Front Bracket Normal Drawer	1	Set	1
1038003	Front Bracket Single Gallery Drawer	1	Set	1
1038004	Front Bracket Double Gallery Drawer	1	Set	1

INTERNAL ACCESSORIES

PVC CUTLERY TRAY


One of its own kind of kitchen internal cabinet accessory, which ensures better storage of cutlery and related products in single organizer and makes it easy to operate.


We offer cutlery tray in multiple sizes which are 450mm, 500mm, 600mm, 700mm, 800mm, 900mm width and having depth of 500mm.



PVC CUTLERY

PVC CUTLERY TRAY





PVC CUTLERY

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1035450	PVC Cutlery 450 mm	1	Pc	10
1035500	PVC Cutlery 500 mm	1	Pc	10
1035600	PVC Cutlery 600 mm	1	Pc	10
1035700	PVC Cutlery 700 mm	1	Pc	10
1035800	PVC Cutlery 800 mm	1	Pc	10
1035900	PVC Cutlery 900 mm	1	Pc	10

* All dimensions are of carcass size

GAS SHOCK ABSORBER


This range of the product is used for overhead cabinets which enables the overhead cabinet shutter to stay at a point. Product comes with self integrated soft closing mechanism and has soft opening as well.

We offer load bearing capacities of 40N, 60N, 80N, 100N, 120N, 150N which are selected as per the size of the shutter in which it is to be installed.



GAS SHOCK ABSORBER

GAS SHOCK ABSORBER







GAS SHOCK ABSORBER



ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1040040	40N Gas Shock Absorber	1	Pc	100
1040060	60N Gas Shock Absorber	1	Pc	100
1040080	80N Gas Shock Absorber	1	Pc	100
1040100	100N Gas Shock Absorber	1	Pc	100
1040120	120N Gas Shock Absorber	1	Pc	100
1040150	150N Gas Shock Absorber	1	Pc	100

DAMPING GAS SPRING INSTALLATION MANUAL



H \ W	A	B	C	D
245mm	111	79	251	283
180mm	81	49	191	223
150mm	71	39	163	195

GAS SPRING INSTALLATION MANUAL



H \ W	A	B
245	94	236
180	69	174
150	57	155

GAS SHOCK ABSORBER

Application Table of Damping Gas Shock Absorber

DOOR MDF 18T (45 S/T)

H \ W	400	500	600	700	800	900	1000	1100	1200
350	X	X	40	40	40	40	60	60	60
400	X	40	40	40	60	60	60	60	80
450	40	40	60	60	60	80	80	80	100
500	40	60	60	60	80	80	80	100	100
550	60	60	80	80	80	100	100	120	120
600	60	80	80	100	100	120	120	150	150
650	60	80	100	120	120	150	150	X	X
700	80	100	100	120	150	150	X	X	X

LIFT UP

Our technologies help you improve your space utilization. These lift-ups help you improve your overhead space utilization with maximum style. They allow opening of shutters upwards ensuring more practical usage of area and minimum hindrance to movement. Lift-ups allow ergonomic designs and most important of all, they are easy to install.

BI-FOLD LIFT ASSIST STAY



Features


- For upward-opening flap doors.
- Equipped with :
 - Lift assist (to make flap doors feel lighter)
 - Free stop (holds position at any angle from 50° to fully open)
 - Soft-closing (slows down closing speed to prevent slamming between 0° to 40°)
- Successfully passed 30,000 open/close cycles in a private test.
- Easy to adjust opening angle (must be used together with concealed hinge with appropriate opening degree)
- Fast installation through vertical adjustment function on mounting plate (on flap)
- Installation is simple using the template (included)

Lift up working calculation

*Weight of Shutter={Height(mm) x Width(mm) x Thickness(mm) x .85} / 10^6

*Weight=kg, Height=mm

Multiple Adjustent



LIFT UP

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
024609	HBF ELAN- ML (6.6-8.2 kg)	1	Set	1
024610	HBF ELAN- MM (8.2-9.8 kg)	1	Set	1
024611	HBF ELAN- HM (9.8-11.4 kg)	1	Set	1
024612	HBF ELAN- HH (11.4-13.0 kg)	1	Set	1


LIFT ASSIST STAY



Features

- For upward-opening flap doors.
- Equipped with :
 - Lift assist (to make flap doors feel lighter)
 - Free stop (holds position at any angle from 30° to 70°)
 - Soft-closing (slows down closing speed to prevent slamming 0° and 20°)
- Successfully passed 30,000 open/close cycles in a private test.
- 2011 Good Design Award Winner
- Placed at the top of interior of the cabinet, significantly reducing dead space and not getting in the way when installing shelves.
- No hinges or connecting bars are needed.
- Easy alignment : Simply press the body to the top of the interior of the cabinet and align the front flush with the cabinet.
- Fast and easy installation : Body is attached to mounting plate (on flap) simply snapping it in.
- If flap is within specification, does not require torque adjustment post installation.

3 Function in 1 Stay




Lift up working calculation

*Lifting Power =(Weight of Shutter-1) x Height (mm)

*Weight=kg, Height=mm

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
018905	EZS ELAN (LP : 3850-4950)	1	Set	1
018906	EZS ELAN (LP : 4700-5600)	1	Set	1
018907	EZS ELAN (LP : 5550-6930)	1	Set	1

EASY LIFT ASSIST STAY



Features

- For upward-opening flap doors.
- Equipped with :
 - Lift assist (to make flap doors feel lighter)
 - Free stop (holds position at any angle from 30° to fully open)
 - Soft-closing (slows down closing speed to prevent slamming between 0° and 30°)
- Recognized by LGA for 40,000 cycles
- Easy alignment : When doing an 19mm overlay install, simply press the body to the top of the interior of the cabinet and align the front plate flush with the cabinet.
- Easy installation : Can be installed on both sides from the front
- Can be used singly or in pairs to accommodate a wide range of door sizes/weights
- Bracket (sold separately) available for aluminium frame flap doors.
- Please contact us directly for information about what types of hinges can be used with SLS-ELAN

3 Function in 1 Stay

1. Lift-assist



2. Free-stop



3. Soft-close



Lift up working calculation


*Torque = {(Weight of Shutter) x Height (mm)} / 20

*Weight=kg, Height=mm

LIFT UP

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
015490	SLS ELAN - ML (50-75 kgf)	1	Set	1
015491	SLS ELAN - MR (50-75 kgf)	1	Set	1
015492	SLS ELAN - HL (75-100 kgf)	1	Set	1
015493	SLS ELAN - HR (75-100 kgf)	1	Set	1

KITCHEN ACCESSORIES



BASKETS
KUM SERIES
BAEKUM SERIES


KITCHEN ACCESSORIES




BASKETS

We offer new range of stainless steel wire baskets, which are alternative to wicker or plastic baskets and can be used in a better way to organise and store items.


Our wire baskets are in ergonomic design with multiple sizes ensuring the better storage place. Wire baskets can be installed with all the application: ball bearing slides, damping ball bearing slides and under rail slides.





MULTI PURPOSE BASKET







ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
2010154	15x20x4	1	Pc	6
2010156	15x20x6	1	Pc	4
2010158	15x20x8	1	Pc	3
2010174	17x20x4	1	Pc	6
2010176	17x20x6	1	Pc	4
2010178	17x20x8	1	Pc	3
2010194	19x20x4	1	Pc	6
2010196	19x20x6	1	Pc	4
2010198	19x20x8	1	Pc	3
2010214	21x20x4	1	Pc	6
2010216	21x20x6	1	Pc	4
2010218	21x20x8	1	Pc	3
2010244	24x20x4	1	Pc	6
2010246	24x20x6	1	Pc	4
2010248	24x20x8	1	Pc	3
2010274	27x20x4	1	Pc	6
2010276	27x20x6	1	Pc	4
2010278	27x20x8	1	Pc	3
2010334	33x20x4	1	Pc	6
2010336	33x20x6	1	Pc	4
2010338	33x20x8	1	Pc	3

WIRE BASKET

THALI BASKET






WIRE BASKET

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
2011158	15x20x8	1	Pc	3
2011178	17x20x8	1	Pc	3
2011198	19x20x8	1	Pc	3
2011218	21x20x8	1	Pc	3
2011248	24x20x8	1	Pc	3

A close-up photograph of a Samsung dishwasher's cup and saucer basket. The basket is filled with various items: a dark blue mug, a red mug, an orange mug, a light blue mug, and a peach-colored mug in the foreground. Behind them are several white plates with a delicate floral pattern. The metal wire of the basket is visible, and the background shows the interior of the dishwasher with a "SAMSUNG" logo on a panel.


**CUP & SAUCER
BASKET**




WIRE BASKET

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
2012154	15x20x4	1	Pc	6
2012174	17x20x4	1	Pc	6
2012194	19x20x4	1	Pc	6
2012214	21x20x4	1	Pc	6
2012244	24x20x4	1	Pc	6

PLATE BASKET






WIRE BASEKET

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
2013156	15x20x6	1	Pc	4
2013176	17x20x6	1	Pc	4
2013196	19x20x6	1	Pc	4
2013216	21x20x6	1	Pc	4
2013246	24x20x6	1	Pc	4

PARTITION DIVIDER






WIRE BASEKET

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
2014004	20x4	1	Pc	1
2014006	20x6	1	Pc	1
2014008	20x8	1	Pc	1

VEGETABLE BASKET







WIRE BASKET

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
2015156	15x20x6	1	Pc	4
2015176	17x20x6	1	Pc	4
2015196	19x20x6	1	Pc	4
2015216	21x20x6	1	Pc	4
2015246	24x20x6	1	Pc	4

GRAIN TROLLEY





WIRE BASKET


ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
2016150	15x20x14	1	Pc	1
2016170	17x20x14	1	Pc	1
2016190	19x20x14	1	Pc	1
2016210	21x20x14	1	Pc	1

GRAIN TROLLEY WITH S/C UD RAIL MECHANISM



ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
2016151	15x20x14	1	Pc	1
2016171	17x20x14	1	Pc	1
2016191	19x20x14	1	Pc	1
2016211	21x20x14	1	Pc	1

GRAIN TROLLEY WITHOUT FRAME



WIRE BASKET

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
2016152	15x20x14	1	Pc	1
2016172	17x20x14	1	Pc	1
2016192	19x20x14	1	Pc	1
2016212	21x20x14	1	Pc	1



WIRE BOTTLE
PULL OUT



WIRE BASEKET

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
2017100	4 Inch	1	Pc	1
2017150	6 Inch	1	Pc	1
2017200	8 Inch	1	Pc	1
2017250	10 Inch	1	Pc	1

MASALA PULL OUT






WIRE BASEKET

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
2018100	4 Inch	1	Pc	1
2018150	6 Inch	1	Pc	1
2018200	8 Inch	1	Pc	1
2018250	10 Inch	1	Pc	1

**3/4TH
WIRE CAROUSEL
(2 SHELVES)**





WIRE BASKET

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
2022600	600mm	1	Pc	1
2022675	675mm	1	Pc	1
2022750	750mm	1	Pc	1

DETERGENT HOLDER



BIN HOLDER




CYLINDER TROLLEY



ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
2020001	Detergent Holder	1	Pc	1
2020002	Bin Holder	1	Pc	1
2020003	Cylinder Trolley	1	Pc	1

WIRE BASEKET



**PERFORATED
CUTLERY BASKET**



WIRE BASKET

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
2021154	15x20x4	1	Pc	6
2021174	17x20x4	1	Pc	6
2021194	19x20x4	1	Pc	6
2021214	21x20x4	1	Pc	6
2021244	24x20x4	1	Pc	6

KUM SERIES

KUM is a Korean word meaning Gold in English, which makes the nomenclature as Gold series. KUM series offers cost effective and cost engineered product range, which are Bottle pull out, pantry & corner solutions. Both the products are available in multiple sizes and two design options which are glass and tandem.

The product ranges are designed keeping aesthetics into consideration along with mats ensuring no movement of material kept inside while opening or closing the drawers or wardrobe.



KUM

GLASS BOTTLE PULL OUT




ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
3050200	200 mm (Glass Bottle Pullout)	1	Set	1
3050250	250 mm (Glass Bottle Pullout)	1	Set	1
3050300	300 mm (Glass Bottle Pullout)	1	Set	1

TANDEM PULL OUT



KUM

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
3070200	200 mm (Tandem Bottle Pullout)	1	Set	1
3070250	250 mm (Tandem Bottle Pullout)	1	Set	1
3070300	300 mm (Tandem Bottle Pullout)	1	Set	1



ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
3060450	450 mm (Damping Glass Pantry Pullout Full Height)	1	Set	1
3060600	600 mm (Damping Glass Pantry Pullout Half Height)	1	Set	1



KUM

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
3080450	450 mm (Damping Tandem Pantry Pullout Full Height)	1	Set	1
3080600	600 mm (Damping Tandem Pantry Pullout Half Height)	1	Set	1



ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
3091450	Swing Tray - Left	1	Set	1
3092450	Swing Tray - Right	1	Set	1

SPECIFICATIONS

Carcass Width - 1050mm
Shutter Width - 450mm
Description - Anti Slip Matt
- Soft Close



KUM

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
3093450	Magic Corner - Glass	1	Set	1
3094450	Magic Corner - Tandem	1	Set	1

SPECIFICATIONS

Carcass Width - 1050mm
 Shutter Width - 450mm
 Description - Anti Slip Matt
 - Soft Close

BAEKUM SERIES

Baekum in Korean represents Platinum. We offer premium range of products under baekum series which are categorized as pantry pull out solutions, Corner solutions, Stainless steel accessories and bottle pull out solutions. The products and solutions which we are offering are Dish racks, Complete pantry/Storage solutions in chrome finish, Corner solutions, Bottle pull outs in chrome finish, Stainless steel Cutlery tray, Plate rack, Waste bin pullout and Ecomat. In this as already mentioned, product comes in stainless steel material with a high quality Nickel-chrome plating. Aesthetics and functioning of products accordingly are superior and provides much ease in accessibility.




STAINLESS STEEL DISH RACK





DIMENSION



SPECIFICATIONS

Art No. - 4010600
 Cabinet (T) - 600mm
 Size (W, D, H) - 565 x 250 x(100+45)mm

Art No. - 4010700
 Cabinet (T) - 700mm
 Size (W, D, H) - 665 x 250 x(100+45)mm

Art No. - 4010800
 Cabinet (T) - 800mm
 Size (W, D, H) - 765 x 250 x(100+45)mm


Art No. - 4010900
 Cabinet (T) - 900mm
 Size (W, D, H) - 865 x 250 x(100+45)mm

BAEKUM


ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
4010600	600mm	1	Pc	5
4010700	700mm	1	Pc	5
4010800	800mm	1	Pc	5
4010900	900mm	1	Pc	5

DIAMOND PANTRY PULLOUT





DIMENSION



BAEKUM

SPECIFICATIONS

Art No. - 4011450
 Cabinet (T) - 450/500mm
 Size (W, D, H) - 385 x 500 x 1820mm
 Description - Diamond tray 6 Layers

Art No. - 4011600
 Cabinet (T) - 600mm
 Size (W, D, H) - 535 x 500 x 1820mm
 Description - Diamond tray 6 Layers


ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
4011450	450mm	1	Set	1
4011600	600mm	1	Set	1

PREMIUM BOTTLE PULLOUT





DIMENSION



SPECIFICATIONS

Art No. - 4012200
 Cabinet Width - 200mm
 Size (W, D, H) - 135 x 460 x 580mm
 Description - Tray Basket Diamond Style
 2 layers of wooden trays
 Anti Slip Mat
 Soft Close

no fitting

Art No. - 4012300
 Cabinet Width - 300mm
 Size (W, D, H) - 235 x 460 x 580mm
 Description - Tray Basket Diamond Style
 2 layers of wooden trays
 Anti Slip Mat
 Soft Close

no fitting

BAEKUM

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
4012150	150mm	1	Set	1
4012200	200mm	1	Set	1
4012300	300mm	1	Set	1

PULLOUT WASTE BIN






SPECIFICATIONS

Art No. - 4013400
 Cabinet (W) - 400mm
 Size (W, D, H) - 345 x 500 x 310mm
 Description - with 2 Barrel 15L each box
 Base mounting

DIMENSION



BAEKUM

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
4013400	Pull out waste bin (15 Ltr x 2)	1	Set	1

A white, cylindrical automatic lid waste bin is shown with its lid open. The bin is positioned on a light-colored surface, possibly a countertop or table. The lid is hinged and is currently in an open position, revealing the interior of the bin. The background is dark, creating a strong contrast with the white bin. The lighting is soft, highlighting the smooth texture of the bin's exterior.

**AUTO LID
WASTE BIN**



SPECIFICATIONS

Art No. - 4013000
Cabinet (W) - 400mm
Description - with Barrel 10L capacity

BAEKUM

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
4013000	Auto Lid waste bin (10 Ltr)	1	Pc	8

PLATE RACK



ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
4014100	Plate Rack	1	Pc	1

SS CUTLERY




ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
4015600	450mm	1	Pc	1

ECOMAT- 500 MM



ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
4016500	500 x 5000 mm	1	Pc	1

BAEKUM



SAMSUNG IREX 135




ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
4017000	Maseoli Tray Soft Close (Universal)	1	Pc	1
4018000	Maseoli Magic Soft Close (Universal)	1	Pc	1

SPECIFICATIONS

Art No. - 4017000
 Carcass Width - 1050mm
 Shutter Width - 450mm
 Description - 2 layers of wooden trays
 - Soft Close



BAEKUM




SPECIFICATIONS

Art No. - 4018000
 Carcass Width - 1050mm
 Shutter Width - 450mm
 Description - Diamond trays
 2 layers of wooden trays
 Anti slip mat and soft close

BUTT HINGES

Unlike furniture hardware, butt hinges fall under the category of architectural hardware. They are generally used to mount and operate the doors and windows onto a place for their easy movements. Butt hinges are available in multiple sizes and material. We provide the butt hinges under two ranges SS 304 and SS 202 grades with ball bearing mechanism. Under ball bearing hinges butt hinges are available in two sizes of 4 and 5.

Another range under this product category are butt hinges without ball bearing mechanism which further are available in three sizes of 3, 4 and 5.



BUTT HINGES



ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1060433	Butt hinges with bearing- SS 304- 4x3x3	1	Set	25
1060533	Butt hinges with bearing- SS 304- 5x3x3	1	Set	25
1061433	Butt hinges with bearing- SS 202- 4x3x3	1	Set	25
1061533	Butt hinges with bearing- SS 202- 5x3x3	1	Set	25



BUTT HINGES

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
1062312	Butt hinges without bearing- SS 202- 3x12	1	Set	50
1062412	Butt hinges without bearing- SS 202- 4x12	1	Set	25
1062512	Butt hinges without bearing- SS 202- 5x12	1	Set	25

BED FITTING



MULTIPURPOSE LOCK



SPECIFICATIONS

Multipurpose Lock - MP (E)
Single Row Pin Cylinder Technology
Available in 22mm size
Reversible key type with 2 no. of keys



SPECIFICATIONS

Multipurpose Lock - MP (P)
Laser Cylinder Technology
Available in 22mm size
Laser key type with 2 no. of keys

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
6020100	MULTI PURPOSE LOCK ECONOMICAL (22mm)	1	Pc	20
6020200	MULTI PURPOSE LOCK PREMIUM (22mm)	1	Pc	20

WARDROBE LOCK



SPECIFICATIONS

Wardrobe Lock
Laser Cylinder Technology
Available in 20mm & 25mm size
Laser key type with 2 no. of keys

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
6020300	WARDROBE LOCK (20mm & 25mm)	1	Pc	10

MAGNETIC CATCHER



ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
6010200	MAGNETIC CATCHER	1	Nos	60

SHELF SUPPORT



ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
6010100	SHELF SUPPORT	1	Pc	5000

LOCKS & CATCHER

ROLLING SHUTTER

Roller Shutters are highly efficient door systems which can be used in numerous applications both horizontally and vertically. The roller shutter door is fully-assembled tambour profile and running mechanism system in one box. It enhances contemporary kitchen designing and are used in modular kitchens. Glass roller shutters are made of tempered safety glass and PVC roller shutters are made of high quality plastics, they are suitable for cabinets having a width of 600mm.

ROLLING SHUTTER - PVC



SPECIFICATIONS

Material - PVC
 Finish - Silver
 Width - 600mm
 Height - 1340mm



SPECIFICATIONS

Material - PVC
 Finish - Grey
 Width - 600mm
 Height - 1340mm

ROLLING SHUTTER

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
4020001	ROLLING SHUTTER PVC 600mm - GREY	1	Set	1
4020002	ROLLING SHUTTER PVC 600mm - SILVER	1	Set	1

ROLLING SHUTTER - GLASS



SPECIFICATIONS

Material - Glass
Finish - White
Width - 600mm
Height - 1340mm



SPECIFICATIONS

Material - Glass
Finish - Black
Width - 600mm
Height - 1340mm

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
4020005	ROLLING SHUTTER GLASS 600mm - WHITE	1	Set	1
4020004	ROLLING SHUTTER GLASS 600mm - BLACK	1	Set	1

ROLLING SHUTTER - GLASS



ROLLING SHUTTER

SPECIFICATIONS

Material - Glass
Finish - Frosted
Width - 600mm
Height - 1340mm

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
4020003	ROLLING SHUTTER GLASS 600mm - FROSTED	1	Set	1

OSJANG




JEWELLERY BOX
TROUSER RACK
RATTAN STORAGE BASKET
SHOE RACKS
WARDROBE LIFT
TUBE
SHOE RACK - (VERTICAL / REVOLVING)

OSJANG



JEWELLERY BOX





SPECIFICATIONS

Art No. - 5010600
 Cabinet Width - 600mm
 Size (W, D, H) - 564-584 x 443 x 70mm
 Material - High - strength aluminium frame,
 with inner box
 Colour - Mocca
 Description - Two-way soft closing
 Soft closing distance 53mm
 Adjustable max +20
 with jewellery box
 inside with beige fabric

Art No. - 5010900
 Cabinet Width - 900mm
 Size (W, D, H) - 864-884 x 443 x 70mm
 Material - High - strength aluminium frame,
 with inner box
 Colour - Mocca
 Description - Two-way soft closing
 Soft closing distance 53mm
 Adjustable max +20
 with jewellery box
 inside with beige fabric

OSJANG

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
5010600	600 mm	1	Set	1
5010900	900 mm	1	Set	1

TROUSER RACK





OSJANG

SPECIFICATIONS


Art No. - 5012600
 Cabinet Width - 600mm
 Size (W, D, H) - 564-584 x 443 x 70mm
 Material - High - strength aluminium frame,
 with inner box
 Colour - Mocca
 Description - Two-way soft closing
 Soft closing distance 53mm
 Adjustable max +20

Art No. - 5012900
 Cabinet Width - 900mm
 Size (W, D, H) - 864-884 x 443 x 70mm
 Material - High - strength aluminium frame,
 with inner box
 Colour - Mocca
 Description - Two-way soft closing
 Soft closing distance 53mm
 Adjustable max +20

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
5012600	600 mm	1	Set	1
5012900	900 mm	1	Set	1

RATTAN STORAGE BASKET





SPECIFICATIONS

Art No. - 5011600
 Cabinet (W) - 600
 Size (W, D, H) - 564-584 x 443 x 170mm
 Material - High - strength aluminium frame,
 with PVC rattan basket
 Colour - Mocca
 Description - Two-way soft closing
 Soft closing distance 53mm
 Adjustable max +20
 Rattan basket

Art No. - 5011900
 Cabinet Width - 900
 Size (W, D, H) - 864-884 x 443 x 170mm
 Material - High - strength aluminium frame,
 with PVC rattan basket
 Colour - Mocca
 Description - Two-way soft closing
 Soft closing distance 53mm
 Adjustable max +20
 Rattan basket


OSJANG

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
5011600	600 mm	1	Set	1
5011900	900 mm	1	Set	1

BLUE BOOK DETAIL

SHOES RACK





SPECIFICATIONS

Art No. - 5013600
 Cabinet (W) - 600mm
 Size (W, D, H) - 564-584 x 443 x 170mm
 Material - High-strength aluminium frame,
 with steel board type shoes rack
 Colour - Mocca
 Description - Two-way soft closing
 Soft closing distance 53mm
 Adjustable max +20


Art No. - 5013900
 Cabinet (W) - 900mm
 Size (W, D, H) - 864-884 x 443 x 170mm
 Material - High-strength aluminium frame,
 with steel board type shoes rack
 Colour - Mocca
 Description - Two-way soft closing
 Soft closing distance 53mm
 Adjustable max +20

OSJANG

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
5013600	600 mm	1	Set	6
5013900	900 mm	1	Set	6


WARDROBE LIFT





SPECIFICATIONS

Art No. - 5015001
 Size (Cabinet width T) - 880 - 1270mm
 Material - Aluminium
 Colour - Mocca
 Description - Soft closing
 Smooth and quiet



OSJANG

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
5015001	880mm- 1270mm	1	Set	6

TUBE





SPECIFICATIONS

Art No. - 5016001

Size - 3000mm

Material - Aluminium

Colour - Mocca

Description - Side mounted clothes hanger
Simple and fashion

Art No. - 5016002

Material - Zamak

Colour - Mocca


Description - 2pc ST4*16 screw

OSJANG

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
5016001	3000mm	1	Set	1
5016002	Mount	1	Set	1

REVOLVING SHOE RACK





OSJANG

SPECIFICATIONS


Art No. - 5014012
 Cabinet Width - 800mm
 Size (W, D, H) - 700x340 x 2000 - 2250mm
 Twelve layers shoe rack
 Colour - Mocca
 Description - 360 degrees revolving
 frame can be adjustable
 270mm 12 layers

Art No. - 5014008
 Cabinet Width - 800mm
 Size (W, D, H) - 700 x 340 x 1400 - 1650mm
 Eight layers shoe rack
 Colour - Mocca
 Description - 360 degrees revolving
 frame can be adjustable
 270mm 8 layers

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
5014012	800 mm	1	Set	1
5014008	800 mm	1	Set	1

DIGITAL LOCKER





SPECIFICATIONS

Art No. - 5017600
 Cabinet Width - 600mm
 Size (W, D, H) - 564 x 400 x 150mm
 Colour - Mocca
 Description - touchscreen password /
 fingerprint password / key concealed locker

OSJANG

ARTICLE CODE	DESCRIPTION	QTY.	UNIT	PU
5017600	KUMGO- Concealed locker	1	Pc	1

— |

| —

— |

| —

— |

| —

— |

| —



Head Office :

Samsung Irex India LLP

F-02, Unit 11&12, Emaar The Palm Square
Golf Course Extn. Road, Gurugram-122102
Phone : 0124-4007413, +91 8700 536 001
Toll Free : 1800 1204 920



Samsung Precision Ind. Co. Ltd.
Incheon, Seoul, South Korea

Warehouse :

Plot 178 sector 4,
IMT Manesar,
Gurugram 122050

Experience Centre Faridabad :

Plot No. 7C, Bypass Road,
Opposite Adani CNG Pump,
Sector 9, Faridabad, Haryana-121006

Experience Centre Delhi :

13 FF, Mansarover Garden,
Main Road Kirti Nagar,
New Delhi - 110015

 <https://www.facebook.com/samsungirexindia/>

 https://www.instagram.com/samsung_irex/

 <https://twitter.com/SamsungIrex>

 <https://www.linkedin.com/in/samsung-irex-india-772059183/>

Global Website: www.irex.co.kr



www.samsungirexindia.com

care@samsungirexindia.com