



Manufacturers & Exporters of:
Lost Wax Castings, Valves, Pipe Fittings,
Boiler Mountings & Sanitary Valves & Fittings





STAINLESS STEEL THREADED PIPE FITTINGS CATALOUGE

"Quality MADE WITH
SKILL & WILL"

ACCU CAST PRODUCTS

Plot No. 8, Sangal Sohal Industrial Zone,
Backside Leather Complex Jalandhar
Ph No +91-181-2651948 , +91-74530-00063
E-mail : accucast_raj@hotmail.com, Info@acpvalves.in
Follow us at: [f](#) [t](#) [i](#)

Visit us at
www.acpvalves.in



LOST WAX CASTINGS | VALVES, PIPE FITTINGS | BOILER MOUNTINGS | SANITARY VALVES & FITTINGS

ELBOW 90°



ELBOW 45°




ELBOW M/F



ELBOW 90°

ACP-3300


SIZE	A	
	mm	inch
8MM 1/4"	20	0.78
10MM 3/8"	25	0.98
15MM 1/2"	28	1.11
20MM 3/4"	32	1.26
25MM 1"	38	1.49
32MM 1-1/4"	44	1.73
40MM 1-1/2"	48	1.88
50MM 2"	57	2.44
65MM 2-1/2"	68	2.67
80MM 3"	78	3.07
100MM 4"	96	3.77



ELBOW 45°

ACP-3420


SIZE	A	
	mm	inch
8MM 1/4"	16	0.63
10MM 3/8"	18	0.71
15MM 1/2"	20	0.79
20MM 3/4"	24	0.94
25MM 1"	28	1.10
32MM 1-1/4"	30	1.18
40MM 1-1/2"	36	1.41
50MM 2"	43	1.69
65MM 2-1/2"	49	1.92
80MM 3"	55	2.16
100MM 4"	65	2.56



ELBOW M/F

ACP-3440

SIZE	A		B	
	mm	inch	mm	inch
8MM 1/4"	19	0.74	30	1.18
10MM / 3/8"	23	0.91	35	1.38
15MM / 1/2"	28	1.11	41	1.62
20MM / 3/4"	32	1.26	49	1.93
25MM / 1"	38	1.49	51	2.01
32MM / 1-1/4"	44	1.73	64	2.52
40MM / 1-1/2"	49	1.93	70	2.76
50MM / 2"	56	2.21	79	3.11
65MM / 2-1/2"	69	2.75	95	3.74
80MM / 3"	78	3.07	114	4.49
100MM / 4"	97	3.82	134	5.27



FEATURES

- Tolerance $\pm 0.5\text{mm}$ (8mm-50mm) • Lost Wax Casted
- Threaded end type optional threads - NPT / BSPT / BSP / ISO7 / 1 / 150228
- Optional Material - 304, 316, 304L, 316L
- Rust Free long life working

• All Dimensions are in MM unless & otherwise mentioned
NOTE: Due to continues developments & upgrades, data mentioned above is subject to change without any notice.


REDUCER ELBOW



REDUCER ELBOW

ACP-3810

SIZE	a		A	
	mm	inch	mm	inch
10x8MM / 3/8 x 1/4"	26	1.02	25	0.98
15x8MM / 1/2 x 1/4"	30	1.18	29	1.14
20x15MM / 3/4 x 1/2"	33	1.29	33	1.29
25x15MM / 1 x 1/2"	36	1.41	36	1.41
25x20MM / 1 x 3/4"	36	1.41	36	1.41
32x25MM/1-1/4 x 1"	38	1.49	45	1.77
40x25MM/1-1/2 x 1"	45	1.77	48	1.88
40x32MM/1-1/2 x 1-1/4"	45	1.77	48	1.88
50x25MM/ 2 x 1"	50	1.97	56	2.20
50x40MM/ 2 x 1-1/2"	50	1.97	56	2.20




TEE



TEE

ACP-3320

SIZE	A	
	mm	inch
8MM 1/4"	20	0.78
10MM / 3/8"	25	0.98
15MM / 1/2"	29	1.14
20MM / 3/4"	33	1.29
25MM / 1"	38	1.49
32MM / 1-1/4"	44	1.73
40MM / 1-1/2"	48	1.88
50MM / 2"	57	2.44
65MM / 2-1/2"	68	2.67
80MM / 3"	78	3.07
100MM / 4"	97	3.81



FEATURES

- Tolerance $\pm 0.5\text{mm}$ (8mm-50mm)
- Lost Wax Casted
- Threaded end type optional threads - NPT / BSPT / BSP / ISO7 / 1 / 150228
- Optional Material - 304, 316, 304L, 316L
- Rust Free long life working

• All Dimensions are in MM unless & otherwise mentioned
NOTE: Due to continues developments & upgrades, data mentioned above is subject to change without any notice.


REDUCER TEE



REDUCER TEE

ACP-3820

SIZE	a		A	
	mm	inch	mm	inch
10x8MM / 3/8 x 1/4"	25	0.98	25	0.98
15x8MM / 1/2 x 1/4"	29	1.14	30	1.18
20x15MM / 3/4 x 1/2"	33	1.29	33	1.29
25x15MM / 1 x 1/2"	36	1.41	38	1.49
25x20MM / 1 x 3/4"	36	1.41	38	1.49
32x25MM/1-1/4 x 1"	38	1.49	46	1.81
40x25MM/1-1/2 x 1"	45	1.77	49	1.92
40x32MM/1-1/2 x 1-1/4"	45	1.77	49	1.92
50x25MM/ 2 x 1"	49	1.93	57	2.25
50x40MM/ 2 x 1-1/2"	49	1.93	57	2.25




SOCKET (F)



SOCKET (F)

ACP-3340

SIZE	L	
	mm	inch
8MM 1/4"	23	0.91
10MM / 3/8"	29	1.14
15MM / 1/2"	38	1.49
20MM / 3/4"	40	1.57
25MM / 1"	43	1.69
32MM / 1-1/4"	52	2.05
40MM / 1-1/2"	55	2.16
50MM / 2"	65	2.56
65MM / 2-1/2"	74	2.92
80MM / 3"	81	3.19
100MM / 4"	94	3.71



FEATURES

- Tolerance $\pm 0.5\text{mm}$ (8mm-50mm)
- Lost Wax Casted
- Threaded end type optional threads - NPT / BSPT / BSP / ISO7 / 1 / 150228
- Optional Material - 304, 316, 304L, 316L
- Rust Free long life working

· All Dimensions are in MM unless & otherwise mentioned
NOTE: Due to continues developments & upgrades, data mentioned above is subject to change without any notice.




R. SOCKET

R. SOCKET

ACP-3590

SIZE	A	
	mm	inch
10x8MM / 3/8 x 1/4"	32	1.26
15x8MM / 1/2 x 1/4"	32	1.26
15x10MM / 1/2 x 3/8"	32	1.26
20x10MM / 3/4 x 3/8"	38	1.49
20x15MM / 3/4 x 1/2"	38	1.49
25x15MM / 1 x 1/2"	41	1.61
25x20MM / 1 x 3/4"	41	1.61
32x25MM/1-1/4 x 1"	54	2.13
40x25MM/1-1/2 x 1"	52	2.04
40x32MM/1-1/2 x 1-1/4"	52	2.04
50x25MM/ 2 x 1"	58	2.28
50x40MM/ 2 x 1-1/2"	58	2.28
65x50MM/ 2-1/2x2"	70	2.76
80x50MM/ 3 x 2"	75	2.95
80x65MM/ 3 x 2-1/2"	75	2.95
100x50MM/ 4 x 2"	80	3.14
100x65MM/ 4 x 2-1/2"	80	3.14
100x80MM/ 4 x 3"	80	3.14



FEATURES

- Tolerance $\pm 0.5\text{mm}$ (8mm-50mm)
- Lost Wax Casted
- Threaded end type optional threads - NPT / BSPT / BSP / ISO7 / 1 / 150228
- Optional Material - 304, 316, 304L, 316L
- Rust Free long life working


· All Dimensions are in MM unless & otherwise mentioned
 NOTE: Due to continues developments & upgrades, data mentioned above is subject to change without any notice.



UNION F/F

UNION F/F ACP-3400

SIZE	A		B		L	
	mm	inch	mm	inch	mm	inch
8MM / 1/4"	19.5	0.77	35	1.38	40	1.57
10MM / 3/8"	22.5	0.88	36	1.42	42	1.65
15MM / 1/2"	27	1.06	41	1.62	45	1.77
20MM / 3/4"	32	1.26	49	1.93	50	1.95
25MM / 1"	41	1.62	58	2.28	53	2.08
32MM / 1-1/4"	49	1.92	68	2.68	57	2.24
40MM / 1-1/2"	55	2.16	75	2.95	61	2.41
50MM / 2"	69	2.72	91	3.58	69	2.72
65MM / 2-1/2"	85	3.35	113	4.45	70	2.76
80MM / 3"	98	3.86	131	5.16	85	3.35
100MM / 4"	158	6.22	125	4.92	102	4.02




UNION M/F



UNION M/F ACP-3520

SIZE	A		B		L	
	mm	inch	mm	inch	mm	inch
15MM / 1/2"	25	0.98	38	1.49	58	2.28
20MM / 3/4"	31	1.22	45	1.77	63	2.48
25MM / 1"	38	1.49	54	2.13	70	2.75
32MM / 1-1/4"	47	1.85	68	2.68	75	2.95
40MM / 1-1/2"	53	2.08	74	2.91	78	3.07
50MM / 2"	68	2.68	91	3.58	90	3.54




UNION ELBOW



UNION ELBOW ACP-3540

SIZE	A		B		L	
	mm	inch	mm	inch	mm	inch
15MM / 1/2"	25	0.98	38	1.49	52	2.07
20MM / 3/4"	31	1.22	45	1.77	54	2.13
25MM / 1"	38	1.49	54	2.13	65	2.56
32MM / 1-1/4"	47	1.85	68	2.68	70	2.76
40MM / 1-1/2"	53	2.08	74	2.91	76	2.99
50MM / 2"	68	2.68	91	3.58	90	3.54



FEATURES

- Tolerance $\pm 0.5\text{mm}$ (8mm-50mm)
- Lost Wax Casted
- Threaded end type optional threads - NPT / BSPT / BSP / ISO7 / 1 / 150228
- Optional Material - 304, 316, 304L, 316L
- Rust Free long life working

• All Dimensions are in MM unless & otherwise mentioned
NOTE: Due to continues developments & upgrades, data mentioned above is subject to change without any notice.

HEX NIPPLE





R.HEX NIPPLE



HEX NIPPLE



ACP-3360

SIZE	L		W	
	mm	inch	mm	inch
8MM / 1/4"	34	1.34	17.5	0.69
10MM / 3/8"	36	1.42	19.5	0.77
15MM / 1/2"	42	1.65	23	0.91
20MM / 3/4"	47	1.85	29	1.14
25MM / 1"	52	2.05	36	1.42
32MM / 1-1/4"	58	2.28	46	1.81
40MM / 1-1/2"	62	2.44	51	2.01
50MM / 2"	65	2.56	63	2.48
65MM / 2-1/2"	73	2.87	80	3.15
80MM / 3"	86	3.38	95	3.74
100MM / 4"	94	3.70	120	4.72



R. HEX NIPPLE

ACP-3800



SIZE	L		W	
	mm	inch	mm	inch
10MM / 3/8"	36	1.42	20	0.78
15MM / 1/2"	37	1.46	22	0.87
20MM / 3/4"	40	1.57	-	-
25MM / 1"	45	1.77	35	1.37
32MM / 1-1/4"	50	1.97	-	-
40MM / 1-1/2"	55	2.16	50	1.97
50MM / 2"	58	2.28	62	2.44
65MM / 2-1/2"	66	2.59	80	3.15
80MM / 3"	72	2.83	95	3.74
100MM / 4"	78	3.07	120	4.72

FEATURES

- Tolerance $\pm 0.5\text{mm}$ (8mm-50mm)
- Lost Wax Casted
- Threaded end type optional threads - NPT / BSPT / BSP / ISO7 / 1 / 150228
- Optional Material - 304, 316, 304L, 316L
- Rust Free long life working

• All Dimensions are in MM unless & otherwise mentioned
NOTE: Due to continues developments & upgrades, data mentioned above is subject to change without any notice.




HOSE NIPPLE

HOSE NIPPLE

ACP-3380

SIZE	L		W		D1		D2	
	mm	inch	mm	inch	mm	inch	mm	inch
8MM / 1/4"	42	1.65	17	0.67	10	0.39	5	0.19
10MM / 3/8"	48	1.89	19	0.75	13	0.51	7	0.27
15MM / 1/2"	55	2.16	23	0.92	14	0.55	10	0.39
20MM / 3/4"	66	2.59	29	1.14	20	0.78	15	0.59
25MM / 1"	70	2.75	36	1.42	27	1.06	20	0.78
32MM / 1-1/4"	75	2.95	45	1.77	33.5	1.32	26	1.02
40MM / 1-1/2"	91	3.58	51	2.01	40	1.57	32	1.26
50MM / 2"	102	4.02	62	2.44	52.5	2.06	44	1.73
65MM / 2-1/2"	116	4.57	80	3.15	62	2.44	52	2.05
80MM / 3"	131	5.16	95	3.74	78.5	3.09	68	2.68
100MM / 4"	146	5.75	120	4.73	100	3.94	91	3.58




SQUARE PLUG (M)



SQUARE PLUG (M)

ACP-3460


SIZE	L		S	
	mm	inch	mm	inch
8MM / 1/4"	20	0.78	9	0.35
10MM / 3/8"	21	0.83	10	0.39
15MM / 1/2"	22	0.86	13	0.51
20MM / 3/4"	30	1.18	18	0.71
25MM / 1"	32	1.26	19	0.75
32MM / 1-1/4"	36	1.42	22	0.86
40MM / 1-1/2"	36	1.42	27	1.06
50MM / 2"	44	1.73	32	1.26
65MM / 2-1/2"	48	1.89	41	1.62
80MM / 3"	53	2.08	46	1.81
100MM / 4"	62	2.44	58	2.28



ROUND CAP PLUG

ACP-3480

SIZE	A	
	mm	inch
8MM / 1/4"	15	0.59
10MM / 3/8"	17	0.67
15MM / 1/2"	20	0.78
20MM / 3/4"	22	0.86
25MM / 1"	27	1.06
32MM / 1-1/4"	29	1.14
40MM / 1-1/2"	32	1.26
50MM / 2"	36	1.42
65MM / 2-1/2"	41	1.62
80MM / 3"	44	1.73
100MM / 4"	50	1.97



· All Dimensions are in MM unless & otherwise mentioned
NOTE: Due to continues developments & upgrades, data mentioned above is subject to change without any notice.

FEATURES

- Tolerance $\pm 0.5\text{mm}$ (8mm-50mm) • Lost Wax Casted
- Threaded end type optional threads - NPT / BSPT / BSP / ISO7 / 1 / 150228
- Optional Material - 304, 316, 304L, 316L
- Rust Free long life working

CROSS




CHECK NUT



CROSS

ACP-3500


SIZE	A	
	mm	inch
8MM / 1/4"	19	0.75
10MM / 3/8"	23	0.91
15MM / 1/2"	29	1.14
20MM / 3/4"	33	1.29
25MM / 1"	38	1.49
32MM / 1-1/4"	46	1.81
40MM / 1-1/2"	48	1.89
50MM / 2"	58	2.28
65MM / 2-1/2"	68	2.68
80MM / 3"	78	3.07
100MM / 4"	97	3.82



CHECK NUT

ACP-3560

SIZE	A		A	
	mm	inch	mm	inch
8MM / 1/4"	21	0.83	7	0.27
10MM / 3/8"	26	1.03	7	0.27
15MM / 1/2"	32	1.26	9	0.35
20MM / 3/4"	38	1.49	10	0.39
25MM / 1"	46	1.81	11	0.43
32MM / 1-1/4"	54	2.12	12	0.72
40MM / 1-1/2"	63	2.48	13	0.51
50MM / 2"	77	3.03	13	0.51
65MM / 2-1/2"	100	3.94	16	0.63
80MM / 3"	115	4.52	19	0.75
100MM / 4"	145	5.70	20	0.78



FEATURES

- Tolerance $\pm 0.5\text{mm}$ (8mm-50mm)
- Lost Wax Casted
- Threaded end type optional threads - NPT / BSPT / BSP / ISO7 / 1 / 150228
- Optional Material - 304, 316, 304L, 316L
- Rust Free long life working

• All Dimensions are in MM unless & otherwise mentioned
NOTE: Due to continues developments & upgrades, data mentioned above is subject to change without any notice.




R.BUSH

R. BUSH

ACP-3580

SIZE	L		W	
	mm	inch	mm	inch
10x8MM / 3/8 x 1/4"	20	0.78	19	0.75
15x8MM / 1/2 x 1/4"	23	0.90	26	1.02
15x10MM / 1/2 x 3/8"	23	0.90	26	1.02
20x8MM / 3/4 x 1/4"	25	0.98	31	1.22
20x10MM / 3/4 x 3/8"	25	0.98	31	1.22
20x15MM / 3/4 x 1/2"	25	0.98	31	1.22
25x8MM / 1 x 1/4"	28	1.10	38	1.49
25x10MM / 1 x 3/8"	28	1.10	38	1.49
25x15MM / 1 x 1/2"	28	1.10	38	1.49
25x20MM / 1 x 3/4"	28	1.10	38	1.49
32x15MM/1-1/4 x 1/2"	31	1.22	46	1.81
32x20MM/1-1/4 x 3/4"	31	1.22	46	1.81
32x25MM/1-1/4 x 1"	31	1.22	46	1.81
40x15MM/1-1/2 x 1/2"	32	1.26	52	2.04
40x20MM/1-1/2 x 3/4"	32	1.26	52	2.04
40x25MM/1-1/2 x 1"	32	1.26	52	2.04
40x32MM/1-1/2 x 1-1/4"	32	1.26	52	2.04
50x15MM/ 2 x 1/2"	36	1.41	65	2.56
50x20MM/ 2 x 3/4"	36	1.41	65	2.56
50x25MM/ 2 x 1"	36	1.41	65	2.56
50x32MM/ 2 x 1-1/4"	36	1.41	65	2.56
50x40MM/ 2 x 1-1/2"	36	1.41	65	2.56
65x40MM/ 2-1/2x1-1/2"	40	1.57	80	3.15
65x50MM/ 2-1/2x2"	40	1.57	80	3.15
80x50MM/ 3 x 2"	45	1.77	95	3.74
80x65MM/ 3 x 2-1/2"	45	1.77	95	3.74
100x50MM/ 4 x 2"	50	1.97	120	4.72
100x65MM/ 4 x 2-1/2"	50	1.97	120	4.72
100x80MM/ 4 x 3"	50	1.97	120	4.72



FEATURES

- Tolerance $\pm 0.5\text{mm}$ (8mm-50mm)
- Lost Wax Casted
- Threaded end type optional threads - NPT / BSPT / BSP / ISO7 / 1 / 150228
- Optional Material - 304, 316, 304L, 316L
- Rust Free long life working

· All Dimensions are in MM unless & otherwise mentioned
NOTE: Due to continues developments & upgrades, data mentioned above is subject to change without any notice.