



PRODUCT RANGE CATALOGUE.2022



 **FABER**
FRANKE'S AIR EXPERT

A VISION OF GLOBAL REACH.

A VISION OF GLOBAL REACH.

FABER has a lot in common with air ... both are present all over the world.

Air has always been our chosen material. Now the world is our home. So it's only natural we should want to improve them both. Installing a kitchen hood is an easy way to improve the air in your home, of course, but only thanks to Faber. After all, we invented the kitchen hood, and we are making them better every day to provide our customers with the ultimate performance, quality and comfort.

Aspiring to a better world through leadership. Everywhere, every day.

INVESTING IN THE WORLD

Always growing, to serve more people.

THINKING LONG TERM

All-round competence: automation, robotics, IT, total quality.

INNOVATING CONTINUOUSLY

Engineering research, advanced solutions, living benefits.

DESIGNING THE FUTURE

Ergonomics, design, functionality, comfort, style and wellbeing for the home.



HEADQUARTER

Fabriano (AN) -ITALIA

COMMERCIAL OFFICE

Hudson -U.S.A.

Chambly -FRANCIA

Istanbul -TURCHIA

Mosca -RUSSIA

Pune -INDIA

PRODUCTION PLANT

Sassoferrato -ITALIA

Manisa -TURCHIA

Villedieu-les-Poeles -FRANCIA Byske -SVEZIA

Kaluga -RUSSIA

Pune -INDIA

San Luis -ARGENTINA

San Luis Potosi -MESSICO



FABER
a FRANKE Company

FRANKE FABER INDIA PRIVATE LIMITED.

India's No. 1 Large Kitchen Appliances Company.

With Swiss (FRANKE) and Italian (FABER) parentage, FRANKE FABER India Pvt. Limited is a part of the 2.5 billion USD FRANKE Artemis Group. Completing 25 years with its India headquarters in Pune, Maharashtra. It is now India's number 1 Kitchen Appliances Company. A host of Kitchen Essentials such as Hoods/Chimney, Built-in Hobs, Hob-Cooktop Hybrids, Cooktops, Built-in ovens, Built-in MWOs, Cooking Ranges, Dishwashers, Induction Cooktops, Water Purifiers, Water Geysers and other small appliances are brought to you by the group, and FRANKE FABER India Private Limited is on its way to reinvent the luxury kitchen space in the country.

COLLECTION SERIES CHIMNEYS	1
ISLAND CHIMNEYS	4
BOLT CHIMNEYS	6
DIRECT DRIVE CHIMNEYS	8
AEROSTATION CHIMNEYS	10
SIXWAY AUTOCLEAN CHIMNEYS	12
AUTOCLEAN CHIMNEYS	14
3D CHIMNEYS	17
UTOPIA SERIES HOBTOPS	20
ULTIMA SERIES HOBTOPS	22
NEXUS SERIES HOBTOPS	24
IMPERIA SERIES HOBTOPS	26
MAXUS SERIES HOBTOPS	28
HTG/HCT SERIES HOBTOPS	30
GB SERIES HOBS	32
BUILT IN OVENS	34
BUILT IN MICROWAVES	37
COOKING RANGES	38
DISHWASHERS	40
WINE CHILLERS	44
REFRIGERATORS	46
COOKTOPS	48
MIXER GRINDERS	52
HAND BLENDERS & JUICER MIXER GRINDERS	54
SLOW JUICERS	56
WATER PURIFIERS	58
OTG	60
TOASTERS & SANDWICH MAKERS	62
ELECTRIC WATER KETTLES	64
AIR FRYERS	66
WET GRINDERS & MULTI COOKERS	68
WATER GEYSERS	70
HEALTH CARE PRODUCTS RANGES	74





EVO
DIFFUSER



REMOTE
CONTROL



INTENSIVE
SPEED



PAREO PLUS

Suction 1000 m³/hr


Width 50 cm

Cassettes dishwasher safe

Spotlights 4 x 20 W

Electronic Control

3 Speed





UP & DOWN
TECHNOLOGY



REMOTE
CONTROL



LED
LIGHT

SKYLIFT

Suction 1000 m³/hr

Width 90 cm

Cassettes dishwasher safe

LED Light 2 x Strips

Electronic Control

3 Speed





HOUR



DELAY



ENERGY
SAVING



NEST PLUS

Suction 1000 m³/hr

Width 86 cm

Cassettes dishwasher safe

Spotlights 4 x 20 W

Electronic Control

3 Speed





FREE SPACE
DESIGN



MINIMAL
DESIGN



ENERGY
SAVING



COMFORT
LIGHT



DELAY



TRENDY
DESIGN

HERCULES ISOLA DTC BK 60/90

Description: Hercules Isola DTC BK 60/90
 Finish: Black
 Controls: Touch control (Dual)
 Lighting: 4 x Spot LED with 1.1W
 Filter: 3 x 3 Layer Baffle Filter
 Suction: 1000 m3/hr
 Width (mm): 600/900



JANUS ISOLA 90

Description: Jasola Isola SS LTW 90
 Finish: Black / Stainless Steel
 BK Finish: Black+Front Glass + Rear Glass
 Controls: Dual Touch control (Front + Rear)
 Lighting: 4 x 1.1W Spot lamp
 Filter: 3 Layer Baffle
 Suction: 1000 m3/hr
 Width (mm): 900/1200



STILUX ISOLA 90/120

Description: Stilux Isola Plus LTW 90/120
 Finish: Stainless Steel
 Controls: Touch
 Lighting: 4 x 1.1W Spot Lamp
 Filter: 3 x Triple Layer Baffle Filter
 Suction: 1000 m3/hr
 Width (mm): 900/1200



STILUX ISOLA BK 90

Description: Stilux Isola Plus LTW 90/BK90
 Finish: Black
 Controls: Touch
 Lighting: 4 x 1.1W Spot lamp
 Filter: 3 x Triple Layer Baffle Filter
 Suction: 1000 m3/hr
 Width (mm): 900



FEEL ISOLA BK TC 90

Description: Feel Isola BK TC 90
 Finish: Black
 Controls: Touch control (Dual)
 Lighting: 4 x Spot LED with 1.1W
 Filter: 2 x Triple Layer Baffle Filter
 Suction: 1000 m3/hr
 Width (mm): 900



INTRODUCING THE NEXT GENERATION OF AUTOCLEAN CHIMNEYS WITH **360 DEGREE STEAM DRIVE TECHNOLOGY**



BOLT 60/90

Description: Bolt FL SW SC BK 60/90
 Finish: Black Tempered Glass
 Controls: Gesture & Touch 2 Speed + 1 Turbo
 Lighting: 2 x 1.5W LED lamp
 Filter: Filterless
 Suction: 1500 m3/hr
 Width (mm): 600/900
 Blower: Metal Blower
 Oil Collector: Stainless Steel



THUNDER BOLT 90

Description: Thunder Bolt FL SW SC BK 90
 Finish: Black Finish
 Function: Steam Clean
 Controls: Gesture & Touch 2 Speed + 1 Turbo
 Lighting: 2 x 1.5W LED lamp
 Filter: Filterless
 Suction: 1500 m3/hr
 Width (mm): 900
 Blower: Metal Blower
 Oil Collector: Stainless Steel




Faber presents the all new, all-powerful **Bolt Chimney** with never seen before **Steam Drive 360 Degree technology** that cleans the oil and other residues with just one touch.


Get ready for more performance with less maintenance.

EXPERIENCE ABSOLUTE POWER OF STEAM CLEANING

OTHER FEATURES



Filterless Technology
 No cleaning hassles and zero cost maintenance.



Powerful Motor
 Enables higher suction power, ensuring high performance and efficiency.

DIRECT DRIVE CHIMNEY

**BRUSHLESS DC MOTOR GENERATES LESS HEAT.
HAS A LONGER LIFE AND PERFORMANCE**




AURA DIRECT DRIVE BF SC AC BK 60/90

- Finish: Black Glass
- Function: Auto Clean
- Lighting: 2 x 1.5W LED lamp
- Motor: 150 Watt BLDC Motor
- Filter: 2 Baffle Filter
- Suction: 1100/1300 m3/hr
- Controls: Touch + Gesture
- Speed: 9-speed touch switch with motion sensor
- Width (mm): 600/900
- Oil Collector: Stainless Steel



STORM DIRECT DRIVE FL SC AC BK 60/90


- Finish: Black Glass
- Function: Auto Clean
- Lighting: 2 x 1.5W LED lamp
- Motor: 150 Watt BLDC Motor
- Filter: Filterless
- Suction: 1500 m3/hr
- Controls: Touch + Gesture
- Speed: 9-speed touch switch with Rpm display & motion sensor
- Width (mm): 600/900
- Oil Collector: Stainless Steel



**LOVE COOKING.
LOVE THE KITCHEN.**




3-in-1 AeroStation AIR PURIFIER FILTER



1. **NYLON FILTER:**
Remove particles, such as dust and dirt, from the air.
2. **CARBON FILTER:**
Carbon filter to trap the Odors, Gases and neutralizes them.
3. **HEPA FILTER:**
1 Micron filter HEPA traps harmful particles such as Dust, Smoke, Pollen, etc., and gives efficiency upto 95%

Faber launches World's only Aerostation chimney with 3D Technology



With growing air pollution & increases in the risk of health hazards, it is important to use something which keeps you and your loved one healthy & your's kitchen pollution free.

This hood comes in exciting new finishes including Alligator Black, Antique Silver & Antique Copper and also has 3 stage air purification system.

Faber introduces the world's only Aerostation Chimney with 3D Technology which offers the functionality of 3 appliances in 1. This appliance combines the functionality of a 3D chimney, a fan and an air purifier.

GLAMOUR PRO 3D BK FT 60/90

Description: 3N1 Aerostation Glamour Pro 3D BK FT 60/90
 Finish: Black
 Speed: 3+ Intensive
 Controls: Feather Touch With Backlit
 Lighting: 2 x 1.5W LED lamp
 Filter: Triple Layer Baffle
 Suction: 1095 m3/hr
 Width (mm): 600/900

FAN: Controls: Premium Backlit Soft Touch Panel, Motor: 4 Speed
PURIFIER: Nylon Filter: Remove particles such as dust and dirt from the air.
 Carbon Filter: Traps Odour, Gases and Neutralise them. HEPA 1.0 PM Filter:
 Removes Dust, Smoke particles up to size of 1 Micron.



STAR PRO 3D TC AB 60/90

Description: 3N1 Aerostation Star Pro 3D TC AB 60/90
 Finish: Alligator Black
 Speed: 3+ Intensive
 Controls: Touch With Backlit
 Lighting: 2 x 1.5W LED lamp
 Filter: Triple Layer Baffle
 Suction: 1095 m3/hr
 Width (mm): 600/900

FAN: Controls: Premium Backlit Soft Touch Panel, Motor: 4 Speed
PURIFIER: Nylon Filter: Remove particles such as dust and dirt from the air.
 Carbon Filter: Traps Odour, Gases and Neutralise them. HEPA 1.0 PM Filter:
 Removes Dust, Smoke particles up to size of 1 Micron.



SPARKLE PRO 3D AB TC 60/90

Description: 3N1 Aerostation Sparkle Pro 3D AB TC 60/90
 Finish: Alligator Black
 Speed: 3+ Intensive
 Controls: Touch With Backlit
 Lighting: 2 x 1.5W LED lamp
 Filter: Triple Layer Baffle
 Suction: 1095 m3/hr
 Width (mm): 600/900

FAN: Controls: Premium Backlit Soft Touch Panel, Motor: 4 Speed
PURIFIER: Nylon Filter: Remove particles such as dust and dirt from the air.
 Carbon Filter: Traps Odour, Gases and Neutralise them. HEPA 1.0 PM Filter:
 Removes Dust, Smoke particles up to size of 1 Micron.



SPARK PRO 3D BK 60/90

Description: 3N1 Aerostation Spark Pro 3D BK 60/90
 Finish: Alligator Black
 Speed: 3+ Intensive
 Controls: Push With Backlit
 Lighting: 2 x 1.5W LED lamp
 Filter: Triple Layer Baffle
 Suction: 1095 m3/hr
 Width (mm): 600/900


FAN: Controls: Premium Backlit Soft Touch Panel, Motor: 4 Speed
PURIFIER: Nylon Filter: Remove particles such as dust and dirt from the air.
 Carbon Filter: Traps Odour, Gases and Neutralise them. HEPA 1.0 PM Filter:
 Removes Dust, Smoke particles up to size of 1 Micron.



SIX WAY CHIMNEY SIX KA FIX.

KITCHEN SMOKE KA SIX WAY SOLUTION

Baffle Filter | Powerful motor | Heat Autoclean



3D Auto Clean
Technology
with 6-way Suction

PREMIA 3D PLUS IND 60/90

Description: Premia 3D Plus IND HC SC BK 60/90
Premia 3D Plus IND HC SC FL EBK 60/90
Finish: Black
Functions: Auto Clean, 6 Way Suction, Filterless
Controls: Gesture & 3 Speed Touch
Lighting: 2 x 1.5W LED lamp
Filter: 2 x 2 Layer Baffle Filter
Suction: 1298, 1325 m3/hr
Width (mm): 600/900
Oil Collector: Stainless Steel



CREST 3D PLUS IND 60/90

Description: Crest 3D Plus IND HC SC BK 60/90/SS/60
Finish: Black
Functions: Auto Clean, 6 Way Suction, Filterless
Controls: Gesture & 3 Speed Touch
Lighting: 2 x 1.5W LED lamp
Filter: Filterless
Suction: 1275 m3/hr
Width (mm): 600/900
Oil Collector: Stainless Steel




HOOD EVEREST SMART 3D IND

Description: Hood Everest Smart 3D IND HC SC SS 60
Finish: Stainless Steel / Black
Functions: Heat Autoclean
Controls: Gesture + Touch
Lighting: 2 x LED of 1.5W each
Filter: Filterless
Suction: 1250 m3/hr
Width (mm): 600
Blower: Metal Blower
Oil Collector: Stainless Steel



SILENCIO 3D IND 60/90

Description: Hood Silencio 3D IND HC SC FL BK 60/90
Hood Silencio 3D IND HC SC BF BK 60/90
Finish: Black
Functions: Heat Autoclean
Controls: Gesture + Touch
Lighting: 2 x 1.5W LED lamp
Filter: 2 x 2 Layer Baffle Filter
Suction: 1325/1298 m3/hr
Width (mm): 600/900
Oil Collector: Stainless Steel




BONITO 3D IND 60/90

Description: Bonito 3D IND HC SC FL BK 60/90
Finish: Black
Functions: Heat Autoclean
Controls: Gesture + Touch
Lighting: 2 x 1.5W LED lamp
Filter: Filterless
Suction: 1250 m3/hr
Width (mm): 600/900
Oil Collector: Stainless Steel





**NO MORE
FILTER CLEANING**



Filter Less Hood With Oil Collector Technology




SS Oil Collector



Non Stick Rotor



High Suction Power



Touch Control



Auto Glass Up-down function with Anti-Squeeze Feature

JUPITER PLUS

Description: Jupiter Plus HC SC BK 60/90
 Finish: Black
 Function: Heat Autoclean
 Controls: Gesture & 3 Speed Touch
 Lighting: 2 x 1.5W LED lamp
 Filter: Cone Baffle Filter
 Suction: 1500 m3/hr
 Width (mm): 600/900
 Blower: Metal Blower
 Oil Collector: Stainless Steel



HOOD ALPHA HC PB BK 60/90

Description: Hood Alpha HC PB BK 60/90
 Finish: Black
 Function: Heat Autoclean
 Controls: Push Button
 Lighting: 2 x 1.5W LED lamp
 Filter: Filterless
 Suction: 1100 m3/hr
 Width (mm): 600/900
 Blower: Metal Blower
 Oil Collector: Stainless Steel



SUNNY

Description: Sunny HC SC BK 60/75/90
 Finish: Black
 Function: Heat Autoclean
 Controls: Gesture & 3 Speed Touch
 Lighting: 2 x 1.5W LED lamp
 Filter: Filterless
 Suction: 1200 m3/hr
 Width (mm): 600/900
 Blower: Metal Blower with Metal Housing
 Oil Collector: Stainless Steel



RELISH PLUS HC BK TC 76

Description: Relish Plus HC BK TC 76
 Finish: Black
 Function: Electro Thermal Autoclean
 Controls: Touch
 Lighting: 2 x 1.5W LED lamp
 Filter: Filterless
 Suction: 1150 m3/hr
 Width (mm): 760
 Blower: Metal
 Oil Collector: Stainless Steel



VERTEX PLUS 60/90

Description: Vertex Plus FL TC HC BK 60/90
 Finish: Black Tempered Glass
 Function: Heat Autoclean
 Controls: Gesture & 3 Speed Touch
 Lighting: 2 x 1.5W LED lamp
 Filter: Filterless
 Suction: 1200/1500 m3/hr
 Width (mm): 600/900
 Blower: Metal Blower
 Oil Collector: Stainless Steel



ZENITH

Description: Zenith FL SC AC BK 60/75/90
 Finish: Black Tempered Glass
 Function: Heat Autoclean
 Controls: Gesture & 3 Speed Touch
 Lighting: 2 x 1.5W LED lamp
 Filter: Filterless
 Suction: 1350 m3/hr
 Width (mm): 600/750/900
 Blower: Metal Blower
 Oil Collector: Stainless Steel



CREST PLUS IND

Description: Hood Crest Plus IND HC SC BK 60/90
 Finish: Stainless Steel Frame + Black Curved Glass
 Controls: Gesture & 3 Speed Touch
 Lighting: 2 x LED of 1.5W each
 Filter: Filterless
 Suction: 1225 m³/hr
 Width (mm): 600/900



APEX

Description: Apex FL HC SC BK 60/90
 Finish: Black Tempered Glass
 Function: Heat Autoclean
 Controls: Gesture & 3 Speed Touch
 Lighting: 2 x 1.5W LED lamp
 Filter: Filterless
 Suction: 1500 m3/hr
 Width (mm): 600/900
 Blower: Metal Blower
 Oil Collector: Stainless Steel



BLISS

Description: Hood Bliss FL SC AC BK 60/90
 Finish: Black Tempered Glass
 Function: Heat Autoclean
 Controls: Gesture & 3 Speed Touch
 Lighting: 2 x 1.5W LED lamp
 Filter: Filterless
 Suction: 1350 m3/hr
 Width (mm): 600/900
 Blower: Metal Blower
 Oil Collector: Stainless Steel



HOOD JARVIS

Description: Jarvis HC SC BK TC 60
 Finish: Front Designer Glas + Black Powder Coated
 Function: Heat Autoclean
 Controls: Gesture + Touch
 Lighting: 2 x LED of 1.5W each
 Filter: 2 x 2 Layer Baffle Filter
 Suction: 1200 m3/hr
 Width (mm): 600
 Blower: Metal Blower
 Oil Collector: Stainless Steel



HOOD MARTINEZ

Description: Hood Martinez HC TC BK 90
 Finish: Black Glass
 Function: Heat Autoclean
 Controls: Touch Control
 Lighting: 2 x 1.5W LED lamp
 Filter: Filterless
 Suction: 1200 m3/hr
 Width (mm): 900
 Blower: Metal Blower
 Oil Collector: Stainless Steel



MIAMI

Description: Hood Miami FL SC AC BK 60/90
 Finish: Stainless Steel Frame + Black Curved Glass
 Controls: Gesture & 3 Speed Touch
 Lighting: 2 x LED of 1.5W each
 Filter: Filterless
 Suction: 1200 m³/hr
 Width (mm): 600/900
 Blower: Metal Blower
 Oil Collector: Stainless Steel



HOOD ZEST

Description: Hood Zest HC SC FL BK 60/90
 Finish: Black
 Function: Heat Autoclean
 Controls: Gesture & 3 Speed Touch
 Lighting: 2 x 1.5W LED lamp
 Filter: Filterless
 Suction: 1100 m3/hr
 Width (mm): 600/900
 Blower: Metal Blower
 Oil Collector: Stainless Steel



ACE PRO

Description: Ace Pro HC PB BK 60/90
 Finish: Black
 Function: Heat Autoclean
 Controls: Push Button
 Lighting: 2 x 1.5W LED lamp
 Filter: Filterless
 Suction: 1100 m3/hr
 Width (mm): 600/900
 Blower: Metal Blower
 Oil Collector: Stainless Steel





3D CHIMNEY

“I HAVE QUIT SMOKING
IN THE KITCHEN”



3-LAYER BAFFLE FILTER



3-WAY SUCTION



LED LIGHT



LOW NOISE LEVEL



PUSH BUTTON

STILUX 3D

Description: Stilux 3D Plus T2S2 TC Sen Max LTW 90/60
Stilux 3D T2S2 BK TC LTW 60/90/120
Stilux 3D T2S2 TC LTW 60/90
Finish: Stainless Steel / Black / Black Mirror
Controls: Touch
Lighting: 2 x 1.1W LED lamp
Filter: 3 Layer Baffle Filter
Suction: 3D Plus Max: 1350 m3/hr,
3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.
Width (mm): 600/900/1200



STILO 3D

Description: Stilo 3D Plus T2S2 Max LTW 60/90
Stilo Slim 3D Plus T2S2 BK LTW 60/90
Stilo Slim 3D Plus T2S2 LTW 60/90
Finish: Stainless Steel / Black
Controls: Push Buttons
Lighting: 2 x 1.1W LED lamp
Filter: 3 Layer Baffle
Suction: 3D Plus Max: 1350 m3/hr,
3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.
Width (mm): 600/900



FEEL 3D

Description: Feel 3D Plus T2S2 TC Sen Max LTW 60/90
Feel 3D T2S2 BK TC LTW 60/90
Feel 3D T2S2 PB LTW 60/90
Finish: Black with Curve Glass
Controls: Touch / Push Buttons Control
Lighting: 2 x 1.1W LED lamp
Filter: 3 Layer Baffle
Suction: 3D Plus Max: 1350 m3/hr,
3D: 1095 m3/hr
Width (mm): 600/900



ARCO 3D

Description: Arco 3D T2S2 Max LTW 60/90
Arco 3D Plus T2S2 BK LTW 60/90
Arco 3D Plus T2S2 LTW 60/90
Finish: Black with Bend Glass
Controls: Push Buttons
Lighting: 2 x 1.1W LED lamp
Filter: 3 Layer Baffle
Suction: 3D Plus Max: 1350 m3/hr,
3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.
Width (mm): 600/900




SUPER 3D

Description: Super 3D Plus Max T2S2 BK TC 60/90
Super 3D Plus T2S2 BK TC LTW 60/90
Finish: Black with Flat Glass
Controls: Touch
Lighting: 2 x 1.1W LED lamp
Filter: 3 Layer Baffle
Suction: 3D Plus Max: 1350 m3/hr,
3D Plus: 1150 m3/hr
Width (mm): 600/900



COCKTAIL 3D

Description: Cocktail 3D T2S2 BK TC LTW 60/90
Finish: Black Mirror
Controls: Touch
Lighting: 2 x 1.1W LED lamp
Filter: Cassette
Suction: 1095 m3/hr
Width (mm): 600/900



TOPAZ SMART* 3D

Description: Topaz Smart 3D T2S2 BK TC LTW 60/90
Finish: Black Conical
Controls: Touch Control
Lighting: 2 x 1.1W LED lamp
Filter: 3 Layer Baffle
Suction: 1095 m3/hr
Width (mm): 600/900



TENDER 3D

Description: Tender 3D T2S2 Max LTW 60/90/ BK 60/90
Tender 3D T2S2 LTW 60/90
Tender 3D T2S2 BK LTW 60/90
Finish: Stainless Steel Conical / Black
Controls: Push Buttons
Lighting: 2 x 2W CFL lamp
Filter: 3 Layer Baffle
Suction: 3D Max: 1295 m3/hr,
3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.
Width (mm): 600/900



TRATTO 3D

Description: Tratto 3D T2S2 LTW 60/90
Finish: Black with Black Mirror
Controls: Touch Control
Lighting: 2 x 1.1W LED lamp
Filter: 3 x 2 Layer Baffle
Suction: 1095 m3/hr
Width (mm): 600/900



GLASSY 3D

Description: Glassy 3D T2S2 Max LTW 60/90
Glassy 3D T2S2 LTW 60/75/90
Glassy 3D T2S2 BK LTW 60/90
Finish: Stainless Steel / Black Glass
Controls: Push Button Control
Lighting: 2 x 1.1W LED lamp
Filter: 3 Layer Baffle
Suction: 3D Plus Max: 1350 m3/hr,
3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.
Width (mm): 600/750/900



PRETTY PLUS PRO

Description: Pretty Plus Pro BK LTW 60
 Finish: Black Powder Coated
 Controls: Push Button
 Lighting: 2 x 1.1W LED lamp
 Filter: Baffle
 Suction: 1000 m3/hr
 Width (mm): 600



MARTINI

Description: Martini TC BK LTW 60
 Finish: Black Mirror
 Controls: Touch
 Lighting: 2 x 1.1W LED lamp
 Filter: Baffle
 Suction: 1000 m3/hr
 Width (mm): 900



CLASS PRO

Description: Class Plus LTW 60
 Finish: Black
 Controls: Push Button
 Lighting: 2 x 2W LED Filament lamp
 Filter: Baffle
 Suction: 1000 m3/hr
 Width (mm): 600



GLASSY

Description: Glassy SS LTW 60
 Finish: Stainless Steel and Glass
 Controls: Push Button
 Lighting: 2 x 1W LED lamp
 Filter: Baffle
 Suction: 800 m3/hr
 Width (mm): 600



RUBY XL TC

Description: Ruby XL TC SS 60
 Finish: Stainless Steel
 Controls: Touch
 Lighting: LED lamp 1 x 2W
 Filter: Baffle
 Suction: 700 m3/hr
 Width (mm): 600



RUBY XL PB

Description: Ruby XL PB SS 60
 Finish: Stainless Steel
 Controls: Push Button
 Lighting: LED lamp 1 x 2W
 Filter: Baffle
 Suction: 700 m3/hr
 Width (mm): 600



RUBY XL TC

Description: Ruby XL TC BK 60
 Finish: Black
 Controls: Touch
 Lighting: LED lamp 1 x 2W
 Filter: Baffle
 Suction: 700 m3/hr
 Width (mm): 600



INTRODUCING THE UTOPIA RANGE



LOOKS GREAT, COOKS BETTER!



Dual Flame Burners

- High Performance 4 KW Burner with Dual Functionality
- Lower Single Flame of 1.7 KW provides versatility in product usage

Auto Burner Shut off
for Superior Safety

Cast Iron
Pan Support

Auto
Ignition

Special Grid Design for
Higher Burner Efficiency

UTOPIA HT 905 BR CI

Width (mm): 90 cm
 Finish: 8mm Black Tempered Glass
 Pan Support: Cast Iron
 Burners: 1 x 4Kw Triple Ring Dual Flame
 + 2 x 3Kw Mini Triple Ring + 2 x 1.7 Kw Double Ring
 with Black Enamel Coating
 Knob: Premium Metal Knobs with Golden Insets
 Ignition: In-Built Auto Ignition with AC 230V Power Supply
 Safety Device: FFD (Flame Failure Device)
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 825 x 475 x WxD (mm)




UTOPIA HT 804 BR CI

Width (mm): 80 cm
 Finish: 8mm Black Tempered Glass
 Pan Support: Cast Iron
 Burners: 1 x 4Kw Triple Ring Dual Flame
 + 1 x 3Kw Mini Triple Ring + 2 x 1.7 Kw Double Ring
 with Black Enamel Coating
 Knob: Premium Metal Knobs with Golden Insets
 Ignition: In-Built Auto Ignition with AC 230V Power Supply
 Safety Device: FFD (Flame Failure Device)
 Product Dimensions: 800 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 685 x 475 WxD (mm)



UTOPIA HT 903 BR CI

Width (mm): 90 cm
 Finish: 8mm Black Tempered Glass
 Pan Support: Cast Iron
 Burners: 1 x 4Kw Triple Ring Dual Flame
 + 1 x 3Kw Mini Triple Ring + 1 x 1.7 Kw Double Ring
 with Black Enamel Coating
 Knob: Premium Metal Knobs with Golden Insets
 Ignition: In-Built Auto Ignition with AC 230V Power Supply
 Safety Device: FFD (Flame Failure Device)
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 825 x 475 x WxD (mm)



UTOPIA HT 783 BR CI

Width (mm): 78 cm
 Finish: 8mm Black Tempered Glass
 Pan Support: Cast Iron
 Burners: 1 x 4Kw Triple Ring Dual Flame
 + 1 x 3Kw Mini Triple Ring + 1 x 1.7 Kw Double Ring
 with Black Enamel Coating
 Knob: Premium Metal Knobs with Golden Insets
 Ignition: In-Built Auto Ignition with AC 230V Power Supply
 Safety Device: FFD (Flame Failure Device)
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 685 x 475 WxD (mm)



UTOPIA HT 604 BR CI

Width (mm): 60 cm
 Finish: 8mm Black Tempered Glass
 Pan Support: Cast Iron
 Burners: 1 x 4Kw Triple Ring Dual Flame
 + 1 x 3Kw Mini Triple Ring + 2 x 1.7 Kw Double Ring
 with Black Enamel Coating
 Knob: Premium Metal Knobs with Golden Insets
 Ignition: In-Built Auto Ignition with AC 230V Power Supply
 Safety Device: FFD (Flame Failure Device)
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 555 x 475 x WxD (mm)



UTOPIA HT 603 BR CI

Width (mm): 60 cm
 Finish: 8mm Black Tempered Glass
 Pan Support: Cast Iron
 Burners: 1 x 4Kw Triple Ring Dual Flame
 + 1 x 3Kw Mini Triple Ring + 1 x 1.7 Kw Double Ring
 with Black Enamel Coating
 Knob: Premium Metal Knobs with Golden Insets
 Ignition: In-Built Auto Ignition with AC 230V Power Supply
 Safety Device: FFD (Flame Failure Device)
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 555 x 475 WxD (mm)



INTRODUCING

ULTIMA RANGE

INDIA'S ONLY HOB COOKTOP WITH
TRIPLE RING FLAME IN ALL BURNERS



ULTIMATE BURNER PERFORMANCE



DIRECT FLAME TECHNOLOGY

- High Performance 3KW and 2.0 KW Burner combination
- Black Enamelled Burners for superior Aesthetic looks

Flame Failure
Device

Evenly
Cooking

Auto Ignition

Cast Iron Pan Supports

ULTIMA PLUS HT904 CRS BR CI AI

Width (mm): 90 cm
 Ignition: In-Built Auto Ignition
 Pan Support: Cast Iron
 Burners: 2 x 3Kw Triple Ring Flame +
 2 x 2Kw Triple Ring with Black Enamel Coating
 Knob: Premium Metal Knobs
 Ignition: In-Built Auto Electric with 1.5V DC Battery
 Safety Device: FFD (Flame Failure Device)
 Product Dimensions: 900* 525* 145 WxDxH (mm)
 Carcass Dimensions: 825* 475 WxD (mm)



ULTIMA HT 904 CRS BR CI AI

Width (mm): 90 cm
 Ignition: In-Built Auto Ignition
 Pan Support: Cast Iron
 Burners: 2 x 3Kw Triple Ring Flame +
 2 x 2Kw Triple Ring with Black Enamel Coating
 Knob: Premium Metal Knobs
 Ignition: In-Built Auto Electric with 1.5V DC Battery
 Product Dimensions: 900* 525* 145 WxDxH (mm)
 Carcass Dimensions: 825 * 475 WxD (mm)



ULTIMA PLUS HT783 CRS BR CI AI

Width (mm): 80 cm
 Ignition: In-Built Auto Ignition
 Pan Support: Cast Iron
 Burners: 2 x 3Kw Triple Ring Flame +
 1 x 2Kw Triple Ring with Black Enamel Coating
 Knob: Premium Metal Knobs
 Ignition: In-Built Auto Electric with 1.5V DC Battery
 Safety Device: FFD (Flame Failure Device)
 Product Dimensions: 800 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 685 x 475 WxD (mm)



ULTIMA HT724 CRS BR CI AI

Width (mm): 72 cm
 Ignition: In-Built Auto Ignition
 Pan Support: Cast Iron
 Burners: 2 x 3Kw Triple Ring Flame +
 2 x 2Kw Triple Ring with Black Enamel Coating
 Knob: Premium Metal Knobs
 Ignition: In-Built Auto Electric with 1.5V DC Battery
 Product Dimensions: 720* 525* 145 WxDxH (mm)
 Carcass Dimensions: 675 x 475 WxD (mm)




ULTIMA HT723 CRS BR CI AI

Width (mm): 72 cm
 Ignition: In-Built Auto Ignition
 Pan Support: Cast Iron
 Burners: 1 x 3Kw Triple Ring Flame +
 2 x 2Kw Triple Ring with Black Enamel Coating
 Knob: Premium Metal Knobs
 Ignition: In-Built Auto Electric with 1.5V DC Battery
 Product Dimensions: 720* 525* 145 WxDxH (mm)
 Carcass Dimensions: 675 x 475 WxD (mm)



INTRODUCING NEXUS IND RANGE



3D FLAME TECHNOLOGY

- High Performance 3Kw Triple Ring Burner
- Faster and evenly cooking

Flame Failure
Device

Full Brass
Burner


Cast Iron
Pan Support

Auto
Ignition

Special Grid Design for
Higher Burner Efficiency

NEXUS IND HT 905 CRS BR CI AI

Width (mm): 90 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic
 Burners: 3 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 825 x 475 WxD (mm)



NEXUS STAR IND HT 904 CRS BR CI AI

Width (mm): 90 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic
 Burners: 2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Safety Device: FFD (Flame Failure Device)
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 825 x 475 x 50 WxD (mm)



NEXUS IND HT 904 CRS BR CI AI

Width (mm): 90 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic
 Burners: 2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 825 x 475 WxD (mm)



NEXUS IND HT 803 CRS BR CI AI

Width (mm): 80 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic
 Burners: 2 x 3Kw Triple Ring + 1 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Safety Device: FFD (Flame Failure Device)
 Product Dimensions: 800 x 380 x 145 WxDxH (mm)
 Carcass Dimensions: 705 x 325 WxD (mm)



NEXUS STAR IND HT 783 CRS BR CI AI

Width (mm): 78 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic
 Burners: 1 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Safety Device: FFD (Flame Failure Device)
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 705 x 475 WxD (mm)



NEXUS IND HT 783 CRS BR CI AI

Width (mm): 78 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic
 Burners: 1 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 705 x 475 WxD (mm)



NEXUS IND HT 784 CRS BR CI AI

Width (mm): 78 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic
 Burners: 2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 685 x 475 WxD (mm)



NEXUS STAR IND HT 654 CRS BR CI AI

Width (mm): 60 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic
 Burners: 2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Safety Device: FFD (Flame Failure Device)
 Product Dimensions: 650 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 595 x 470 WxD (mm)



NEXUS IND HT 604 CRS BR CI AI

Width (mm): 60 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic
 Burners: 2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 555 x 475 WxD (mm)



NEXUS HT 603 CRS BR CI AI


Width (mm): 60 cm
 Finish: Premium Metallic
 Pan Support: Cast Iron
 Knob: Black Metal
 Burners: 1 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 555 x 475 WxD (mm)



INTRODUCING IMPERIA HOB COOKTOP HYBRIDS

Safety:

FFD : Flame Failure Device is a safety feature which automatically cuts off the gas supply if the flame goes out stopping any gas flow.



TRIPLE & DUAL RING BURNER

- High Performance 3KW and 1.7 KW Burner combination
- Black Enameled Burners for superior Aesthetic looks

Flame Failure Device	Premium Metal Knobs with Black Insets	Auto Ignition	Heavy Duty Cast Iron Pan Supports
----------------------	---------------------------------------	---------------	-----------------------------------

IMPERIA 905 BRB CI BK



Width (mm): 90 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic with Black Insets
 Burners: 3 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 825 x 475 WxD (mm)



IMPERIA PLUS 784 BRB CI BK



Width (mm): 78 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic with Black Insets
 Safety Device: FFD (Flame Failure Device)
 Burners: 2 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring with Black Enamel Coating
 Ignition: In-Built Auto Ignition with AC 230V Power Supply
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 685 x 475 WxD (mm)



IMPERIA 784 BRB CI BK



Width (mm): 78 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic with Black Insets
 Burners: 2 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 685 x 475 WxD (mm)



IMPERIA PLUS 783 BRB CI BK



Width (mm): 78 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic with Black Insets
 Safety Device: FFD (Flame Failure Device)
 Burners: 1 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring with Black Enamel Coating
 Ignition: In-Built Auto Ignition with AC 230V Power Supply
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 685 x 475 WxD (mm)



IMPERIA 783 BRB CI BK



Width (mm): 78 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic with Black Insets
 Burners: 1 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 685 x 475 WxD (mm)



IMPERIA PLUS 604 BRB CI BK



Width (mm): 60 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic with Black Insets
 Safety Device: FFD (Flame Failure Device)
 Burners: 2 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring with Black Enamel Coating
 Ignition: In-Built Auto Ignition with AC 230V Power Supply
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 685 x 475 WxD (mm)



IMPERIA 604 BRB CI BK



Width (mm): 60 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic with Black Insets
 Burners: 2 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 555 x 475 WxD (mm)



IMPERIA 603 BRB CI BK



Width (mm): 60 cm
 Finish: Black Tempered Glass
 Pan Support: Cast Iron
 Knob: Premium Metallic with Black Insets
 Burners: 1 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 555 x 475 WxD (mm)



INTRODUCING

MAXUS HOB COOKING HYBRIDS



MULTI FLAME BURNER

- High Power 2.5KW Burner
- Lower Flame of 1.5KW provides consumer versatility in product usage

Brass Burner with Black Enamel Coating

Cast Iron Pan Support

Auto Ignition

Premium Metal Knobs with Golden Insets

MAXUS HT 905 CRS BR CI AI

Width (mm): 86 cm
 Finish: 8 mm Black Tempered Glass
 Burners: 3 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Pan Support: Cast Iron
 Knob: Premium Metallic with Golden Insects
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 825 x 475 WxD (mm)



MAXUS HT 904 CRS BR CI AI

Width (mm): 90 cm
 Finish: 8 mm Black Tempered Glass
 Burners: 2 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Pan Support: Cast Iron
 Knob: Premium Metallic with Golden Insects
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 825 x 475 WxD (mm)



MAXUS HT 803 CRS BR CI AI

Width (mm): 80 cm
 Finish: 8 mm Black Tempered Glass
 Burners: 2 x 2.5Kw and 1 x 1.5Kw with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Pan Support: Cast Iron
 Knob: Premium Metallic with Golden Insects
 Ignition: In-Built Auto Electric with 1.5V DC Battery
 Product Dimensions: 800 x 380 x 145 WxDxH (mm)
 Carcass Dimensions: 705 x 325 WxD (mm)



MAXUS HT 784 CRS BR CI AI

Width (mm): 78 cm
 Finish: 8 mm Black Tempered Glass
 Burners: 2 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Pan Support: Cast Iron
 Knob: Premium Metallic with Golden Insects
 Ignition: In-Built Auto Electric with 1.5V DC Battery
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 685 x 475 WxD (mm)



MAXUS HT 783 CRS BR CI AI

Width (mm): 78 cm
 Finish: 8 mm Black Tempered Glass
 Burners: 1 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Pan Support: Cast Iron
 Ignition: In-Built Auto Electric with 1.5V DC Battery
 Knob: Premium Metallic with Golden Insects
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 685 x 475 WxD (mm)



MAXUS HT 604 CRS BR CI AI

Width (mm): 60 cm
 Finish: 8 mm Black Tempered Glass
 Burners: 2 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Pan Support: Cast Iron
 Knob: Premium Metallic with Golden Insects
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 555 x 475 WxD (mm)




MAXUS HT 603 CRS BR CI AI

Width (mm): 60 cm
 Finish: 8 mm Black Tempered Glass
 Burners: 1 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Pan Support: Cast Iron
 Knob: Premium Metallic with Golden Insects
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 555 x 475 WxD (mm)



INTRODUCING

HTG/HCT HOB COOKTOP HYBRIDS




TRIPLE & DUAL RING BURNER

- High Performance Burner
- Lotus Flame

Glass Edge Protector | Knob Protector | Auto Ignition | Special Grid Design for Higher Burner Efficiency

HTG 905 CRS BR CI

Width (mm): 90 cm
 Finish: 8 mm Black Tempered Glass
 Pan Support: Knob Protector Enameled Grid
 Knob: Premium Bakelite
 Burners: 3 x Triple Ring + 2 x Double Ring Brass Burners
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 825 x 470 WxD (mm)




HTG 754 CRS BR CI

Width (mm): 75 cm
 Finish: 8 mm Black Tempered Glass
 Pan Support: Knob Protector Enameled Grid
 Knob: Premium Bakelite
 Burners: 2 x Triple Ring + 2 x Double Ring Brass Burners
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 750 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 670 x 470 WxD (mm)



HTG 753 CRS LBK CI

Width (mm): 75 cm
 Finish: 8 mm Black Tempered Glass
 Pan Support: Knob Protector Enameled Grid
 Knob: Premium Bakelite
 Burners: 1 Medium + 2 x Double Ring Brass Burners
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 750 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 670 x 470 WxD (mm)



HTG 654 CRS BR CI/WH

Width (mm): 65 cm
 Finish: 8 mm Black /White Tempered Glass
 Pan Support: Knob Protector Enameled Grid
 Knob: Premium Bakelite
 Burners: 2 Triple Ring + 2 x Double Ring Brass Burners
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 650 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 595 x 470 WxD (mm)



HTG 653 CRS BR CI/WH

Width (mm): 65 cm
 Finish: 8 mm Black Tempered Glass
 Pan Support: Knob Protector Enameled Grid
 Knob: Premium Bakelite
 Burners: 1 x Triple Ring + 2 x Double Ring Brass Burners
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 650 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 595 x 470 WxD (mm)



HCT 754 SR CRS LBK CI

Width (mm): 75 cm
 Finish: 8 mm Black Tempered Glass
 Pan Support: Enameled Grid
 Knob: Premium Bakelite
 Burners: 2 Medium + 2 x Small Lotus Brass Burner with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 750 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 670 x 470 WxD (mm)



HCT 753 SR CRS LBK CI

Width (mm): 75 cm
 Finish: 8 mm Black Tempered Glass
 Pan Support: Enameled Grid
 Knob: Premium Bakelite
 Burners: 2 Medium + 1 x Small Lotus Brass Burner with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 750 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 670 x 470 WxD (mm)



HCT 654 CRR LBK CI

Width (mm): 65 cm
 Finish: 8 mm Black Tempered Glass
 Pan Support: Enameled Grid
 Knob: Premium Bakelite
 Burners: 2 Medium + 2 x Small Lotus Brass Burner with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 650 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 595 x 470 WxD (mm)



HCT 653 CRR LBK EI AI

Width (mm): 65 cm
 Finish: 8 mm Black Tempered Glass
 Pan Support: Enameled Grid
 Knob: Premium Bakelite
 Burners: 2 Medium + 1 x Small Lotus Brass Burner with Black Enamel Coating
 Ignition: In-Built Auto Ignition with 1.5V DC Battery
 Product Dimensions: 650 x 525 x 130 WxDxH (mm)
 Carcass Dimensions: 595 x 470 WxD (mm)



GB SERIES

MINI TRIPLE RING BURNER
MEDIUM RING BURNER
IN-BUILT AUTO IGNITION



GB 724 SR 2MTC AUX

Width (mm): 72 cm
 Finish: 8 mm Black Tempered Glass
 Burners: 2 Medium Burner + 1 Small Burner +
 1 Mini Triple Ring Burner
 Ignition: In-Built Auto Ignition with AC 230V Power Supply
 Pan Support: Knob Protector Enameled Grid
 Knob: Premium Bakelite
 Product Dimensions: 720 x 530 LxW(mm)
 Carcass Dimensions: 575 x 480 LxW (mm)



GB 724 2SR + MTC + AUX

Width (mm): 72 cm
 Finish: 8 mm Black Tempered Glass
 Burners: 1 Medium Burner + 2 Small Burner +
 1 Mini Triple Ring Burner
 Ignition: In-Built Auto Ignition with AC 230V Power Supply
 Pan Support: Enameled Grid
 Knob: Premium Bakelite
 Product Dimensions: 720 x 530 LxW(mm)
 Carcass Dimensions: 575 x 480 LxW (mm)



GB 723 SR + 2MTC + AUX

Width (mm): 72 cm
 Finish: 8 mm Black Tempered Glass
 Burners: 1 Medium Burner + 1 Small Burner +
 1 Mini Triple Ring Burner
 Ignition: In-Built Auto Ignition with AC 230V Power Supply
 Pan Support: Enameled Grid
 Knob: Premium Bakelite
 Product Dimensions: 720 x 530 LxW(mm)
 Carcass Dimensions: 575 x 480 LxW (mm)





Multi
Cooking



Conventional
Top & Bottom



Fast
Heat up



FBIO 83L 18F TFT BK

- 60 cm • 83 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
- Full Black Glass Appearance
- 18 Cooking Functions • Electronic Auto Program
- TFT Touch Control • Digital Timer
- 3D hot air circulation system • Rotisserie
- Anti-Scalding Cold Door Technology
- Oven Size (WxHxD): 594x594x519 mm
- Carcass Size (WxD): 558x587 mm



FBIO 83L 15F BK

- 60 cm • 83 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
- Full Black Glass Appearance
- 15 Cooking Functions • Electronic Auto Program
- Sensor Touch Control • Digital Timer
- 3D hot air circulation system • Rotisserie
- Anti-Scalding Cold Door Technology
- Oven Size (WxHxD): 594x594x519 mm
- Carcass Size (WxH): 558x587 mm



FBIO 80L 10F BS

- 60 cm • 80 Ltr. Oven Capacity
- A Class Energy efficiency • Sensor touch control
- Conventional top and bottom heat
- Full surface grill/Fan Assisted grill
- Top oven/Multi-Cooking/Defrosting
- LED fully electronic display • Auto Program
- Three layers glass door
- Removable inner Glass • 5 shelf positions
- Enamel Interior for easy cleaning
- Rotisserie • Digital clock
- With 10 heating methods
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm



FBIO 80L 10F GLM-Steamer

- 60 cm • 80 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
- Full Black Glass Appearance
- 10 Cooking Functions • Electronic Auto Program
- Sensor Touch + Knob Control • Digital Timer
- Cooling Fan • Rotisserie
- Enamel Interior for easy cleaning
- Chromed side racks with anti-tilt system
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxD): 595x595 mm



FBIO 80L 8F / FBIO 80L 8F BK

- 60 cm • 80 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency • 8 Cooking Functions
- Touch + Push / Pull Knob Control • Digital Display
- Electronic timer • Auto Program
- Three layers glass door • Cool touch glass
- 5 shelf positions • Side rack support
- Enamel Interior for easy cleaning
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm



Also available in
Stainless Steel Strips

FBIO 83L 6F AF BK

- 60 cm • 83 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
- Full Black Glass Appearance
- 6 Cooking Functions • Electronic Auto Program
- Sensor Touch Control • Digital Timer
- 3D hot air circulation system • Air fry function
- Anti-Scalding Cold Door Technology
- Oven Size (WxHxD): 594x594x519 mm
- Carcass Size (WxH): 558x587 mm



FBIO 80L 6F / FBIO 80L 6F BK

- 60 cm • 80 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency • 6 Cooking Functions
- Knob Control • Mechanical Timer
- Convection Fan • Cooling Fan • Rotisserie
- Three layers glass door • Cool touch glass
- 5 shelf positions • Side rack support
- Enamel Interior for easy cleaning
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxD): 595x595 mm



Also available in
Stainless Steel Strips

FBIO 80L 4F / FBIO 80L 4F BK

- 60 cm • 80 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency • 4 Cooking Functions
- Knob Control • Mechanical Timer
- Convection Fan • Three layers glass door
- Cool touch glass • 5 shelf positions
- Enamel Interior for easy cleaning
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm



Also available in
Stainless Steel Strips

FPO 621 BK

- 60 cm • 83 Ltr. Oven Capacity
- Black Glass Finish
- Electric Multifunction Oven
- 10 Cooking Functions • Electronic Auto Program
- Memory Function • Sensor Touch Control
- Digital Timer • Cooling Fan
- Rotisserie • Electronic Child lock
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm



FPO 621 SS

- 60 cm • 83 Ltr. Oven Capacity
- Black Glass with SS Trim Finish
- 10 Cooking Functions
- Electronic Auto Program
- Sensor Touch • Digital Timer
- Cooling Fan • Rotisserie
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm



FBI WD 6P TC BS

- 14cm deep warming drawer, suitable for installation in a 60 cm high niche together with a 60 cm width steam oven, microwave combi oven, or with a coffee machine usable height approx. 10 cm
- 6 place settings or 2D plates ø 28 cm or up to 80 Espresso cups or 40 Cappuccino cups (depending on size and style) Max. load 20 kg
- Hot air fan system for heating crockery
- Temperatures freely adjustable from approx. 30° - 80°
- Illuminated on / off switch
- 230 V, 50Hz, 432W
- Touch Control
- Telescopic full-depth pull-out with press + release Mechanism
- Anti slip mat
- Push-to-open-door
- Cool front



FBIO 67L 10F GLB

- 60 cm • 67 Ltr. Oven Capacity
- Black Finish
- Electric Multifunction Oven
- A Class Energy efficiency -15%
- 10 Cooking Functions • Electronic Auto Program
- Memory Function • Sensor Touch Control
- Digital Timer • Cooling Fan
- Rotisserie • Electronic Child lock
- Oven Size (WxHxD): 594x594x566 mm
- Carcass Size (WxH): 595x595 mm



FBIMWO 38L CGS BS

- Capacity 38 L
- Fully sensor touch control
- LED fully electronic display
- Cooking duration setting
- Door interlock (safety switch)
- Stainless steel cavity
- Digital clock with automatic cut off timer
- Child lock system • Defrost • Recipe
- Microwave + Grilling + Convection
- MWO Size (WxHxD): 594x455x486 mm
- Carcass Dimension (WxH): 565x458 mm



FPM 621 BK

- Width: 60 cm • Capacity: 38 L
- Finish: Black Glass Finish
- Sensor touch control
- MWO + Grill + Convection functions
- Digital timer with auto cut off
- Auto cook menus
- Oven Size: (WxHxD): 594*455*486 mm
- Carcass Size: (WXH): 565*458 mm



FBIMWO 38L GLM

- Width: 60 cm • Capacity: 38 L
- Finish: Mirror Glass
- Microwave + Grill + Convection
- Grill + Convection • Convection • Grill
- Defrost • Recipe • Combination Cooking
- Digital Timer • Electronic Push Button Control
- MWO Size: (WxHxD): 594*455*486 mm
- Carcass Dimension: (WxH): 565*458 mm



FBIMWO 32L GLB

- Width: 60 cm • Capacity: 32 L
- Finish: Black • Grill + Convection
- 10 Auto Cook Menus
- Defrost • Combination Cooking
- Digital Timer • Electronic Control
- Child Safety Lock
- MWO Size: (WxHxD): 595*468*388 mm
- Carcass Dimension: (WxH): 560*550*380 mm



FBIMWO 32L CGS

- Width: 60 cm • Capacity: 32 L
- Finish: Stainless Steel
- Grill + Convection
- 10 Auto Cook Menus
- Defrost • Combination Cooking
- Digital Timer • Electronic Control
- Child Safety Lock
- MWO Size: (WxHxD): 595*468*388 mm
- Carcass Dimension: (WxHxD): 560*550*380 mm



FBIMWO 25L CGS

- Width: 60 cm • Capacity: 25 L
- Finish: Stainless Steel
- Grill + Convection
- 10 Auto Cook Menus
- Defrost • Combination Cooking
- Digital Timer • Electronic Push Button Control
- MWO Size: (WxHxD): 594*470*388 mm
- Carcass Dimension: (WxH): 560*550*380 mm



FBIMWO 25L CGS BK

- Width: 60 cm • Capacity: 25 L
- Finish: Black / White
- Grill + Convection
- 10 Auto Cook Menus
- Defrost • Combination Cooking
- Digital Timer • Electronic Control
- Child Safety Lock
- MWO Size: (WxHxD): 595*470*388 mm
- Carcass Dimension: (WxHxD): 560*550*380 mm



FBIMWO 20L SG

- Width: 60 cm • Capacity: 20 L
- Finish: Stainless Steel
- Grill • 10 Auto Cook Menus
- Defrost • Combination Cooking
- Digital Timer • Electronic Control
- Child Safety Lock
- MWO Size: (WxHxD): 595*344*382 mm
- Carcass Dimension: (WxH): 560*500*362 mm



FBIMWO 20L SG BK

- Width: 60 cm • Capacity: 20 L
- Finish: Black
- Grill • 10 Auto Cook Menus
- Defrost • Combination Cooking
- Digital Timer • Touch Control
- Child Safety Lock
- MWO Size: (WxHxD): 594*344*382 mm
- Carcass Dimension: (WxHxD): 560*500*362 mm





FCR 114L 5B HECIR

- Width: 90 cm
- Finish: Stainless Steel
- Oven Capacity: 114 Litres
- 5 Burners: 1 Triple Ring 4Kw 1 Mini Triple Ring 2.5Kw + 1 Large 3Kw + 2 Medium 1.75Kw
- Gas Grill
- Rotisserie
- Auto Ignition for Burners and Oven
- Digital Timer
- Cast Iron Grid
- Enamel Interior for Easy Cleaning
- Size: (W*D*H): 900 x 600 x 890 mm



FCR 53L 4B CIR

- Width: 60 cm
- Finish: Stainless Steel
- Oven Capacity: 53 Litres
- 4 Burners: 1 Triple Ring 4Kw 1 Large 3Kw + 2 Medium 1.75Kw
- Gas Grill
- Rotisserie
- Auto Ignition for Burners and Oven
- Digital Timer
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: (W*D*H): 595 x 600 x 855 mm



FCR 52L 4B BEG

- Width: 55 cm
- Finish: Stainless Steel
- Oven Capacity: 52 Litres
- 4 Burners: 1 Mini Triple Ring 2.5 Kw 1 Large 3Kw + 2 Medium 1.75Kw
- Gas Grill
- Auto Ignition for Burners and Oven
- Digital Timer
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: (W*D*H): 555 x 570 x 890 mm



FCR 44L 4B 4FBK

- Width: 50 cm
- Finish: Black
- Oven Capacity: 44 Litres
- 4 Burners: 1 Large + 2 Medium + 1 Smalls
- Gas Grill
- Push Button Ignition for Burners and Oven
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: (W*D*H): 500*500*890 mm



Dishwashers Plate up for more.



MADE FOR INDIAN
KITCHEN




HYGIENIC CLEANING



ECO WASH



SAVE WATER



DELAY START



ENERGY SAVING

FBID 8PR 14S (Built-in)

- 8 Washing Programs
- 14 Place capacity
- SS Finish
- Dual Zone Wash
- Power Memory
- Auto Wash
- Extra Drying
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Electronic Aqua Stop
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 815*598*600 mm
- Carcass Dimension: (H*W*D): 820-865*600*580 mm



FSID 8PR 14S (Semi Integration)

- 8 Washing Programs
- 14 Place capacity
- SS Finish
- Dual Zone Wash
- Power Memory
- Child Safety Lock
- Power wash/Extra drying/Express
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Electronic Aqua Stop
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 845*598*600 mm
- Carcass Dimension: (H*W*D): 890*645*645 mm



FFSD 8PR 14S BK

- 8 Washing Programs
- 14 Place capacity
- Black Finish
- Dual Zone Wash
- Power Memory
- Child Safety Lock
- Power wash/Extra drying/Express
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Electronic Aqua Stop
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 845*598*600 mm



FFSD 8PR 14S

- 8 Washing Programs
- 14 Place capacity
- Stainless Steel Finish
- Dual Zone Wash
- Power Memory
- Child Safety Lock
- Power wash/Extra drying/Express
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Electronic Aqua Stop
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 845*598*600 mm





WASH TECHNOLOGY



Saving water

Faber products can use as little as 10L water to wash a full load dishes, without compromising on energy consumption or wash quality. What's more, Faber satellite spray and intensive spray work efficiently and reduce water greatly.



A+class energy efficiency level

Energy consuming less, efficiency improving more. Faber products have a heat exchange system which uses the heat generated in the wash cycle, to preheat the water for subsequent rinse cycles. No additional energy is required for the drying cycle and all energy gets a most reasonable utility.



Delayed start

The wash cycle can be delayed to make use of the most convenient time brands.

AUTO

Auto

A special sensor sets the wash cycle in accordance with the soil level of the crockery.

WATER SAFE



Total safety

Faber dishwashers are fitted with safety systems to prevent the risk of flooding. Special devices cut off the water supply from the mains to the inlet point.

DUAL ZONE



Dual Zone

This wash function allow to use either lower or upper basket when less utensils for washing, this will save consumption of water, time and energy.

FFSD 6PR 12S Neo Black

- 6 Washing Programs
- 12 Place capacity
- Neo Black Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 845*598*600 mm



FFSD 6PR 12S Neo Inox

- 6 Washing Programs
- 12 Place capacity
- Neo Inox Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 845*598*600 mm




FFSD 6PR 12S Neo White

- 6 Washing Programs
- 12 Place capacity
- Neo White Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 845*598*600 mm



FFSD 6PR 8S Ace Black

- 6 Washing Programs
- 8 Place capacity
- Black Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 595*550*500 mm
- Carcass Dimension: (H*W*D): 662*605*555 mm



FFSD 6PR 8S Ace Inox

- 6 Washing Programs
- 8 Place capacity
- Inox Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 595*550*500 mm
- Carcass Dimension: (H*W*D): 662*605*555 mm



*Introducing frost free wine chillers,
Setting the standard for
storing and serving wine*



DUALZONE



ECO-FRIENDLY
R600a
REFRIGERANT



REVERSIBLE DOOR



FROST FREE



TRIPLE GLAZED
GLASS

JCF 145S

Dual zone : 5-20°C / 41-68°F
 Triple Glazed Glass door
 Wooden shelves (46 bottles)
 Reversible Door
 Touchpad controller with LED display
 Tropical Climate Class
 Circulated Fan cooling system with R600a
 Frost Free System : Yes



JCF 88

Single zone : 5-20°C / 41-68°F
 Triple Glazed Glass door
 Wooden shelves (33 bottles)
 Reversible Door
 Touchpad controller with LED display
 Tropical Climate Class
 Circulated Fan cooling system with R600a
 Frost Free System : Yes



JCF 58

Single zone : 5-20°C / 41-68°F
 Triple Glazed Glass door
 Wooden shelves (20 bottles)
 Reversible Door
 Touchpad controller with LED display
 Tropical Climate Class
 Circulated Fan cooling system with R600a
 Frost Free System : Yes



JCF 20

Single zone : 5-20°C / 41-68°F
 Triple Glazed Glass door
 Wooden shelves (7 bottles)
 Reversible Door
 Touchpad controller with LED display
 Tropical Climate Class
 Circulated Fan cooling system with R600a
 Frost Free System : Yes



Faster and Even cooling Everywhere

360° Airflow technology provide cold air where it is easily lost, keeping your food fresher.



FBIR BCD-256 RAC

Model Name	FBIR BCD-256 RAC
Finish	White
Capacity	256L
Construction Type	Built-in
Energy Efficiency Class	A+
Climate Class	N-T
Temp. Control (mechanical / electronic)	electronic
Location of control panel	Outside - on the top stripe
Display	Electronic
Function	Super cooling, Super freezing, ECO function, Holiday function
Door	Reversible
Refrigerant	R-600a
Alarm (refrig / freezer)	High temperature, Opened door
No. of Shelves in Refrigerator	4
Number of Freezer Drawers	3
Voltage (V)	220 - 240
Frequency (Hz)	50
Weight Net / Gross (kg)	72
Size/Dimension H×W×D (cm)	177 x 54 x 54



CLASSY COOKTOPS FOR *Convenient Cooking*



SAVE YOUR HOME FROM DANGERS OF GAS LEAKS.

STATE-OF-THE-ART FABER RANGE OF COOKTOPS WITH EUROPEAN GAS VALVES KEEPS YOUR KITCHEN SAFE.



BURNERS*



EUROPEAN VALVE



QUALITY ASSURANCE



ANTI-LEAK TECHNOLOGY



Push Auto Start Regulator

ERGONOMICALLY DESIGNED
USE ONLY ONE HAND TO IGNITION



Glass Top

TOUGHENED GLASS
BLACK & WHITE COLOR



High Performance Burners

ALLOY BURNER
SHOT BLAST BRASS BURNER

NiOS DLX 905 BB BK

- Slim Type with Black Matt Finish Frame
- 5 Brass Burner: 2 Jumbo + 2 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- Heat Resistant Metal Knobs
- Diamond Coated Drip Tray
- Size (WxDxH): 905 x 510 x 100 mm



NiOS DLX 804 BB BK

- Slim Type with Black Matt Finish Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- Heat Resistant Metal Knobs
- Diamond Coated Drip Tray
- Size (WxDxH): 750 x 510 x 100 mm



NiOS DLX 754 BB BK

- Slim Type with Black Matt Finish Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- Heat Resistant Metal Knobs
- Diamond Coated Drip Tray
- Size (WxDxH): 750 x 510 x 100 mm



NiOS DLX 753 BB BK

- Slim Type with Black Matt Finish Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- Heat Resistant Metal Knobs
- Diamond Coated Drip Tray
- Size (WxDxH): 750 x 510 x 100 mm



NiOS DLX 653 BB BK

- Slim Type with Black Matt Finish Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- Heat Resistant Metal Knobs
- Diamond Coated Drip Tray
- Size (WxDxH): 600 x 510 x 100 mm



PRINCE 4BB BK

- Slim Type with Black Powder Coated Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- High temperature resistance diamond coated Pan Support
- Champagne gold finish edge protector
- Diamond Coated Drip Tray
- Size (WxDxH): 720 x 500 x 55 mm



PRINCE 3BB BK

- Slim Type with Black Powder Coated Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- High temperature resistance diamond coated Pan Support
- Champagne gold finish edge protector
- Diamond Coated Drip Tray
- Size (WxDxH): 770 x 380 x 55 mm



ONYX 4BB BK CI

- Black Powder Coated Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- Diamond Coated Pan Support
- Diamond Coated Drip Tray
- Size (WxDxH): 635 x 500 x 50 mm




ONYX 3BB BK CI

- Black Powder Coated Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Diamond Coated Pan Support
- Diamond Coated Drip Tray
- Size (WxDxH): 770 x 380 x 50 mm



REMO 4BB BK

- Slim Black Powder Coated Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- Power Coated Square Pan Support
- Matt Finish SS Tray
- Size (WxDxH): 630 x 500 x 55 mm



REMO 3BB BK

- Slim Black Powder Coated Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Power Coated Square Pan Support
- Matt Finish SS Tray
- Size (WxDxH): 770 x 380 x 55 mm



REMO 2BB BK

- Slim Black Powder Coated Frame
- 2 Brass Burner: 1 Jumbo + 1 Small
- Powder Coated Square Pan Support
- Matt Finish SS Tray
- Size (WxDxH): 700 x 290 x 55 mm



SUPREME PLUS XL 4BB AI/4BB

- Brush Steel Finish Frame
- 4 Burner Brass: 1 Jumbo Burner + 2 Medium + 1 Small
- Heat Resistant Euro Coating
- Square Pan Support
- Removable Square Drip Tray
- Size (WxDxH): 890 x 360 x 55 mm
- Available in Auto Ignition Alsoa



SUPREME PLUS 4BB AI/4BB

- Brush Steel Finish Frame
- 4 Burner Brass: 1 Jumbo Burner + 2 Medium + 1 Small
- Heat Resistant Euro Coating
- Square Pan Support
- Removable Square Drip Tray
- Auto Ignition: Also Push & Hold/Non AI
- Size (WxDxH): 635 x 500 x 55 mm



SUPREME PLUS 3BB AI/3BB

- Brush Steel Finish Frame
- 3 Burner Brass: 1 Jumbo Burner + 1 Medium + 1 Small
- Heat Resistant Euro Coating
- Square Pan Support
- Removable Square Drip Tray
- Auto Ignition: Push & Hold/Non AI
- Size (WxDxH): 770 x 380 x 55 mm



CURVO MIRROR 4BB SS

- Brush Steel Finish Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- Heat Resistant Euro Coating
- Round Pan Support
- Removable Round Drip Tray
- Size (WxDxH): 630 x 510 x 55 mm



CURVO MIRROR 3BB SS

- Brush Steel Finish Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Heat Resistant Euro Coating
- Round Pan Support
- Removable Round Drip Tray
- Size (WxDxH): 770 x 370 x 55 mm




ELITE 4BB BK CI

- Frame: Black Matt
- 4 Brass Burners: Forged Burners with Logo
- 1 Jumbo + 2 Medium + 1 Small
- Pan support: 800 GMS Diamond Coated
- Tray: Black Enameled
- Size (WxDxH): 640 x 510 x 55 mm



ELITE 2BB BK CI

- Black Matt Frame
- 2 Brass Burners: Forged Burners with Logo
- 1 Jumbo + 1 Small
- Pan support: 800 GMS Diamond Coated
- Tray: Black Enameled
- Size (LxWxH): 650 x 380 x 55 mm



SAVOY 4BB BS

- Black Steel Finish Frame
- 4 Burners with Shot Blast (Faber Logo): 1 Jumbo + 2 Medium + 1 Small
- 300 GMS Diamond Coated Pan support
- Feather Touch Knobs Control
- Size (WxDxH): 630 x 500 x 55 mm



SAVOY 3BB BS

- Black Steel Finish Frame
- 3 Burners with Shot Blast (Faber Logo): 1 Jumbo + 1 Medium + 1 Small
- 300 GMS Diamond Coated Pan support
- Feather Touch Knobs Control
- Size (WxDxH): 770 x 380 x 55 mm



ASTRA 4BB SS

- Stainless Steel Finish Frame
- 4 Brass Burner: 1 Super Jumbo + 1 Medium + 2 Small
- Powder Coated Round Pan Support
- Fixed Round Drip Tray
- Size (WxDxH): 585 x 500 x 55 mm



ASTRA 2BB SS

- Stainless Steel Finish Frame
- 2 Brass Burner: 1 Super Jumbo + 1 Medium
- Powder Coated Round Pan Support
- Fixed Round Drip Tray
- Size (WxDxH): 560 x 280 x 55 mm



ASTRA 3BB SS

- Stainless Steel Finish Frame
- 3 Brass Burner: 1 Super Jumbo + 1 Medium + 1 Small
- Powder Coated Round Pan Support
- Fixed Round Drip Tray
- Size (WxDxH): 690 x 360 x 55 mm



JUMBO XL AI 4BB/JUMBO XL 4BB

- Black Matt Frame
- 4 Burner with Shot Blast (Faber Logo):
1 Jumbo + 2 Medium + 1 Small
- Black Coated Round Pan Support
- Ignition: Manual / Auto Ignition
- Double Round Drip Tray
- Glass Size (WxDxH): 950 x 360 x 55 mm



DOUBLE JUMBO 4BB BK

- Black Matt Frame
- 4 Burner with Shot Blast (Faber Logo):
2 Jumbo + 1 Medium + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Glass Size (WxDxH): 630 x 500 x 55 mm



JUMBO 4BB BK

- Black Powder Coated Frame
- 4 Brass Burner:
1 Jumbo + 2 Medium + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 635 x 500 x 55 mm
- Also Available in Auto Ignition Push Button



JUMBO 4BB SS

- Stainless Steel Finish Frame
- 4 Brass Burner:
1 Jumbo + 1 Medium + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 635 x 500 x 55 mm



JUMBO 3BB BK

- Black Powder Coated Frame
- 3 Brass Burner:
1 Jumbo + 1 Medium + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 770 x 360 x 55 mm
- Also Available in Auto Ignition Push Button



JUMBO 3BB SS

- Stainless Steel Finish Frame
- 3 Brass Burner:
1 Jumbo + 1 Medium + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 770 x 380 x 55 mm



JUMBO 2BB BK

- Black Powder Coated Frame
- 2 Brass Burner:
1 Jumbo + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 600 x 360 x 55 mm



POWER 4BB BK

- Black Powder Coated Frame
- 4 Brass Burner:
2 Medium + 2 Small
- Powder Coated Round Pan Support
- Fixed Round Drip Tray
- Size (WxDxH): 585 x 500 x 55 mm



POWER 3BB BK

- Black Powder Coated Frame
- 3 Brass Burner:
2 Medium + 1 Small
- Powder Coated Round Pan Support
- Fixed Round Drip Tray
- Size (WxDxH): 690 x 360 x 55 mm



POWER 2BB BK

- Black Powder Coated Frame
- 2 Brass Burner: 1 Medium + 1 Small
- Powder Coated Round Pan Support
- Fixed Round Drip Tray
- Size (WxDxH): 600 x 290 x 55 mm





FABER PRESENTS INDIA'S CHOICE CANDY

Available Colours



Mystic Red



Black



White



Plum



Lemans Blue

8 IN 1 FUNCTIONS



3-IN-1 MASTERCHEF

ALL-IN-1 MIXER GRINDER, JUICER & BLENDER
WITH KIT FOR WEIGHING, CHOPPING, CUTTING AND SLICING.

Available Colours



Mystic Red



Lemans Blue



Plum



Black



White



Free Accessories

FMG MASTERCHEF 3J/4J

- Manual functions
- Powerful 100% copper motor with automotive ball bearing
- Superior Quality SS 304 Jars & Blades
- Engineered for low noise
- Wattage: 800W/1000W
- RPM, 22000 Approx. No Load Speeds
- Nylon Coupler
- Safety ensured overload protection switch and anti skid rubber feet
- SS 304 Jars & Blades with lockable Jar Lids, Jar with Flow Breaker
- 1.5L liquidizing jar, 1L Dry jar, 0.4L Chutney jar and 1.5L PC jar



FMG CANDY 4 J/3J

- Manual functions
- Powerful 100% copper motor with automotive ball bearing
- Superior Quality SS 304 Jars & Blades
- Engineered for low noise
- Wattage: 800W/1000W
- RPM, 22000 Approx. No Load Speeds
- Nylon Coupler
- Safety ensured overload protection switch and anti skid rubber feet
- SS 304 Jars & Blades with lockable Jar Lids, Jar with Flow Breaker
- 1.5L liquidizing jar, 1L Dry jar, 0.4L Chutney jar and 1.5L PC jar



FMG CROWN 800 W 3J/4J

- Manual functions
- 4 Jar Blender Mixer Grinder
- Motor Capacity : 800 Watts (Copper)
- RPM, 20000 Approx. No Load Speeds
- 0.4 ltrs/ 1.5 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip lock



Mystic Red

FMG HILUX 550 W

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 550 Watts (Copper)
- RPM, 18000 Approx. No Load Speeds
- 0.4 ltrs/ 1.0 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip lock



Nero

FMG VOGUE 600 W

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 600 Watts (Copper)
- RPM, 19000 Approx. No Load Speeds
- 0.4 ltrs/ 1.0 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip lock



Blanc

SONNET 500 W

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 500 Watts (Copper)
- RPM, 18000 Approx. No Load Speeds
- 1.2 ltrs/ 0.8 ltrs/ 0.350 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug





FHB 6059 FS BK

44 mm Diameter
550w DC Motor
ABS Plastic Body
SS Shaft & Blade
1 Speed + Stepless Variable Speed
Chopper bowl, Whisk, Measuring Cup,
1L Storage Container



FHB 6059 SO BK

44 mm Diameter
550w DC Motor
ABS Plastic Body
SS Shaft & Blade
1 Speed + Stepless Variable Speed
1L Storage Container



High Performance
DC Motor



Swirl Flow



BPA Free Plastics



Gearbox Drive



Super Quiet > 45 dB



Infinitely Adjustable
Control



FAQA
Certified



ISO 9001:2008
Certified Factory



180 Quality Tests



Micromesh
Juicing Sieve



Multi
Purpose SS Jar



3-Speed
Control



Powerful
500W Motor



Double Lock
System

FJMG REGAL TREND 2J

Motor Capacity: 500 Watts

Jar: 0.8 L / 1.5 L

High Performance Blade

Micromesh Juicing Sleeves

Speed: 3 Speed + 1 Pulse (18000 RPM)

Accessories: Spatula

Color: White - Cherry Red

2 Pin 2 Core



Juice | Smoothies | Nut Milk | Sorbet | Salad Maker

JUICE EVERY THING



High Performance
DC Motor



BPA Free Plastic



< 45db



Upto 95%
Efficiency



28Nm Torque
Gear Box



Comes with Salad Maker Attachments



FSJ 200 BK-M

- 80mm big feeder
- LCD display, digital control.
- Producing Healthy & Fresh juice
- 60rpm low speed motor
- 95% juice rate
- Safety protection system
- 20 mins continuous working time
- Reverse function to avoid stuck
- Power: 220-240V~,50/60Hz, 200W
- Materials: ABS, food grade PC, 304 stainless steel, copper
- Salad making



FSJ 150 R


- Producing Healthy & Fresh juice
- 60rpm low speed motor
- 95% juice rate
- Special patent
- Safety protection system
- Low noise, Lower vibration
- 20 mins continuous working time
- Reverse function to avoid stuck
- Power: 220-240V~,50/60Hz, 150W
- Materials: ABS, food grade PC, 304 stainless steel, copper



Salad Maker



FABER Slow Juicer



OTHER Centrifugal juicer



FRUITS (Hard & Soft)
Apple, Grape, Orange, Pomegranate, SweetLime, Grapefruit, Pineapple, Watermelon, Mango, Dragonfruit, Peach, Pear, etc



LEAFY GREENS
Wheatgrass, Celery, Parsley, Spinach, Kale, etc. Add Apple / Pineapple / Orange to Leafy Greens for delicious Healthy Juice.



VEGETABLES
Carrot, Beetroot, Cucumber, Tomato, Bottle-guard, Amla, Bitter-guard, etc



NUT MILK
Almond, Cashew, Soy, etc. Prepare Delicious & Healthy Vegan Nut Milk

C-GUARD

RO WITH VITAMIN C FILTER



RO ki
purity.
Vitamin C ki
immunity.



DELIVERS 4.5 mg OF VITAMIN C PER 100 ml OF WATER



C-GUARD PLUS

- RO + MAT + Vitamin C + UV
- 7 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment - 1
- Sediment - 2
- Pre Carbon
- 80 GPD RO Membrane
- C-Guard Filter
- Post Carbon in C-Guard Filter
- Vitamin C in C-Guard Filter
- Water Level Indicator
- Tank Full Indicator
- 2500 PPM TDS# Filtration Limit



Free pre filter worth Rs. 520/-

ALTROZ

- RO + UV + UF + MAT + Mineral Filter Filtration
- 10 Litres (Gross Volume) Storage Tank
- 9 Stage of Filtration
- Sediment - 1
- Sediment - 2
- Pre Carbon
- Heavy Duty RO Membrane (Made In USA)
- Post Carbon
- Inside Post Carbon MAT* Filter
- Mineral Filter
- UF Membrane
- UV Filter
- 3000*PPM TDS# Filtration Limit
- Water Level Indicator



CASPER PLUS

- RO + UV + CU Guard Filtration
- 10 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment
- Sediment - 2
- Pre Carbon
- 80 GPD RO Membrane
- Post Carbon
- UV Filter
- Copper Guard
- 2500* PPM TDS# Filtration Limit
- Water Level Indicator
- Tank Full Indicator



NEUTRON PLUS

- RO + UV + UF + CU Guard + PH Enhancer Filtration
- 10 Litres (Gross Volume) Storage Tank
- 9 Stage of Filtration
- External Sediment - 1
- Sediment - 2
- Pre Carbon
- CSM 80 GPD RO Membrane
- Post Carbon
- UF Membrane
- UV Filter
- Copper Guard
- PH Enhancer
- 2500*PPM TDS# Filtration Limit
- Water Level Indicator
- Tank Full Indicator



CASPER DLX

- RO + UF + MAT Filtration
- 10 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment
- Sediment - 2
- Pre Carbon
- 80 GPD RO Membrane
- Post Carbon
- Inside Post Carbon MAT* Filter
- 2500* PPM TDS# Filtration Limit
- Water Level Indicator
- Tank Full Indicator



C-GUARD

- RO + MAT + Vitamin C
- 7 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment - 1
- Sediment - 2
- Pre Carbon
- 80 GPD RO Membrane
- C-Guard Filter
- Post Carbon in C-Guard Filter
- Vitamin C in C-Guard Filter
- Water Level Indicator
- Tank Full Indicator
- 2500 PPM TDS# Filtration Limit



UTS PT PRO (RO+UV)

- RO + UV Filtration
- 15 Litres (Gross Volume) Storage Tank
- 6 Stage No of Filtration
- Sediment - 1
- Sediment - 2
- Pre Carbon
- CSM 80 GPD RO Membrane
- Post Carbon
- 2500* PPM TDS# Filtration Limit
- >12LPH@25°C, 20 PSI, TDS 750PPM Filtration Capacity
- 1.6LPM RO Booster Pump



XUV 8000

- 7 Litres (Gross Volume) Storage Tank
- UV + UF+ Alkaline
- 7 Stage Filtration
- Sediment-1
- Pre Carbon
- Sediment-2
- Post Carbon
- Alkaline in Post Carbon
- UV Filter
- UF Memberane
- Water Level Indicator
- Tank Full Indicator
- 500 PPM TDS# Filtration Limit



Bake, toast and grill GOODNESS!

Make every day delightfully delicious with the FABER OTG.



THE **FOTG** SERIES



60 MINUTES
TIMER



CHAMBER LIGHT FOR
EASY MONITOR



AUTO SHUT OFF
& READY BELL



ACCESSORIES FOR
MULTI-COOKING



ROTISSERIE



CONVECTION



CRUMB TRAY

Safety & Standards



180 Quality Tests



MS Special
Coating



Cool Touch
Handle



ISO 9001:2008 Certified Factory

FOTG 60L

60 Litres Capacity
Rotisserie Function
Convection Function
2200 Watts
60 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
4pcs SS Heating Element
With Indicator Light
4 Stages Switch Heating Selection:
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



FOTG 45L

45 Litres Capacity
Rotisserie Function
Convection Function
2000 Watts
60 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
4pcs SS Heating Element
With Indicator Light
6 Stages Switch Heating Selection:
off / Upper Heating / Lower Heating /
Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



FOTG 34L

34 Litres Capacity
Rotisserie Function
Convection Function
1600 Watts
60 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
4pcs SS Heating Element
With Indicator Light
6 Stages Switch Heating Selection:
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



FOTG 24L

24 Litres Capacity
Rotisserie Function
Convection Function
1600 Watts
60 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
4pcs SS Heating Element
With Indicator Light
6 Stages Switch Heating Selection:
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



FOTG 9L

9 Litres Capacity
1000 Watts
30 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
SS Heating Element
With Indicator Light
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray





FT 950W DLX BK

Capacity: 2-short slice
220-240V 50-60Hz 950W
Electronic control
With reheat/defrost/cancel setting and have red indicator
Ajustable browning control/7 setting
With anti-jam function



FT 900W BK

Capacity: 2-short slice
220-240V 50-60Hz 900W
Electronic control
With reheat/defrost/cancel setting and have red indicator
Ajustable browning control/7 setting
With anti-jam function



Features:



2 Bread Slice Slot
120cm x 120cm



Cool Touch
Body



950 W Max/900 W
Input



Food Grade
Heating Element



Reheat Function



Defrost Function



Cancel Function



7 Browning Setting

Convenience



Removable Crumb
Tray



Food Grade
Plastic



Auto Pop Up





Thermostatically
controlled Auto Cut off



BPA free
plastic



Non Stick
Coating



Cool Touch
Housing

FSTG 750 BK

SANDWICH MAKER

Cool touch housing

2-slice sandwich maker grill

Non-stick coating plate for easy cleaning

Antiskid feet

Cord storage

Thermostatically controlled lamp

Power & ready lights



750 W Max
Input



High Performance
Heating Element



ELECTRIC WATER KETTLE



ISO 9001:2008 Certified Factory



180 Quality Tests



FAQA Certified



BPA FREE



PFOA FREE



KETTLE SS

Capacity: 1.8L, 1.5L, 1.2L
 220-240V 50Hz 1500W
 Auto Switch off
 Hinged and locking lid
 Detachable jug kettle with 360 power base
 Cool touch Handle
 Dry Heat Protection
 Over Heat Protection
 Auto Switch Off when water is boiled
 Stainless steel body with pre attached Filter



KETTLE 1.7L

Capacity: 1.7L
 220-240V 50/60Hz, 2200W
 Plastic kettle with a detachable non-slip base
 Safety lock lid
 With steam and anti-dry
 Overheating the power-off function of triple protection
 Stainless steel heat element heating
 On/off switch and light indicator
 Transparent water gauge show the water level
 With detachable filter for convenient cleaning



Features:



ON/OFF Switch with light indicator



Removable filter



360 degree base



Dry heating protection



1.7 Litres



Water level indicator



Cool Touch Body



Hidden SS 304 Element



2200 W Max Input



FAQA Certified



ISO 9001:2008 Certified Factory



180 Quality Tests



BPA FREE



PFOA FREE



85%

**REDUCED OIL
USAGE**



**SMART LIGHT
INDICATOR**



**ZERO OIL- HEALTHY
COOKING**



**8 PRE SET COOKING
MENUS**



**SWIRL HEATING
TECHNOLOGY**



4.5 L CAPACITY



AUTO SHUT OFF

FAF 4.5MSBK

- Capacity: 4L (basket) / 4.5 (drawer)
- 220-240v 50/60Hz 1500W
- Plastic body with metal painting decoration
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- 30/60 min timer automatically shut off for precise cooking
- LED display, touch panel
- Power cord storage
- Operation light indicator
- With few drops of oil or no oil during frying process, healthy lifestyle
- Can fry MAX 1500g frozen fries. (basket)



FAF 3.0 L BK

- Capacity: 2.7L (basket) / 3.0L (drawer)
- 220-240v 50/60Hz 1300W
- Plastic Body
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- Power cord storage
- Operation light indicator
- Non-slip feet
- With few drops of oil or no oil during frying process, healthy lifestyle



FEATURES & CONVICIENCE



4.5 Litres



80 - 200° C



Cool Touch Handle



FAQA Certified



ISO 9001:2008 Certified Factory



180 Quality Tests



Swirl Cooking



Non Stick Slide Pan Out



1500 W Max Input



AUTO SHUT OFF



PFOA FREE



BPA FREE



DISHWASHER SAFE PAN



Digital



FRY



ROAST



BAKE



GRILL

DURAMAX WH 150W

Capacity: 2 Litres

Stainless steel drum

Overload Protector

Direct drive transmission

150-Watt Motor, 960RPM, 230V, 50HZ

Transparent lid and air vent



02 Litres



25 MINUTES
CONTINUOUS
RUNNING



SPECIAL HIGH
GRADE STONE



FMC 1.2 BK

Capacity: 1.2 Litres

220-240V 50-60Hz 700W

SS 304 Container

Multi Cooker



COOL TOUCH
BODY



FOOD GRADE
INTERNAL



1.2 LITRES



A HELMET OR THE SAFER GEYSER ? YOUR CHOICE.

PRESENTING FABER GEYSERS WITH 12 SAFETY FEATURES

Whether it's your bathroom or your kitchen, make the safer choice with Faber Geysers. With 12 built-in safety features, they are engineered to deliver peace of mind. Always.



*5-Star BEE Standard

* TC Apply



12 SAFETY FEATURES

ANTI SHOCK PRESSURE RESIST

#Safer With Faber

LEXUS

- FWG LEXUS 10, FWG LEXUS 15, FWG LEXUS 25
- 10, 15L, 25 Capacity
- Vertical Installation
- Red Ivory/Sandy Black Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



JAZZ ELITE 15/25

- FWG JAZZ 15V, FWG JAZZ 25V,
- 15L, 25L Capacity
- Vertical Installation
- Wine Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



AVAILABLE COLOR



Sandy Black



Red Ivory

JAZZ LHS & RHS

- FWG JAZZ 15H, FWG JAZZ 25H,
- 15L, 25L Capacity
- Horizontal Installation
- White Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 4 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



VULCAN

- FWG VULCAN 6V, FWG VULCAN 10V,
- FWG VULCAN 15V, FWG VULCAN 25V
- 6L, 10L, 15L, 25L Capacity
- Vertical Installation
- White Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



INSTA

- FWG INSTA 1L (3KW), FWG INSTA 1L (4.5KW),
- FWG INSTA3L (3KW), FWG INSTA 3L (4.5KW),
- 1L, 3L Capacity
- Vertical Installation
- White Color
- Heating indicator
- 8 Bar High Working Pressure
- Fixed Control (55 Degree C) Controls
- 3000W, 4500 W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- SS TANK (304 grade) Tank material
- PRV Safety valve • Thermostat • Thermal cut off
- 3 Pin, 3 core plug
- 8 Bar High Working Pressure





SAFETY FEATURES*



Single Weld line



High Working
Pressure



Thermal Cutout



No Water Leakages
Even Coating Across Area




5-Bolt Flange



High Precision
Thermostat




MFV
(Extreme Condition)



Low Carbon CRCA Sheet
for better strength




Multi-Layer



Magnesium Anode



Glasslined Element



Girth Welding

CYRUS

- FWG CYRUS 15, FWG CYRUS 30
- 15L, 25L Capacity
- Vertical Installation
- Black/Cherry Colour
- Digital display, Heating indicator
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating
- MFV Safety valve • Thermostat • Thermal cut off



Also available in manual model



Manual Model



Digital Model

JAZZ ELITE 35/50

- FWG JAZZ ELITE 35, FWG JAZZ ELITE 50
- 35L, 50L Capacity
- Vertical Installation
- White Color
- Heating indicator
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 4 Star Rating Rated Star Rating
- MFV Safety valve • Thermostat • Thermal cut off



AGNES

- FWG AGNES
- Tank less
- Vertical Installation
- White Color
- Heating indicator
- 8 Bar High Working Pressure
- 3500W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current
- 50 Hz Rated Frequency
- Thermostat
- Thermal cut off



YOU AND YOUR FAMILY... NOW SAFER WITH FABER



Effective disinfection
Seafoam



Fruit & vegetables



Meat



Tableware

Available Colour



Seafoam

Blonde

Indigo

Iris

OXYPURE 10

- 10 Litres Capacity
- ABS Material
- 230V 50Hz, AC Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Table Mounted Installation
- 1.45 Kgs Product Weight
- Dimension (L*W*H): 330*270*320 mm



TAD 1L SS

- 1 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



TAD 2L SS

- 2 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



TAD 5L SS

- 5 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



TAD 2L 3-in-1

- 2 Litre Capacity
- Plastic, HDPE/PET Material
- 1 Meter Without Charger Socket Charging Cable
- Plug & Play Type
- Dual, Table Top or Wall Mounted Installation
- 3-in-1 Dispenser with option of dispensing Liquid, High Viscose Gel and Soap
- Wall Mounting Plastic Stand Unit as Accessories with the product



FDS CARE PRO

- DC 5V / 2Amp Rated Input
- 100 W Rated Power
- 0.5 kg Net weight
- 245 x 200 x 170mm Product Size
- Type-C or USB Input interface
- 0-40°C Working Temperature
- Full UV disinfection of upper and lower double layers
- Removes bacteria & viruses within 3 minutes
- 254 to 260 nm range powerfully germicidal
- Portable & compact design
- Unlike chemical treatments, the process of UV disinfection is environmentally friendly



FDS CARE PLUS-FR

- 220V~, 50Hz Rated Voltage
- 100 W Rated Power
- 0.69 kg Net weight
- Protection from dust
- Removes bacteria & viruses
- Multi functional foldable UV Box
- 310 mm x 60 mm Product size (Unfolding)
- 310 mm x 160 mm Product size (Unfolding)
- 3 in 1 (UV Sterilization + Pasteurization +Cloth dryer)
- A cloth dryer (360 degree cycle drying)
- Aroma Therapy (Removes odour)
- 254 to 260 nm range powerfully germicidal
- Portable & compact design
- Unlike chemical treatments, the process of UV disinfection is environmentally friendly



FDS SUV 20 / FDS SUV 30

- 20 Litres / 30 Litres Capacity
- 230V AC 50Hz Rated Input Voltage
- 22 W Operating Power (W)
- 0.5 W Stand by Power (W)
- 2 Nos each of 11 W Germicidal Lamps
- 3 Pin 5A, 1.2 meters Power Cable
- 1 to 12 minutes Timer Setting
- Metallic Powder Coated Material of Body
- Digital Display Type
- 8 Buttons Control Panel
- 254 nm UV-C Light Output
- 0°C - 45°C, 10-85% humidity Operating Temperature
- UV-C protection against opening of door





Scan to download
Faber Master Catalogue



FRANKE FABER INDIA PRIVATE LIMITED

Regd. Office/ Factory: 1086/1/2, Sanaswadi, Nagar Road, Tal Shirur, Pune 412208, Maharashtra, India
Toll Free Helpline: 1800 209 3484, email: ks-customer@franke.com, website: www.faberindia.com

Follow us on: [f](#) /FaberIndia [t](#) /faberindia [You Tube](#) /FaberSpaIndia

Franke Faber India Private Limited is Licensed User of ©Trademark of FABER S.P.A

Features and specifications are subject to change without prior notice. Pictorial representation may not be identical to actual product.